



2018 Wholesale Catalog

The highest-quality native, local-genotype plants and seed



TCRN Production Facilities: Brodhead, WI | Baldwin City, KS



The highest-quality native, local-genotype plants and seed

2018 Wholesale Catalog Contents

| | |
|---|-----------|
| About Us: Taylor Creek Overview..... | 3-4 |
| 2018 Species List..... | 5-21 |
| Product & Pricing Information..... | 21 |
| 2018 Wholesale Seed Mix Pricing..... | 22-23 |
| Pollinator Seed Mixes..... | 22 |
| Upland Seed Mixes..... | 22 |
| Wet Seed Mixes..... | 23 |
| Full Seed Mix Descriptions (A-Z)..... | 23 |
| Order Form..... | 39 |



About Us

Taylor Creek Restoration Nurseries Overview

About Taylor Creek Restoration Nurseries

With three decades of experience in growing native plants, Taylor Creek Restoration Nurseries (TCRN) is a leader in native plant propagation. With production facilities in southern Wisconsin and eastern Kansas, TCRN supplies the entire Midwest and beyond. Our staff members have degrees in horticulture, reclamation, conservation and land-use planning. Just as important as the diplomas, our people are passionately dedicated to the promotion and use of native species.

Contact Us

Wisconsin • Kansas

Upper Midwest
Production Facility
17921 W Smith Rd PO Box 256
Brodhead, WI 53520
P 608-897-8641
F 608-897-2044
E nursery.service@appliedeco.com

Lower Midwest
Production Facility
224 East 1260 Road
Baldwin City, KS 66006
P 785-594-2245
F 785-594-2250
E krrn@appliedeco.com

Restoration Nurseries

Philosophy and Mission

What are native, local-genotype species?

TCRN produces the highest-quality native, local-genotype plants. “Native” merely means the species was natural to the area before European settlement. “Local-genotype” means the strain is correct for the area. This is a very important detail. Just because *Panicum virgatum* (Switch grass) is native to your area doesn’t mean the genotype is the correct one. We can probably agree that a genotype from Texas isn’t the same as one from Minnesota, and you probably don’t want to plant it in your savanna there. Aside from being incorrect, it’s also not going to do well in the kinds of temperatures and rainfall typical of the Upper Midwest ... if it survives at all.

Our Philosophy: Work with nature, not against it

Why are we so enthusiastic about native plants?

- Natives are naturally adapted to local soils and climates.
- They’re vigorous, deep-rooted plants that produce a beautiful progression of blooms and textures throughout the year and attract a variety of pollinators (bees and butterflies), wildlife and birds
- Native species control, infiltrate and filter rainwater and runoff better than any other species or man-made systems.
- Established native plantings are **very** easy to maintain. They will thrive and bloom without fertilizers, pesticides or watering, even in dry seasons when conventional turf lawns turn brown. Mowing is virtually eliminated, and you save money through the reduced use of lawn-care equipment (and the fuel it requires), fertilizers and chemicals.

Our Mission

We enthuse others about native plantings and the ecosystems they create by offering high-quality, genetically-appropriate native flora as well as the expertise to use and care for them. Education is a big part of our mission, and our restoration nurseries will educate and support our customers and the public at large in their land-use decisions.

Our parent company, Applied Ecological Services, is an ecological consulting and contracting company. Through them, we have direct access to the latest scientific research and practical application techniques relating to the use, propagation and management of native plants in ecological restoration and native landscaping. We encourage our customers to ask questions and learn more about the best ways to use native species in your projects. Our commitment to customer service, quality products and ecological science has helped us become one of the premier native nurseries in the country. We’re dedicated to offering the best plants and growing advice available.

2018 Species List

Note:
Pricing and availability
are subject to change.

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|------------------------------------|---------------------------------------|-------------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Achillea millefolium</i> | | Yarrow | | 20.00 | 1.35 | 1.10 | | |
| <i>Acorus americanus</i> | | Sweet flag | 12.50 | 12.00 | 1.35 | | 1.05 | 1.15 |
| <i>Acorus calamus</i> | <i>Acorus americanus</i> | Sweet flag | 12.50 | 12.00 | 1.35 | | 1.05 | 1.15 |
| <i>Actaea pachypoda</i> | | White baneberry | | 45.00 | | | | 4.50 |
| <i>Actaea rubra</i> | | Red baneberry | | 45.00 | | | | 4.50 |
| <i>Actinomeris alternifolia</i> | <i>Verbesina alternifolia</i> | Wingstem | 9.00 | 8.00 | 1.70 | | | 1.15 |
| <i>Adiantum pedatum</i> | | Maidenhair fern | | | | | | 4.50 |
| <i>Agalinis purpurea</i> | <i>Gerardia purpurea</i> | Purple false foxglove | 100.00 | 100.00 | | | | |
| <i>Agalinis tenuifolia</i> | | Slenderleaf false foxglove | 60.00 | 60.00 | | | | |
| <i>Agastache foeniculum</i> | | Fragrant lavender hyssop | | | 1.50 | | | |
| <i>Agastache nepetoides</i> | | Yellow giant hyssop | 23.13 | 21.88 | | | 0.95 | |
| <i>Agastache scrophulariifolia</i> | | Purple giant hyssop | 21.00 | 20.94 | | | | |
| <i>Ageratina altissima</i> | <i>Eupatorium rugosum</i> | White snakeroot | 40.63 | 36.25 | 1.35 | | | 1.16 |
| <i>Agropyron smithii</i> | <i>Pascopyrum smithii</i> | Western wheatgrass | 12.00 | 9.00 | | | | |
| <i>Agropyron trachycaulum</i> | <i>Elymus trachycaulus</i> | Slender wheat grass | | | | | | |
| <i>Alisma plantago-aquatica</i> | <i>Alisma subcordatum</i> | American water plantain | 5.00 | 4.75 | | | | |
| <i>Alisma subcordatum</i> | <i>Alisma plantago-aquatica</i> | American water plantain | 5.00 | 4.75 | 1.70 | | 1.10 | 1.42 |
| <i>Alisma triviale</i> | | Large-flowered water plantain | | 75.00 | | | | |
| <i>Allium burdickii</i> | <i>Allium tricoccum</i> | Wild leek | 55.00 | 50.00 | | | | 4.50 |
| <i>Allium canadense</i> | | Wild garlic | 16.00 | 12.00 | | | | 1.16 |
| <i>Allium cernuum</i> | | Nodding wild onion | 15.00 | 13.00 | 1.35 | 1.10 | 1.00 | 1.05 |
| <i>Allium stellatum</i> | | Prairie onion | 26.00 | 21.00 | | | 1.05 | 1.58 |
| <i>Allium tricoccum</i> | <i>Allium burdickii</i> | Wild leek | 55.00 | 50.00 | | | | |
| <i>Ammannia robusta</i> | | | | | | | | |
| <i>Ammophila breviligulata</i> | | American beachgrass | | | | | 0.95 | |
| <i>Amorpha canescens</i> | | Leadplant | 21.88 | 20.00 | 1.70 | | 1.20 | 1.42 |
| <i>Amorpha fruticosa</i> | | False Indigo bush | 21.88 | 20.00 | | | | 1.75 |
| <i>Amphicarpaea bracteata</i> | | Upland hog peanut | | | | | | |
| <i>Amsonia hubrichtii</i> | | Arkansas blue star | | | 1.53 | 1.25 | 1.12 | |
| <i>Amsonia illustris</i> | | Shining blue star | | | 1.35 | 1.10 | 1.00 | 1.31 |
| <i>Amsonia tabernaemontana</i> | | Eastern blue star | | | 1.53 | 1.25 | 1.12 | |
| <i>Andropogon gerardii</i> | | Big bluestem | 0.56 | 0.50 | 1.35 | 1.05 | 0.95 | 1.05 |
| <i>Andropogon scoparius</i> | <i>Schizachyrium scoparium</i> | Little bluestem | 1.38 | 1.19 | 1.25 | 1.05 | 0.95 | 1.16 |
| <i>Andropogon virginicus</i> | | Broom sedge bluestem | | | 1.35 | | | |
| <i>Anemone canadensis</i> | | Meadow/Canada anemone | 43.75 | 35.00 | 1.70 | | | 1.47 |
| <i>Anemone patens</i> | <i>Pulsatilla patens</i> | Pasque flower | 55.00 | 42.00 | 2.50 | | | 2.10 |
| <i>Anemone quinquefolia</i> | | Wood anemone | | | 4.50 | | | 3.15 |
| <i>Anemone virginiana</i> | | Tall anemone | 66.00 | 60.00 | 1.40 | | | 1.05 |
| <i>Anemonella thalictroides</i> | | Rue anemone | 93.00 | 78.00 | | | | 3.15 |
| <i>Angelica atropurpurea</i> | | Great angelica | 10.00 | 5.31 | | | | 1.47 |
| <i>Antennaria neglecta</i> | | Field pussy toes | | 200.00 | 1.53 | | | |

* indicates plants available as bare root (BR) species only. Preferred species botanical name indicated in **BOLD ITALIC**.

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|---|---|-------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Antennaria plantaginifolia</i> | | Pussy toes | 325.00 | 200.00 | 1.53 | | | |
| <i>Apocynum acanadensis</i> | | Dog bane | | | | | | |
| <i>Apocynum androsaemifolium</i> | | Spreading dogbane | | | | | | |
| <i>Apocynum cannabinum</i> | | Indian hemp | | | | | | |
| <i>Aquilegia canadensis</i> | | Wild columbine | 45.00 | 35.00 | 1.50 | 1.10 | 1.00 | 1.16 |
| <i>Aralia nudicaulis</i> | | Wild sarsaparilla | 100.00 | 87.50 | | | | |
| <i>Aralia racemosa</i> | | American spikenard | 200.00 | 162.50 | | | | |
| <i>Arenaria lateriflora</i> | <i>Moehringia lateriflora</i> | Blunt leaf stitchwort | | | | | | |
| <i>Arenaria stricta</i> | <i>Minuartia michauxii</i> | Stiff sandwort | 243.00 | 200.00 | | | | |
| <i>Argentina anserina</i> | <i>Potentilla anserina</i> | Silverweed cinquefoil | 45.00 | 37.50 | | | | |
| <i>Arisaema atrorubens</i> | <i>A. triphyllum</i> | Jack-in-the-pulpit | 50.00 | 37.00 | 4.50 | | | 3.15 |
| <i>Arisaema dracontium</i> | | Green dragon | | | | | | |
| <i>Arisaema triphyllum</i> | <i>Arisaema atrorubens</i> | Jack-in-the-pulpit | 50.00 | 37.00 | 4.50 | | | 3.15 |
| <i>Arnoglossum atriplicifolium</i> | <i>Cacalia atriplicifolia</i> | Pale Indian plantain | 27.00 | 18.00 | 2.00 | | | 1.79 |
| <i>Arnoglossum plantagineum</i> | <i>Cacalia tuberosa</i> | Prairie Indian plantain | 94.00 | 75.00 | | | 1.10 | |
| <i>Artemisia campestris</i> | | Field sagewort | 20.00 | 15.00 | | | | |
| <i>Artemisia ludoviciana</i> | | White sage | | 41.00 | | | | |
| <i>Asarum canadense</i> | | Wild ginger | | 100.00 | 4.50 | | | 3.15 |
| <i>Asclepias exaltata</i> | | Poke milkweed | | | | | | |
| <i>Asclepias incarnata</i> | | Swamp milkweed | 30.00 | 25.00 | 1.25 | 1.10 | 1.00 | 1.05 |
| <i>Asclepias purpurascens</i> | | Purple milkweed | 95.00 | 85.00 | 2.25 | | | 2.10 |
| <i>Asclepias speciosa</i> | | Showy milkweed | | | 1.70 | | | |
| <i>Asclepias sullivanti</i> | | Prairie milkweed | 68.00 | 53.00 | 1.70 | | | |
| <i>Asclepias syriaca</i> | | Common milkweed | 18.00 | 16.00 | 1.70 | | 1.25 | 1.16 |
| <i>Asclepias tuberosa</i> | | Butterfly weed | 47.00 | 45.00 | 1.50 | 1.10 | 1.10 | 1.26 |
| <i>Asclepias verticillata</i> | | Whorled milkweed | 75.00 | 60.00 | 1.70 | 1.25 | 1.15 | 1.26 |
| <i>Asclepias viridiflora</i> | | Short green milkweed | 113.00 | 94.00 | 2.10 | | | 2.10 |
| <i>Asclepias viridis</i> | | Spider milkweed | | | 1.53 | | 1.25 | |
| <i>Aster azureus</i> | <i>Symphyotrichum oolentangiense</i> | Sky-blue aster | 48.00 | 42.00 | 1.35 | | | |
| <i>Aster cordifolius</i> | <i>Symphyotrichum cordifolium</i> | Arrow-leaved aster | 75.00 | 57.00 | 1.70 | 1.15 | | 1.47 |
| <i>Aster divaricatus</i> | <i>Eurybia divaricata</i> | White woodland aster | | | | | | |
| <i>Aster drummondii</i> | <i>Symphyotrichum drummondii</i> | Drummond's aster | 30.00 | 21.00 | | 1.15 | | 1.47 |
| <i>Aster dumosus</i> | <i>Symphyotrichum dumosum</i> | Rice-button aster | | | | 1.15 | | call |
| <i>Aster ericoides</i> | <i>Symphyotrichum ericoides</i> | Heath aster | 86.00 | 65.00 | 1.70 | 1.10 | | 1.47 |
| <i>Aster firmus</i> | <i>Symphyotrichum puniceum</i> | Shining aster | | | | | | |
| <i>Aster laevis</i> | <i>Symphyotrichum laeve</i> | Smooth blue aster | 42.00 | 36.00 | 1.35 | | | |
| <i>Aster lateriflorus</i> | <i>Symphyotrichum lateriflorum</i> | Side-flowering aster | 40.00 | 20.00 | 1.35 | | | |
| <i>Aster linariifolius</i> | <i>Lonactis linariifolius</i> | Flax-leaved aster | 53.00 | 48.00 | | | | |
| <i>Aster macrophyllus</i> | <i>Eurybia macrophylla</i> | Big-leaved aster | 82.00 | 63.00 | 1.70 | | | 1.47 |
| <i>Aster novae-angliae</i> | <i>Symphyotrichum novae-angliae</i> | New England aster | 45.00 | 40.00 | 1.25 | | | |
| <i>Aster oblongifolius</i> | <i>Symphyotrichum oblongifolium</i> | Aromatic aster | 41.00 | 25.00 | 1.25 | | | |
| <i>Aster pilosus</i> | <i>Symphyotrichum pilosum</i> | Hairy aster | 11.00 | 8.00 | 1.25 | | | |
| <i>Aster praealtus</i> | <i>Symphyotrichum praealtum</i> | Willow aster | | 85.00 | | | | call |
| <i>Aster prenanthoides</i> | <i>Symphyotrichum prenanthoides</i> | Crooked-stemmed aster | | 45.00 | | | | |
| <i>Aster ptarmicoides</i> | <i>Oligoneuron album</i> | Stiff aster (goldenrod) | 28.00 | 20.00 | 1.35 | | | |
| <i>Aster puniceus</i> | <i>Symphyotrichum puniceum</i> | Marsh aster | 40.00 | 32.00 | 1.35 | | | |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|--|---|-------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Aster sagittifolius</i> | <i>Symphotrichum urophyllum</i> | Arrow-leaved aster | 75.00 | 57.00 | | | | call |
| <i>Aster sericeus</i> | <i>Symphotrichum sericeum</i> | Silky aster | 54.00 | 40.00 | | | | |
| <i>Aster shortii</i> | <i>Symphotrichum shortii</i> | Short's aster | 68.00 | 60.00 | 1.70 | | | |
| <i>Aster simplex</i> | <i>Symphotrichum lanceolatum</i> | Panicled aster | 40.00 | 32.00 | 1.35 | | | 1.21 |
| <i>Aster umbellatus</i> | <i>Doellingeria umbellata</i> | Flat-topped aster | 28.00 | 22.00 | 1.40 | | | |
| <i>Astragalus canadensis</i> | | Canadian milk vetch | 12.50 | 7.00 | | | | |
| <i>Astragalus crassicaarpus</i> | | Prairie Plum | | | | | | |
| <i>Athyrium filix-femina</i> | | Lady fern | | | 5.00 | | | 4.20 |
| <i>Avena sativa</i> (cover crop) | | Seed oats | 0.08 | 0.08 | | | | |
| <i>Baptisia alba</i> | <i>B. leucantha</i> | White wild indigo | 40.00 | 25.00 | 1.70 | 1.25 | 1.20 | 1.31 |
| <i>Baptisia australis</i> | | Blue indigo | | | 1.70 | 1.25 | 1.12 | |
| <i>Baptisia bracteata</i> | <i>B. leucophaea</i> | Cream wild indigo | 90.00 | 60.00 | 1.70 | | 1.12 | 1.42 |
| <i>Baptisia leucantha</i> | <i>B. alba</i> | White wild indigo | 40.00 | 25.00 | 1.70 | 1.25 | 1.15 | 1.42 |
| <i>Baptisia leucophaea</i> | <i>B. bracteata</i> | Cream wild indigo | 90.00 | 60.00 | 1.70 | | 1.15 | 1.42 |
| <i>Beckmannia syzigachne</i> | | American Slough Grass | 3.00 | 2.85 | | | | |
| <i>Besseyia bullii</i> | | Kitten tails | | | | | | |
| <i>Biden connata</i> | | | 23.00 | 15.00 | | | | |
| <i>Bidens aristosa</i> | <i>Bidens polyepis</i> | Bearded beggar's ticks | 15.00 | 9.00 | | | | |
| <i>Bidens cernua</i> | | Nodding bur marigold | 18.00 | 18.00 | | | 0.95 | |
| <i>Bidens coronata</i> | | Tall swamp marigold | 25.00 | 18.00 | | | | |
| <i>Bidens frondosa</i> | | Common beggar's ticks | 15.00 | 12.00 | | | 0.95 | |
| <i>Bidens polyepis</i> | <i>Bidens aristosa</i> | Bearded beggar's ticks | 15.00 | 9.00 | | | | |
| <i>Blephilia ciliata</i> | | Ohio horsemint | 120.00 | 110.00 | | | | |
| <i>Blephilia hirstuta</i> | | Hairy pagoda plant | 28.00 | 22.00 | | | 1.10 | |
| <i>Boehmeria cylidrica</i> | | Smallspike False Nettle | 30.00 | 25.00 | | | | |
| <i>Bolboschoenus fluviatilis</i> | <i>Schoenoplectus fluviatilis</i> | River bulrush | 16.00 | 14.50 | | | | |
| <i>Boltonia asteroides</i> | <i>Boltonia latisquama</i> | False aster | 9.00 | 8.00 | 1.35 | | 1.00 | 1.16 |
| <i>Boltonia latisquama</i> | <i>Boltonia asteroides</i> | False aster | 9.00 | 8.00 | | | | |
| <i>Bouteloua curtipendula</i> | | Side Oats Grama | 0.90 | 0.68 | 1.25 | 1.00 | 0.95 | 1.05 |
| <i>Bouteloua dactyloides</i> | <i>Buchloe dactyloides</i> | Buffalograss | 1.90 | 1.60 | 1.25 | | 1.00 | 1.16 |
| <i>Bouteloua gracilis</i> | | Blue grama grass | | | 1.25 | 1.10 | 1.00 | 1.16 |
| <i>Bouteloua hirsuta</i> | | Hairy grama grass | 10.30 | 8.75 | | | 0.95 | |
| <i>Brachyelytrum erectum</i> | | Long awned wood grass | | | | | | |
| <i>Brickellia eupatorioides</i> | <i>Kuhnia eupatorioides</i> | False boneset | 15.00 | 13.13 | 1.40 | | 0.95 | 1.16 |
| <i>Bromus ciliatus</i> | | Fringed brome | 11.00 | 8.00 | | | | |
| <i>Bromus kalmii</i> | | Arctic brome | 7.00 | 5.00 | | | | |
| <i>Bromus latiglumis</i> | | Tall brome | 18.00 | 15.00 | 1.35 | | 1.05 | 1.21 |
| <i>Bromus pubescens</i> | <i>B. purgans</i> | Woodland brome | 15.00 | 11.00 | | | 0.95 | 1.26 |
| <i>Bromus purgans</i> | <i>B. pubescens</i> | Woodland brome | 15.00 | 11.00 | | | 0.95 | 1.26 |
| <i>Buchloe dactyloides</i> | <i>Bouteloua dactyloides</i> | Buffalograss | 1.90 | 1.60 | 1.25 | | 0.95 | 1.16 |
| <i>Cacalia atriplicifolia</i> | <i>Arnoglossum atriplicifolium</i> | Pale Indian plantain | 27.00 | 18.00 | 2.00 | | | 1.79 |
| <i>Cacalia plantaginea</i> | <i>Arnoglossum plantagineum</i> | Prairie Indian plantain | 94.00 | 75.00 | | | | |
| <i>Cacalia suaveolens</i> | <i>Hasteola suaveolens</i> | Sweet Indian plantain | 26.00 | 22.00 | 1.70 | | 0.95 | 1.52 |
| <i>Cacalia tuberosa</i> | <i>Arnoglossum plantagineum</i> | Prairie Indian plantain | 94.00 | 75.00 | | | | |
| <i>Calamagrostis canadensis</i> | | Blue joint grass | 70.00 | 65.00 | 1.35 | | 1.00 | 1.05 |
| <i>Calamovilfa longifolia</i> | | Sand reed grass | | | | | | |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|---|---|--------------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Calla palustris</i> | | Calla lily/Water arum | | | | | | |
| <i>Callicarpa americana</i> | | American beauty berry | | | 1.70 | | | |
| <i>Callirhoe involucrata</i> | | Purple poppy mallow | | | 1.35 | | | 1.35 |
| <i>Callirhoe triangulata</i> | | Poppy mallow | | | | | | |
| <i>Caltha palustris</i> | | Marsh marigold | 85.00 | 75.00 | 3.00 | | | 2.10 |
| <i>Camassia scilloides</i> | | Wild hyacinth | 65.00 | 55.00 | 3.00 | | 1.50 | 2.10 |
| <i>Campanula rotundifolia</i> | | Harebell | | | | | | |
| Campanulastrum americanum | <i>Campanula americana</i> | Tall bellflower | 50.00 | 35.00 | 2.50 | | | 1.85 |
| <i>Cardamine bulbosa</i> | | Bulbous bittercress | | 88.00 | 3.00 | | | 2.63 |
| Cardamine concatenata | <i>Dentaria lacinata</i> | Toothwort | 93.75 | 75.00 | 4.50 | | | 3.68 |
| <i>Carex albicans</i> | | Whitetinge/Cedar Sedge | | | 1.70 | | | |
| <i>Carex amphibola</i> | | Gray sedge | | | 1.75 | | | |
| <i>Carex annectens</i> | | Yellow-fruited sedge | 20.00 | 14.00 | 1.25 | 1.10 | 0.90 | 1.05 |
| Carex aquatilis aquatilis | <i>Carex aquatilis altior</i> | Long-bracketed tussock sedge | | | 1.60 | | | 1.37 |
| <i>Carex atherodes</i> | | Wheat sedge | | | | | | 2.10 |
| <i>Carex bebbii</i> | | Bebb's sedge | 20.00 | 15.00 | 1.35 | | 0.95 | 1.05 |
| <i>Carex bicknellii</i> | | Bicknell's sedge | 20.00 | 17.00 | 1.25 | | 1.00 | 1.05 |
| <i>Carex blanda</i> | | eastern woodland sedge | | | | | | 1.47 |
| <i>Carex brevior</i> | | Short beak sedge | 11.00 | 9.75 | 1.25 | 1.05 | 1.00 | 1.05 |
| <i>Carex bromoides</i> | | Brome hummox sedge | | | | | | |
| <i>Carex bushii</i> | | Long-scaled green sedge | | | | | | |
| <i>Carex buxbaumii</i> | | Buxbaum's sedge | 44.00 | 40.00 | | | 1.15 | 1.47 |
| <i>Carex cephalophora</i> | | Rough clustered sedge | | | | | | 1.47 |
| <i>Carex comosa</i> | | Longhair sedge | 15.00 | 11.25 | 1.40 | | 0.95 | 1.16 |
| <i>Carex complanata</i> var. <i>hirsuta</i> | Carex hirsutella | Hairy green sedge | 45.00 | 40.00 | | | | 1.47 |
| <i>Carex crawei</i> | | Early fen sedge | | | | | | |
| <i>Carex crinita</i> | | Fringed sedge | 14.50 | 13.00 | 1.50 | | | 1.31 |
| <i>Carex cristatella</i> | | Crested sedge | 35.00 | 32.50 | 1.40 | | 0.95 | 1.16 |
| <i>Carex crus-corvi</i> | | Crow foot fox sedge | | | | | | |
| <i>Carex davisii</i> | | Awned graceful sedge | 75.00 | 43.00 | | | | |
| <i>Carex eburnea</i> | | Cedar Sedge | | | 1.53 | | | 1.37 |
| <i>Carex emoryi</i> | | Riverbank sedge | | | 1.75 | | | 1.47 |
| <i>Carex festucacea</i> | | Fescue sedge | | | 1.50 | | | |
| <i>Carex frankii</i> | | Franks sedge | | 15.00 | 1.70 | | | 1.35 |
| <i>Carex gracilescens</i> | | Slender loose-flowered sedge | | | | | | |
| <i>Carex gracillima</i> | | Purple-sheathed graceful sedge | 75.00 | 75.00 | | | | |
| <i>Carex granularis</i> | | Pale sedge | 47.00 | 36.00 | 1.75 | | | 1.47 |
| <i>Carex gravida</i> | | Long-awned bracted sedge | 15.00 | 11.00 | 1.75 | | 0.95 | 1.47 |
| <i>Carex grayi</i> | | Common bur sedge | 40.00 | 28.00 | 1.70 | 1.25 | | 1.47 |
| <i>Carex grisea</i> | | Inflated narrow-leaf sedge | | 26.00 | | | | |
| <i>Carex haydenii</i> | | Hayden's sedge | | | | | | |
| Carex hirsutella | <i>C. complanata</i> var. <i>hirsuta</i> | Hairy green sedge | 45.00 | 40.00 | | | | 1.47 |
| <i>Carex hirtifolia</i> | | Pubescent sedge | | | | | | |
| Carex hyalinolepis | <i>C. lacustris</i> var. <i>laxiflora</i> | Common lake sedge | 75.00 | 60.00 | 1.50 | | | 1.47 |
| <i>Carex hystericina</i> | | Bottlebrush sedge | 12.50 | 9.38 | 1.25 | | 1.00 | 1.05 |
| <i>Carex interior</i> | | Inland sedge | | 33.00 | | | | |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|--|---------------------------------|----------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Carex jamesii</i> | | Grass sedge | | | | | | |
| <i>Carex lacustris</i> | | Hairy sedge | 118.00 | 107.00 | | | | |
| <i>Carex lacustris</i> var. <i>laxiflora</i> | Carex hyalinolepis | Common lake sedge | 75.00 | 60.00 | 1.50 | | | 1.47 |
| <i>Carex languinosa</i> | Carex pellita | Broad leaved woolly sedge | 118.00 | 75.00 | 1.53 | | | 1.58 |
| <i>Carex lasiocarpa</i> | | Woollyfruit sedge | | 40.00 | | | | |
| <i>Carex laxiflora</i> | | Beech wood sedge | | | | | | |
| <i>Carex lupuliformis</i> | | Knobbed hop sedge | | | | | | |
| <i>Carex lupulina</i> | | Common hop sedge | 21.00 | 20.00 | 1.70 | | | 1.47 |
| <i>Carex lurida</i> | | Shallow sedge | | 19.00 | | | | |
| Carex meadii | <i>C. tetanica</i> | Mead's stiff sedge | 33.00 | 33.00 | | | | |
| <i>Carex molesta</i> | | Field oval sedge | 14.00 | 12.00 | | | 0.85 | |
| <i>Carex muehlenbergii</i> | | Sand bracted sedge | 43.00 | 38.00 | 1.70 | | 0.85 | 1.47 |
| <i>Carex muskingumensis</i> | | Broad-leaved woolly sedge | 21.00 | 14.00 | 1.25 | 1.05 | 0.85 | 1.26 |
| <i>Carex normalis</i> | | Spreading oval sedge | 25.00 | 19.00 | 1.50 | | 0.85 | 1.26 |
| <i>Carex oligocarpa</i> | | Sparse-fruited sedge | | | | | | 3.15 |
| Carex pellita | <i>C. languinosa</i> | Broad leaved woolly sedge | 118.00 | 85.00 | 1.53 | | 1.05 | 1.58 |
| <i>Carex pensylvanica</i> | | Common oak sedge | 155.00 | 155.00 | 1.90 | | | 1.58 |
| <i>Carex praegracilis</i> | | Tollway sedge | | | 1.70 | 1.25 | | |
| <i>Carex prairea</i> | | Fen panicled sedge | 90.00 | 75.00 | | | 0.85 | |
| <i>Carex projecta</i> | | Loose-headed oval sedge | | | | | | |
| <i>Carex radiata</i> | | Curly wood sedge | 140.00 | 45.00 | 1.70 | | | |
| <i>Carex retrorsa</i> | | Retrorsa sedge | 20.00 | 11.00 | | | | 1.58 |
| <i>Carex richardsonii</i> | | Richardson's sedge | | | | | | |
| <i>Carex rosea</i> | | Curly-styled wood sedge | 230.00 | 188.00 | 1.70 | | | 1.58 |
| <i>Carex sartwelli</i> | | Sartwell's sedge | | 81.00 | 2.00 | | | 1.79 |
| <i>Carex scoparia</i> | | Broom sedge | 12.00 | 10.00 | 1.25 | | 0.85 | |
| <i>Carex shortiana</i> | | Short's sedge | | | 1.53 | | | |
| <i>Carex sparganioides</i> | | Loose-headed bracted sedge | 45.00 | 38.00 | 1.70 | | 0.95 | 1.47 |
| <i>Carex sprengeii</i> | | Long-beaked sedge | 37.50 | 32.50 | 1.70 | | | 1.47 |
| <i>Carex squarrosa</i> | | Squarrose sedge | | | | | | |
| <i>Carex sterilis</i> | | Fen star sedge | | 65.00 | | | 0.95 | |
| <i>Carex stipata</i> | | Owl-fruited sedge | 20.00 | 16.00 | 1.25 | | 0.85 | 1.05 |
| <i>Carex stricta</i> | | Common tussock sedge | 112.50 | 85.00 | 1.35 | | 1.05 | 1.16 |
| <i>Carex tenera</i> | | Narrow-leaved oval sedge | 52.00 | 44.00 | | | | |
| <i>Carex tetanica</i> | C. meadii | Mead's stiff sedge | 33.00 | 33.00 | 1.70 | | | |
| <i>Carex tribuloides</i> | | Blunt broom sedge | 40.00 | 34.00 | | | | 1.68 |
| <i>Carex trichocarpa</i> * | | Hairyfruit sedge | | | | | | 1.05 |
| <i>Carex typhina</i> | | Cattail sedge | 35.00 | 30.00 | 2.00 | | | 1.47 |
| <i>Carex umbellata</i> | | Parasol sedge | | | | | | |
| <i>Carex utriculata</i> | | Common yellow lake sedge | | | | | | |
| <i>Carex vulpinoidea</i> | | Fox sedge, Brown fox sedge | 16.00 | 11.00 | 1.25 | 1.05 | 0.80 | 1.05 |
| <i>Cassia fasciculata</i> | Chamaecrista fasciculata | Partridge pea | 4.00 | 3.00 | 1.70 | | 0.95 | 1.37 |
| <i>Cassia hebecarpa</i> | Senna hebecarpa | Wild senna | 9.00 | 6.00 | 1.50 | | 0.95 | 1.31 |
| <i>Castilleja coccinea</i> | | Scarlet Indian paintbrush | | | | | | |
| <i>Caulophyllum thalictroides</i> | | Blue cohosh | 20.00 | 17.00 | | | | |
| <i>Ceanothus americanus</i> | | New Jersey tea | 100.00 | 90.00 | 1.70 | | | 1.47 |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|------------------------------------|--------------------------------|---------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| Ceanothus herbaceus | <i>C. ovatus</i> | Inland New Jersey tea | | | | | | 2.30 |
| <i>Ceanothus ovatus</i> | C. herbaceus | Red root | | | | | | |
| <i>Cephalanthus occidentalis</i> | | Buttonbush | | | | | | 1.50 |
| <i>Ceratophyllum demersum*</i> | | Coon's tail | | | | | | |
| Chamaecrista fasciculata | <i>Cassia fasciculata</i> | Partridge pea | 4.00 | 3.00 | 1.70 | | | 1.37 |
| Chamerion angustifolium | <i>Epilobium angustifolium</i> | Fireweed | 188.00 | 168.00 | | | | |
| <i>Chasmanthium latifolium</i> | | River oats | | | 1.35 | 1.10 | 1.00 | 1.42 |
| <i>Chelone glabra</i> | | Turtlehead | 81.00 | 69.00 | 1.70 | | 1.05 | 1.47 |
| <i>Chelone obliqua</i> | | Rose turtlehead | | | 1.70 | | 1.12 | 1.68 |
| <i>Cicuta maculata</i> | | Water hemlock | 22.00 | 19.00 | 2.00 | | | 1.79 |
| <i>Cinna arundinacea</i> | | Common wood reed | 12.00 | 8.00 | | | | |
| <i>Cirsium discolor</i> | | Pasture thistle | 17.00 | 14.00 | 2.00 | | | 1.79 |
| <i>Claytonia virginica</i> | | Spring beauty | 160.00 | 140.00 | 3.50 | | | 3.15 |
| <i>Clematis virginiana</i> | | Virgin's bower | 29.00 | 18.00 | 2.00 | | | 1.47 |
| <i>Comandra umbellata</i> | | Bastard toad flax | | | | | | |
| Conoclinium coelestinum | <i>Eupatorium coelestinum</i> | Blue mistflower | 31.25 | 31.25 | 1.53 | 1.25 | 1.00 | 1.10 |
| <i>Coreopsis lanceolata</i> | | Sand coreopsis | 8.00 | 6.00 | 1.25 | 1.05 | 1.00 | 1.05 |
| <i>Coreopsis palmata</i> | | Prairie coreopsis | 20.00 | 15.00 | 1.53 | 1.25 | 1.12 | 1.16 |
| <i>Coreopsis tripteris</i> | | Tall coreopsis | 22.00 | 16.00 | 1.25 | | 1.00 | 1.05 |
| <i>Dactylis glomerata</i> | | Orchard grass | 0.19 | 0.19 | | | | |
| Dalea candida | <i>Petalostemum candidum</i> | White prairie clover | 16.00 | 7.00 | 1.35 | | 1.00 | 1.16 |
| Dalea purpurea | <i>Petalostemum purpureum</i> | Purple prairie clover | 11.00 | 5.00 | 1.35 | | 1.00 | 1.16 |
| <i>Danthonia spicata</i> | | Poverty oat grass | 45.00 | 45.00 | | | 1.00 | |
| <i>Decodon verticillatus</i> | | Swamp loosestrife | | | 2.00 | | | 1.79 |
| Delphinium carolinianum | <i>Delphinium virescens</i> | Prairie larkspur | 12.50 | 8.00 | | | | 1.47 |
| <i>Delphinium virescens</i> | Delphinium carolinianum | Prairie larkspur | 12.50 | 8.00 | | | | 1.47 |
| <i>Dentaria lacinata</i> | Cardamine concatenata | Toothwort | 93.75 | 75.00 | 4.50 | | | 3.68 |
| <i>Deschampsia cespitosa</i> | | Tufted hairgrass | 25.00 | 23.00 | 1.25 | 1.10 | 1.00 | |
| <i>Desmanthus illinoensis</i> | | Illinois sensitive plant | 5.00 | 3.00 | 1.50 | | 1.00 | 1.26 |
| <i>Desmodium canadense</i> | | Showy tick trefoil | 15.00 | 13.00 | 1.50 | | 1.00 | 1.16 |
| <i>Desmodium canescens</i> | | Hoary tick trefoil | 68.75 | 68.75 | | 1.90 | | 1.50 |
| <i>Desmodium cuspidatum</i> | | Largebracted tick trefoil | 60.00 | 50.00 | | | | |
| <i>Desmodium glutinosum</i> | | Pointed leaf tick trefoil | 60.00 | | | 1.90 | | 1.50 |
| <i>Desmodium illinoense</i> | | Illinois tick trefoil | 20.00 | 12.00 | 1.50 | | 1.00 | 1.26 |
| <i>Diarrhena americana</i> | | American beak grass | 10.00 | 6.00 | | | 1.00 | |
| <i>Diarrhena obovata</i> | | Obvate beakgrass | | | 1.53 | | | 1.52 |
| <i>Dicentra cucullaria</i> | | Dutchman's britches | 95.00 | 75.00 | 4.50 | | | 3.94 |
| Dichanthelium acuminatum | <i>Panicum implicatum</i> | Old-field panic grass | | | | | | |
| Dichanthelium latifolium | <i>Panicum latifolium</i> | Broadleaf rosette grass | | | | 1.90 | | 1.50 |
| Dichanthelium leibergii | <i>Panicum leibergii</i> | Prairie panic-grass | 200.00 | 175.00 | | | | 1.79 |
| <i>Dichanthelium sphaerocarpon</i> | | Round-seed dichanthelium | | | | | | |
| <i>Dioscorea villosa</i> | | Wild yam | | | | | | |
| <i>Dodecatheon meadia</i> | | Shooting star | 145.00 | 98.00 | 2.25 | | | 1.84 |
| Doellingeria umbellata | <i>Aster umbellatus</i> | Flat-topped aster | 28.00 | 22.00 | 1.40 | | 1.00 | 1.16 |
| <i>Drymocallis arguta</i> | Potentilla arguta | Prairie cinquefoil | 40.00 | 35.00 | | | 1.00 | 1.21 |
| <i>Dryopteris thelypteris</i> | Thelypteris palustris | Marsh shield fern | | | 5.00 | | | 4.20 |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|--------------------------------|--------------------------------|------------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Echinacea angustifolia</i> | | Narrow purple coneflower | | | | | | |
| <i>Echinacea atrorubens</i> | | Topeka coneflower | | | 1.70 | | | |
| <i>Echinacea pallida</i> | | Pale purple coneflower | 24.00 | 18.00 | 1.25 | 1.10 | 1.00 | 1.05 |
| <i>Echinacea paradoxa</i> | | Yellow coneflower | | | 1.53 | | 1.05 | 1.52 |
| <i>Echinacea purpurea</i> | | Broad-lvd. purple coneflower | 12.00 | 8.00 | 1.25 | 1.05 | 1.00 | 1.05 |
| <i>Echinocystis lobata</i> | | Wild cucumber | 45.00 | 43.00 | | | | |
| <i>Echinodorus berteri</i> | | Burhead | | | | | | |
| <i>Eleocharis acicularis</i> | | Needle spike rush | 68.00 | 59.00 | 1.53 | | | |
| <i>Eleocharis compressa</i> | | Flat-stemmed spike rush | 68.00 | 59.00 | | | | |
| <i>Eleocharis elliptica</i> | | Golden-seed spike rush | 82.00 | 55.00 | | | | |
| <i>Eleocharis erythropoda</i> | | Red-rooted spike rush | 82.00 | 70.00 | 1.53 | | 1.05 | 1.42 |
| Eleocharis obtusa | <i>E. ovata</i> | Blunt spike rush | 82.00 | 75.00 | 1.50 | | 1.05 | 1.42 |
| <i>Eleocharis ovata</i> | E. obtusa | Blunt spike rush | 82.00 | 75.00 | 1.50 | | 1.05 | 1.42 |
| Eleocharis palustris | <i>E. smallii</i> | Common spike rush | 82.00 | 75.00 | 1.70 | | | 1.42 |
| <i>Eleocharis smallii</i> | E. palustris | Marsh spike rush | 82.00 | 75.00 | 1.70 | | | 1.42 |
| <i>Elodea canadensis</i> * | | Canadian waterweed | | | | | | |
| <i>Elymus canadensis</i> | | Canada wild rye | 1.40 | 1.25 | 1.25 | | 1.00 | 1.05 |
| Elymus hystrix | <i>Hystrix patula</i> | Bottlebrush grass | 15.00 | 15.00 | 1.40 | | 1.00 | 1.16 |
| <i>Elymus macgregorii</i> | | MacGregor's rye grass | | | | | | |
| <i>Elymus riparius</i> | | River bank rye | 10.00 | 9.50 | | | | 1.47 |
| <i>Elymus trachycaulus</i> | | Slender wheatgrass | 0.70 | 0.66 | | | | |
| <i>Elymus villosus</i> | | Silky wild rye | 8.00 | 6.00 | 1.40 | | 1.00 | 1.16 |
| <i>Elymus virginicus</i> | | Virginia wild rye | 1.10 | 0.85 | 1.25 | | 1.00 | 1.05 |
| <i>Enemion biternatum</i> | Isopyrum biternatum | False rue anemone | 240.00 | 215.00 | | | | 5.25 |
| <i>Epilobium angustifolium</i> | Chamerion angustifolium | Fireweed | 188.00 | 168.00 | | | | |
| <i>Epilobium coloratum</i> | | Cinnamon willow herb | 60.00 | 60.00 | 1.70 | | 1.10 | 1.37 |
| <i>Equisetum arvense</i> | | Horsetail | | | | | | |
| <i>Equisetum fluviatile</i> * | | Pipes | | | 1.10 | | | 1.00 |
| <i>Equisetum hyemale</i> * | | Horse tail | | | 1.70 | | | 1.00 |
| <i>Equisetum laevigatum</i> | | Smooth scouring rush | | | | | | |
| <i>Equisetum sylvaticum</i> | | Woodland horsetail | | | | | | |
| <i>Eragrostis spectabilis</i> | | Purple love grass | 47.00 | 35.00 | | | | 1.47 |
| <i>Eragrostis trichodes</i> | | Sand lovegrass | | | 1.53 | | | |
| <i>Erigeron annuus</i> | | Annual fleabane | 8.00 | 6.00 | | | | |
| <i>Erigeron canadensis</i> | Conyza canadensis | Horseweed | | | | | | |
| <i>Erigeron philadelphicus</i> | | Marsh fleabane | | | | | | |
| <i>Erigeron pulchellus</i> | | Robins plantain | 140.00 | | | 2.50 | | 2.00 |
| <i>Erigeron strigosus</i> | | Daisy fleabane | | | | | | |
| <i>Eryngium yuccifolium</i> | | Rattlesnake master | 24.00 | 20.00 | 1.35 | 1.10 | 1.00 | 1.16 |
| <i>Erythronium albidum</i> | | Trout lily | 157.00 | 137.00 | | | | 4.20 |
| <i>Eupatorium altissimum</i> | | Tall boneset | 19.00 | 18.00 | 1.35 | | 1.00 | 1.26 |
| <i>Eupatorium coelestinum</i> | Conoclinium coelestinum | Blue mistflower | 31.25 | 31.25 | 1.53 | 1.45 | | 1.30 |
| <i>Eupatorium fistulosum</i> | | Hollow Joe pye weed | | | | | | |
| <i>Eupatorium maculatum</i> | Eutrochium maculatus | Spotted Joe Pye weed | 30.00 | 26.00 | 1.25 | | 1.00 | 1.16 |
| <i>Eupatorium perfoliatum</i> | | Common boneset | 35.00 | 31.25 | 1.25 | | 1.00 | 1.16 |
| <i>Eupatorium purpureum</i> | Eutrochium purpureum | Purple joe pye weed | 24.00 | 21.00 | 1.25 | | 1.00 | 1.16 |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|--|------------------------------------|-----------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Eupatorium rugosum</i> | <i>Ageratina altissima</i> | White snakeroot | 40.63 | 36.25 | | | 1.00 | 1.16 |
| <i>Eupatorium serotinum</i> | | Late boneset | 29.00 | 24.00 | 1.35 | | 1.00 | 1.16 |
| <i>Euphorbia corollata</i> | | Flowering spurge | 75.00 | 75.00 | | | | 1.47 |
| <i>Eurybia macrophylla</i> | <i>Aster macrophyllus</i> | Big-leaved aster | 82.00 | 63.00 | 1.70 | | | 1.47 |
| <i>Euthamia graminifolia</i> | <i>Solidago graminifolia</i> | Common grass-lvd. goldenrod | 78.00 | 47.00 | 1.25 | | 1.00 | 1.26 |
| <i>Eutrochium maculatus</i> | <i>Eupatorium maculatum</i> | Spotted Joe Pye weed | 30.00 | 26.00 | 1.25 | | 1.00 | 1.16 |
| <i>Festuca obtusa</i> | <i>F. subverticillata</i> | Nodding fescue | | 98.00 | | | | |
| <i>Festuca rubra</i> (Canada) | | Red fescue | | | | | | |
| <i>Festuca subverticillata</i> | <i>F. obtusa</i> | Nodding fescue | 60.00 | 49.00 | | | | |
| <i>Filipendula rubra</i> | | Queen of the prairie | | 69.00 | | | | 2.10 |
| <i>Fragaria virginiana</i> | | Wild strawberry | | 335.00 | 1.53 | | 1.15 | 1.31 |
| <i>Galium aparine</i> | | Sticky willy | | | | | | |
| <i>Galium boreale</i> | | Northern bedstraw | 150.00 | 45.00 | 1.70 | | | 1.47 |
| <i>Galium circaezans</i> | | Smooth wild licorice | | | | | | |
| <i>Galium concinnum</i> | | Shining bedstraw | | | | | | |
| <i>Galium obtusum</i> | | Wild madder | | | | | | call |
| <i>Gaura biennis</i> | | Biennial gaure | 22.00 | 20.00 | | | | 2.10 |
| <i>Gentiana alba</i> | <i>G. flavida</i> | Yellowish gentian | 54.00 | 47.00 | 3.00 | | | 2.73 |
| <i>Gentiana andrewsii</i> | | Bottle gentian | 80.00 | 65.00 | 3.00 | | | 2.73 |
| <i>Gentiana crinita</i> | <i>Gentianopsis crinita</i> | Fringed gentian | | 75.00 | | | | 2.73 |
| <i>Gentiana flavida</i> | <i>G. alba</i> | Yellowish gentian | 54.00 | 47.00 | 3.00 | | | 2.73 |
| <i>Gentiana puberulenta</i> | | Downy gentain | 160.00 | 138.00 | | | | 2.73 |
| <i>Gentianella quinquefolia</i> | <i>Gentiana quinquefolia</i> | Stiff gentian | | 110.00 | | | | 2.73 |
| <i>Gentianopsis crinita</i> | <i>Gentiana crinita</i> | Fringed gentian | | 75.00 | | | | 2.73 |
| <i>Geranium maculatum</i> | | Wild geranium | 150.00 | 95.00 | 1.70 | | | 1.89 |
| <i>Gerardia purpurea</i> | <i>Agalinis purpurea</i> | Purple false foxglove | 100.00 | 100.00 | | | | |
| <i>Gerardia tenuifolia</i> | <i>Agalinis tenuifolia</i> | Slender false foxglove | 60.00 | 60.00 | | | | |
| <i>Geum alepnicum strictum</i> | | Yellow avens | 12.00 | 10.00 | | | | |
| <i>Geum laciniatum</i> | | Northern rough avens | | | | | | |
| <i>Geum rivale</i> | | Purple avens | | | | | | |
| <i>Geum triflorum</i> | | Prairie smoke | 200.00 | 200.00 | 1.70 | | | 1.47 |
| <i>Glandularia canadensis</i> | | Rose verbena | | | 1.53 | | | |
| <i>Glyceria canadensis</i> | | Rattlesnake manna grass | 28.00 | 18.00 | | | | 1.26 |
| <i>Glyceria grandis</i> | | Reed manna grass | 7.50 | 5.50 | | | | 1.26 |
| <i>Glyceria septentrionalis</i> | | Floating manna grass | 35.00 | 35.00 | | | | 1.26 |
| <i>Glyceria striata</i> | | Fowl manna grass | 27.00 | 24.00 | 1.40 | | | 1.26 |
| <i>Gnaphalium obtusifolium</i> | <i>Pseudognaphalium o.</i> | Rabbit tobacco | | | | | | call |
| <i>Hasteola suaveolens</i> | <i>Cacalia suaveolens</i> | Sweet Indian plantain | 26.00 | 22.00 | 1.70 | | 1.10 | 1.52 |
| <i>Helenium autumnale</i> | | Sneezeweed | 25.00 | 20.00 | 1.25 | | | 1.16 |
| <i>Helianthus divaricatus</i> | | Woodland sunflower | 60.00 | 53.00 | 1.40 | | | 1.26 |
| <i>Helianthus grosseserratus</i> | | Sawtooth sunflower | 34.00 | 20.00 | 1.25 | | | 1.16 |
| <i>Helianthus hirsutus</i> | | Hairy sunflower | | | | | | |
| <i>Helianthus lateiflorus rigidus</i> | <i>H. pauciflorus</i> | Prairie sunflower | 50.00 | 33.00 | 1.40 | | | 1.21 |
| <i>Helianthus maximiliani</i> | | Maximilian sunflower | 4.50 | 4.00 | | | | |
| <i>Helianthus mollis</i> | | Downy sunflower | | | | | | |
| <i>Helianthus occidentalis</i> | | Western sunflower | 50.00 | 35.00 | 1.35 | | | 1.21 |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|---------------------------------|-------------------------------|----------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| Helianthus pauciflorus | <i>H. rigidus/laetiflorus</i> | Prairie sunflower | 50.00 | 33.00 | 1.40 | | 1.10 | 1.21 |
| <i>Helianthus rigidus</i> | H. pauciflorus | Prairie sunflower | 50.00 | 33.00 | 1.40 | | 1.05 | 1.21 |
| <i>Helianthus salicifolius</i> | | Willow leaved sunflower | | | 1.53 | | 1.10 | call |
| <i>Helianthus strumosus</i> | | Pale-leaved sunflower | 45.00 | 31.00 | | | 1.05 | |
| <i>Helianthus tuberosus</i> | | Jerusalem artichoke | | | | | | |
| <i>Heliopsis helianthoides</i> | | False sunflower | 6.00 | 4.00 | 1.25 | 1.10 | 1.00 | 1.05 |
| <i>Hepatica acutiloba</i> | H. nobilis | Sharp-lobed hepatica | | 150.00 | 4.50 | | | 3.94 |
| Hepatica nobilis | <i>H. acutiloba</i> | Sharp-lobed hepatica | | 150.00 | 4.50 | | | 3.94 |
| <i>Heracleum maximum</i> | | Cow parsnip | 7.50 | 7.50 | | | | |
| Hesperostipa spartea | <i>Stipa spartea</i> | Porcupine grass | 32.00 | 23.00 | 3.00 | 1.50 | 1.15 | 1.40 |
| <i>Heteranthera dubia</i> | | Water star grass | | | | | | call |
| <i>Heuchera parviflora</i> | | Littleflower alum root | | | 1.53 | | | |
| <i>Heuchera richardsonii</i> | | Prairie alum root | 160.00 | 145.00 | 1.25 | 1.10 | 1.00 | 1.05 |
| Hibiscus laevis | <i>H. militaris</i> | Swamp mallow | | | 1.70 | | | 2.73 |
| <i>Hibiscus lasiocarpus</i> | | Rose mallow | | | 1.70 | | | |
| <i>Hibiscus militaris</i> | H. laevis | Halberd-leaved rose mallow | | | 1.70 | | 1.10 | |
| Hibiscus moscheutos | <i>H. palustris</i> | Swamp rose mallow | 38.00 | 15.00 | | | | call |
| <i>Hibiscus palustris</i> | H. moscheutos | Swamp rose mallow | 38.00 | 15.00 | | | | call |
| <i>Hierochloa odorata</i> | | Vanilla grass | 82.00 | 75.00 | 2.00 | | 1.15 | 1.47 |
| <i>Hordeum jubatum</i> | | Squirrel-tail Barley | | | | | | |
| <i>Hydrophyllum virginianum</i> | | Virginia waterleaf | 75.00 | 50.00 | 4.50 | | | 3.94 |
| Hypericum ascyron | <i>H. pyramidatum</i> | Great St. Johns wort | 10.00 | 8.25 | 1.25 | | 1.00 | 1.16 |
| Hypericum prolificum | <i>H. spathulatum</i> | Shrubby St. Johns wort | 15.00 | 12.00 | | | | |
| <i>Hypericum punctatum</i> | | Spotted St. John's wort | | | | | | |
| <i>Hypericum pyramidatum</i> | H. ascyron | Great St. Johns wort | 10.00 | 8.25 | 1.25 | | 1.00 | 1.16 |
| <i>Hypericum spathulatum</i> | H. prolificum | Shrubby St. Johns wort | 15.00 | 12.00 | | | | |
| <i>Hypoxis decumbens</i> | H. hirsuta | Yellow star grass | 175.00 | 150.00 | | | | 2.63 |
| Hypoxis hirsuta | <i>H. decumbens</i> | Yellow star grass | 175.00 | 150.00 | | | | 2.63 |
| <i>Hystrix patula</i> | Elymus hystrix | Bottlebrush grass | 20.00 | 15.00 | 1.40 | | 1.00 | 1.16 |
| <i>Iliamna remota</i> | I. rivularis | Kankakee mallow | | | | | | |
| <i>Impatiens capensis</i> | | Orange jewelweed | | 75.00 | | | | |
| <i>Impatiens pallida</i> | | Yellow jewelweed | | | | | | |
| Ionactis linariifolius | <i>Aster linariifolius</i> | Flax-leaved aster | 53.00 | 48.00 | | | | |
| <i>Iris fulva</i> | | Copper iris | | | 2.25 | | | |
| <i>Iris prismatica</i> | | Slender blue flag iris | | | | | | |
| <i>Iris versicolor</i> | | Blue flag iris | 26.00 | 20.00 | 1.50 | | 1.05 | 1.31 |
| <i>Iris virginica</i> | | Blue flag iris | 26.00 | 20.00 | 1.50 | 1.10 | 1.00 | 1.47 |
| <i>Isopyrum biternatum</i> | Enemion biternatum | False rue anemone | 240.00 | 215.00 | | | | 5.25 |
| <i>Jeffersonia diphylla</i> | | Twinleaf | | | | | | |
| <i>Juncus acuminatus</i> | | Tapertip rush | 20.00 | 13.00 | 1.50 | | 0.95 | 1.26 |
| <i>Juncus canadensis</i> | | Canada rush | 35.00 | 30.00 | 1.50 | | 0.95 | 1.26 |
| <i>Juncus dudleyi</i> | | Dudley's rush | 44.00 | 35.00 | 1.25 | | 1.00 | 1.16 |
| <i>Juncus effusus</i> | | Common rush | 31.00 | 25.00 | 1.35 | 1.10 | 1.00 | 1.16 |
| <i>Juncus interior</i> | | Inland rush | 41.00 | 33.00 | | | | |
| <i>Juncus marginatus</i> | | Grass-leaved rush | 41.00 | 40.00 | | | | |
| <i>Juncus nodosus</i> | | Joint rush | 65.00 | 65.00 | | | | 1.20 |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|---------------------------------|---------------------------------|-------------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Juncus tenuis</i> | | Path rush | 26.00 | 22.00 | 1.35 | | 1.00 | 1.16 |
| <i>Juncus torreyi</i> | | Torrey's rush | 55.00 | 50.00 | 1.53 | | 1.00 | 1.26 |
| <i>Justicia americana*</i> | | American water-willow | | | 2.00 | | 2.00 | call |
| <i>Koeleria cristatella</i> | K. macrantha | June grass | 20.00 | 10.00 | 1.35 | | 1.00 | 1.16 |
| Koeleria macrantha | <i>K. cristatella</i> | June grass | 20.00 | 10.00 | 1.35 | | 1.00 | 1.16 |
| <i>Krigia biflora</i> | | False dandelion | | | | | | 2.10 |
| <i>Kuhnia eupatorioides</i> | Brickellia eupatorioides | False boneset | 15.00 | 13.13 | 1.40 | | 1.00 | 1.16 |
| <i>Lathyrus palustris</i> | | Marsh vetchling | 38.00 | 34.00 | | | | call |
| <i>Leersia oryzoides</i> | | Rice cut grass | 25.00 | 17.00 | 1.70 | | 1.20 | 1.47 |
| <i>Leersia virginica</i> | | White grass | | | | | | |
| <i>Lespedeza capitata</i> | | Round-headed bush clove | 22.00 | 13.00 | 1.40 | | 1.00 | 1.47 |
| <i>Lespedeza violacea</i> | | Violet lespedeza | | | | 2.20 | | 2.00 |
| <i>Liatris aspera</i> | | Rough blazing star | 36.00 | 30.00 | 1.35 | 1.10 | 1.00 | 1.21 |
| <i>Liatris cylindracea</i> | | Cylindrical blazing star | 48.00 | 43.00 | 1.40 | | 1.00 | 1.21 |
| <i>Liatris ligulistylis</i> | | Meadow blazing star | 55.00 | 55.00 | 1.53 | | | |
| <i>Liatris punctata</i> | | Dotted blazing star | | 31.00 | 1.53 | | | |
| <i>Liatris pycnostachya</i> | | Prairie blazing star | 25.00 | 21.00 | 1.25 | 1.10 | 1.00 | 1.16 |
| <i>Liatris scariosa</i> | | Eastern blazing star | | | 1.53 | 1.25 | 1.12 | |
| <i>Liatris spicata</i> | | Marsh blazing star | 15.00 | 12.00 | 1.25 | 1.10 | 1.00 | 1.16 |
| <i>Lilium michiganense</i> | | Turk's cap lily | 280.00 | 218.00 | 5.00 | | | 4.20 |
| <i>Lilium philadelphicum</i> | | Prairie lily | 335.00 | 200.00 | 7.00 | | | 6.30 |
| Lithospermum carolinense | <i>L. croceum</i> | Hairy puccoon | | 165.00 | | | | |
| <i>Lithospermum croceum</i> | L. carolinense | Hairy puccoon | | 165.00 | | | | |
| <i>Lithospermum incisum</i> | | Fringed puccoon | | 165.00 | | | | |
| <i>Lobelia cardinalis</i> | | Cardinal flower | 100.00 | 75.00 | 1.25 | 1.10 | 1.00 | 1.05 |
| <i>Lobelia inflata</i> | | Indian tobacco | | 93.75 | | | 1.00 | 1.47 |
| <i>Lobelia siphilitica</i> | | Great blue lobelia | 85.00 | 44.00 | 1.25 | 1.10 | 1.00 | 1.05 |
| <i>Lobelia spicata</i> | | Pale spiked lobelia | 140.00 | 140.00 | 1.40 | | 1.00 | 1.16 |
| <i>Lolium multiflorum</i> | | Annual rye | 0.08 | 0.08 | | | | |
| Low Maint. Lawn Blend | | Fescue blend | 0.24 | 0.22 | | | | |
| <i>Ludwigia alternifolia</i> | | Seedbox | 33.00 | 29.00 | | | | |
| <i>Ludwigia palustris</i> | | Marsh seedbox | 52.00 | 43.00 | | | | |
| <i>Ludwigia polycarpa</i> | | Manyfruit primrose-willow | 53.00 | 45.00 | | | | |
| <i>Lupinus perennis</i> | | Wild lupine | 34.38 | 22.00 | 1.25 | | 1.00 | 1.05 |
| <i>Luzula multiflora</i> | | Common wood rush | 87.50 | 75.00 | 1.40 | | 1.00 | 1.16 |
| <i>Lycopus americanus</i> | | American water horehound | 27.00 | 26.00 | 1.53 | | 1.00 | 1.21 |
| <i>Lycopus uniflorus</i> | | Northern bugleweed | | 37.00 | | | | |
| <i>Lysimachia ciliata</i> | | Fringed loosestrife | 82.00 | 69.00 | | | | |
| <i>Lysimachia quadriflora</i> | | Fourflower yellow loosestrife | 200.00 | 112.00 | | | | 1.40 |
| <i>Lysimachia terrestris</i> | | Swamp candles | | | | | | |
| <i>Lysimachia thyriflora</i> | | Tufted loosestrife | | | | | | |
| <i>Lythrum alatum</i> | | Winged loosestrife | 110.00 | 90.00 | 1.35 | | 1.00 | |
| Maianthemum racemosum | <i>Smilacina racemosa</i> | Feathery false solomon's seal | 28.00 | 26.00 | | | | 5.25 |
| <i>Maianthemum stellatum</i> | <i>Smilacina stellata</i> | Starry false solomon's seal | 134.00 | 115.00 | | | | |
| <i>Mentha arvensis</i> | | Wild mint | 78.00 | 69.00 | 1.35 | | 1.00 | 1.21 |
| <i>Mertensia virginica</i> | | Virginia bluebells | | | 3.00 | | | 2.63 |
| <i>Mimulus ringens</i> | | Monkey flower | 43.00 | 24.00 | 1.25 | | 1.00 | 1.05 |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|------------------------------------|------------------------------------|--------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| Minuartia michauxii | <i>Arenaria stricta</i> | Stiff sandwort | 243.00 | 200.00 | | | | |
| <i>Mitella diphylla</i> | | Bishop's cap | | 280.00 | | | | |
| <i>Moehringia lateriflora</i> | | Blunt leaf stitchwort | | | | | | |
| <i>Monarda bradburiana</i> | | Beebalm | | | 1.53 | | | |
| <i>Monarda fistulosa</i> | | Wild bergamot | 26.00 | 20.00 | 1.25 | 1.10 | 1.00 | 1.05 |
| <i>Monarda punctata</i> | | Horse mint | 22.00 | 20.00 | 1.35 | | | 1.16 |
| <i>Muhlenbergia glomerata</i> | | Marsh wild timothy | 45.00 | 30.00 | | | | |
| <i>Muhlenbergia mexicana</i> | | Leafy satin grass | | 15.00 | 1.40 | | | |
| <i>Napaea dioica</i> | | Glade Mallow | 11.00 | 7.50 | | | | |
| <i>Nelumbo lutea</i> | | American lotus | | | 7.00 | | | 5.78 |
| <i>Nuphar advena</i> | N. lutea | Yellow waterlily | | | 6.00 | | | 5.25 |
| Nuphar lutea | <i>N. advena</i> | Yellow waterlily | | | 6.00 | | | 5.25 |
| <i>Nuphar microphyllum*</i> | N. lutea pumila | Yellow water lily | | | | | | |
| <i>Nuphar rubrodisca*</i> | | Yellow water lily | | | | | | |
| Nymphaea odorata | <i>N. tuberosa</i> | American white waterlily | | | 6.00 | | | 5.25 |
| <i>Nymphaea tuberosa</i> | N. odorata | White waterlily | | | 6.00 | | | 5.25 |
| <i>Oenothera biennis</i> | | Common evening primrose | 3.50 | 3.00 | | | 1.00 | |
| <i>Oenothera macrocarpa</i> | | Large flowered primrose | | | 1.35 | | 1.10 | |
| <i>Oenothera pilosella</i> | | Prairie sundrops | | | 1.45 | | 1.00 | 1.37 |
| <i>Oenothera speciosa</i> | | Pink petticoats primrose | | | | | | |
| Oligoneuron album | <i>Solidago/Aster ptarmicoides</i> | Stiff aster (goldenrod) | 28.00 | 20.00 | 1.35 | | 1.00 | 1.21 |
| Oligoneuron ohioense | <i>Solidago ohioensis</i> | Ohio goldenrod | | 22.00 | 1.70 | | 1.00 | 1.47 |
| Oligoneuron riddellii | <i>Solidago riddellii</i> | Riddell's goldenrod | 22.00 | 15.00 | 1.25 | | 1.00 | 1.05 |
| Oligoneuron rigidum | <i>Solidago rigida</i> | Stiff goldenrod | 26.00 | 22.00 | 1.25 | 1.10 | 1.00 | 1.05 |
| <i>Onoclea sensibilis</i> | | Sensitive fern | | | 5.00 | | | 5.00 |
| Onosmodium bejariense | <i>O. molle</i> | Marbleseed | | 150.00 | | | | |
| <i>Onosmodium molle</i> | O. bejariense | Marbleseed | | 150.00 | | | | |
| <i>Opuntia humifusa</i> | | Prickly pear cactus | 31.00 | 31.00 | 5.00 | | | 4.20 |
| <i>Osmorhiza claytonii</i> | | Hairy sweet cicely | 33.00 | 24.00 | | | | |
| <i>Osmorhiza longistylis</i> | | Smooth sweet cicely | 33.00 | 24.00 | | | | |
| <i>Osmunda cinnamomea</i> | | Cinnamon fern | | | | | | 5.00 |
| <i>Osmunda claytoniana</i> | | Interrupted fern | | | | | | 5.25 |
| <i>Osmunda regalis spectabilis</i> | | Royal fern | | | | | | |
| <i>Oxalis violacea</i> | | Wood sorrel | | | | | | 5.25 |
| <i>Oxypolis rigidior</i> | | Cowbane | 72.00 | 60.00 | | | | |
| Packera aurea | <i>Senecio aurea</i> | Golden ragwort | | | | | | 2.10 |
| Packera obovata | <i>Senecio obovatus</i> | Squaw weed | | | | | | call |
| Packera paupercula | <i>Senecio pauperculus</i> | Balsam ragwort | 87.00 | 80.00 | 1.35 | | | 1.21 |
| Packera plattensis | <i>Senecio plattensis</i> | Prairie groundsel | 87.00 | 80.00 | 1.35 | | | 1.21 |
| <i>Panicum implicatum</i> | Dichanthelium acuminatum | Old-field panic grass | | | | | | |
| <i>Panicum latifolium</i> | Dichanthelium latifolium | Broadleaf rosette grass | | | | | | |
| <i>Panicum leibergii</i> | Dichanthelium leibergii | Prairie panic-grass | 200.00 | 175.00 | | | | 1.79 |
| <i>Panicum oligosanthos</i> | | Few-flowered panic grass | | | | | | |
| <i>Panicum virgatum</i> | | Switch grass | 0.75 | 0.60 | 1.25 | 1.05 | 0.95 | 1.05 |
| <i>Parthenium integrifolium</i> | | Wild quinine | 11.00 | 9.00 | 1.35 | | 1.00 | 1.16 |
| Pascopyrum smithii | <i>Agropyron smithii</i> | Western wheatgrass | 12.00 | 9.00 | | | 1.10 | |
| <i>Pedicularis canadensis</i> | | Wood betony | 131.00 | 94.00 | | | | 2.10 |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|--------------------------------------|--------------------------------|-----------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Pedicularis lanceolata</i> | | Swamp lousewort | 31.25 | 9.75 | | | | 2.10 |
| <i>Peltandra virginica</i> | | Green arrow arum | | | 1.90 | | | 1.47 |
| <i>Penstemon calycosus</i> | | Small beardtongue | 14.00 | 13.00 | 1.35 | | 1.00 | 1.16 |
| <i>Penstemon cobaea</i> | | Large flowered penstemon | | | 1.53 | | | 1.37 |
| <i>Penstemon digitalis</i> | | Beardtongue | 24.00 | 18.00 | 1.25 | 1.10 | 1.00 | |
| <i>Penstemon grandiflorus</i> | | Large-flowered beard tongue | | 24.00 | 2.00 | | | 1.79 |
| <i>Penstemon hirsutus</i> | | Hairy beardtongue | 24.00 | 18.00 | 1.70 | | 1.00 | 1.47 |
| <i>Penstemon pallidus</i> | | Pale beard tongue | | | | | | |
| <i>Penstemon tubaeiflorus</i> | | Western beard tongue | | | | | | |
| <i>Penthorum sedoides</i> | | Ditch stoncrop | 14.00 | 8.00 | 1.65 | | 1.10 | 1.37 |
| <i>Petalostemum candidum</i> | Dalea candida | White prairie clover | 16.00 | 7.00 | 1.35 | | 1.00 | 1.16 |
| <i>Petalostemum purpureum</i> | Dalea purpurea | Purple prairie clover | 11.00 | 5.00 | 1.35 | | 1.00 | 1.16 |
| <i>Phleum pretense</i> | | Timothy | | | | | | |
| <i>Phlox divaricata</i> | | Blue/Woodland phlox | | 110.00 | 1.53 | 1.25 | 1.12 | 1.31 |
| <i>Phlox glaberrima</i> | | Marsh phlox | | 155.00 | 1.53 | | 1.20 | 1.31 |
| <i>Phlox maculata</i> | | Wild sweetwilliam | | 40.00 | | | | |
| <i>Phlox paniculata</i> | | Garden phlox | | | 1.70 | | 1.10 | call |
| <i>Phlox pilosa</i> | | Sand prairie phlox | 155.00 | 110.00 | | | | |
| <i>Phryma leptostachya</i> | | Lopseed | 45.00 | 40.00 | | | | |
| <i>Physostegia virginiana</i> | | Prairie obedient plant | 40.00 | 34.00 | 1.35 | | 1.00 | 1.21 |
| <i>Phytolacca americana</i> | | Pokeweed | | | | | | |
| <i>Poa palustris</i> | | Fowl bluegrass | | | | | | 1.47 |
| <i>Podophyllum peltatum</i> | | May apple | | 150.00 | 2.25 | | | call |
| <i>Polemonium reptans</i> | | Jacob's ladder | 115.00 | 105.00 | 3.00 | | | 2.10 |
| Polygonatum biflorum | <i>P. canaliculatum</i> | Smooth Solomon's seal | 24.00 | 23.00 | 4.00 | | | 3.41 |
| <i>Polygonatum canaliculatum</i> | P. biflorum | Smooth Solomon's seal | 24.00 | 23.00 | 4.00 | | | 3.41 |
| Polygonum amphibium | <i>P. coccineum</i> | Longroot smartweed | | | | | | |
| <i>Polygonum coccineum</i> | P. amphibium | Longroot smartweed | | | | | | |
| <i>Polygonum hydropiperoides</i> | | Mild water pepper | 9.50 | 7.50 | | | | |
| <i>Polygonum lapathifolium</i> | | Curly-topped knotweed | 4.00 | 3.00 | | | | |
| <i>Polygonum pennsylvanicum</i> | | Pinkweed | 4.00 | 3.00 | | | | |
| <i>Polygonum sagittatum</i> | | Lady's tearthumb | 55.00 | 47.00 | | | | |
| <i>Polygonum virginiana</i> | | Jumpseed | | | | | | |
| Polygonum virginianum | <i>Tovara virginiana</i> | Woodland knotweed | | 25.00 | | | | |
| <i>Pontederia cordata</i> | | Pickereel weed | 40.00 | 39.00 | 2.75 | | | |
| <i>Potamogeton natans</i> | | floating pondweed | | | | | | call |
| <i>Potamogeton nodosus*</i> | | Pondweed | | | | | | |
| <i>Potamogeton pectinatus</i> | Stuckenia pectinata | Sago pondweed | | | | | | call |
| <i>Potentilla anserina</i> | Argentina anserina | Silverweed cinquefoil | 45.00 | 37.50 | | | | |
| <i>Potentilla arguta</i> | Drymocallis arguta | Prairie cinquefoil | 40.00 | 35.00 | | 1.15 | 1.00 | 1.10 |
| <i>Potentilla simplex</i> | | | | | | | | |
| <i>Prenanthes alba</i> | | Lion's foot | 175.00 | 118.00 | | | | |
| <i>Prenanthes racemosa</i> | | Glaucous white lettuce | | 118.00 | | | | |
| Pseudognaphalium obtusifolium | <i>Gnaphalium obtusifolium</i> | Rabbit tobacco | | 25.00 | | | | call |
| <i>Psoralea tenuiflora</i> | | French grass | | | | | | |
| Pulsatilla patens | <i>Anemone patens</i> | Pasque flower | 55.00 | 42.00 | | | | 2.10 |
| <i>Pycnanthemum tenuifolium</i> | | Slender mountain mint | 55.00 | 42.00 | 1.35 | 1.10 | 1.00 | 1.31 |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|---------------------------------------|-----------------------------------|----------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Pycnanthemum virginianum</i> | | Virginia mountain mint | 65.00 | 60.00 | 1.35 | | 1.00 | 1.16 |
| <i>Ranunculus abortivus</i> | | Little leaf buttercup | | | | | | |
| <i>Ranunculus fascicularis</i> | | Early buttercup | 45.00 | | | | | |
| Ranunculus hispidus | <i>R. septentrionalis</i> | Rough buttercup | 45.00 | | | | | |
| <i>Ranunculus sceleratus</i> | | Cursed buttercup | 55.00 | 52.00 | | | | |
| <i>Ranunculus septentrionalis</i> | R. hispidus | Rough buttercup | 45.00 | | | | | |
| <i>Ratibida columnifera</i> | | Upright coneflower | | 7.00 | 1.35 | | 1.00 | |
| <i>Ratibida pinnata</i> | | Yellow coneflower | 20.00 | 16.00 | 1.25 | 1.10 | 1.00 | 1.16 |
| Rice hulls - filler | | Filler | 0.07 | 0.07 | | | | |
| <i>Rorippa islandica</i> | R. palustris | Yellow cress | 18.00 | | | | | |
| <i>Rosa arkansana</i> | | Prairie rose | 42.00 | 25.00 | | | | |
| <i>Rosa blanda</i> | | Early wild rose | 32.00 | 18.00 | | | | |
| <i>Rosa carolina</i> | | Carolina rose | 44.00 | 40.00 | | | | 2.63 |
| <i>Rosa palustris</i> | | Swamp rose | 42.00 | 37.00 | 4.50 | | | 3.75 |
| <i>Rosa setigera</i> | | Savanna rose | 42.00 | 37.00 | 4.50 | | | 3.75 |
| Rudbeckia fulgida | <i>R. fulgida sullivantii</i> | Showy black-eyed Susan | | | 1.53 | | 1.00 | |
| Rudbeckia fulgida speciosa | <i>R. speciosa</i> | Orange coneflower | | | 1.25 | 1.10 | 1.00 | |
| <i>Rudbeckia fulgida umbrosa</i> | | Orange coneflower | | | 1.25 | 1.10 | 1.00 | |
| <i>Rudbeckia fulgida sullivantii</i> | R. fulgida | Showy black-eyed Susan | | | 1.53 | | 1.00 | |
| <i>Rudbeckia hirta</i> | | Black-eyed Susan | 5.50 | 3.00 | 1.53 | | 1.00 | 1.31 |
| <i>Rudbeckia laciniata</i> | | Wild golden glow | 23.00 | 17.00 | 1.35 | | 1.00 | 1.21 |
| <i>Rudbeckia missouriensis</i> | | Missouri black-eyed Susan | | | 1.35 | | 1.00 | |
| <i>Rudbeckia speciosa</i> | R. fulgida speciosa | Orange coneflower | | | 1.25 | 1.10 | 1.00 | |
| <i>Rudbeckia subtomentosa</i> | | Sweet black-eyed Susan | 20.00 | 16.00 | 1.35 | | 1.00 | 1.16 |
| <i>Rudbeckia triloba</i> | | Brown-eyed Susan | 15.00 | 12.00 | 1.35 | | 1.00 | 1.16 |
| <i>Ruellia humilis</i> | | Wild petunia, Hairy ruella | 65.00 | 45.00 | 2.50 | | | 2.10 |
| <i>Rumex altissimus</i> | | Pale dock | 19.00 | 15.00 | | | | |
| <i>Rumex orbiculatus</i> | | Great water dock | 19.00 | 15.00 | 1.70 | | 1.05 | 1.47 |
| <i>Rumex verticillatus</i> | | Swamp dock | 19.00 | 15.00 | 1.70 | | 1.05 | 1.47 |
| <i>Sagittaria graminea</i> | | Grass leaved-duck potato | | | | | | call |
| <i>Sagittaria latifolia</i> | | Broad-leaved duck potato | 20.00 | 20.00 | 1.53 | | | 2.95 |
| <i>Sagittaria rigida</i> | | Stiff arrowhead | | | | | | call |
| <i>Salvia azurea</i> | | Blue sage | | | 1.53 | 1.25 | 1.12 | 1.31 |
| <i>Sanguinaria canadensis</i> | | Bloodroot | 53.00 | 45.00 | | | | 3.50 |
| <i>Sanicula marilandica</i> | | Snakeroot | 53.00 | 45.00 | | | | |
| <i>Saururus cernuus</i> | | Lizard's tail | | | 1.90 | | | call |
| <i>Saxifraga pensylvanica</i> | | Eastern swamp saxifrage | 81.00 | 75.00 | | | | 4.20 |
| Schizachyrium scoparium | <i>Andropogon scoparius</i> | Little bluestem | 1.38 | 1.19 | 1.25 | 1.05 | 0.95 | 1.16 |
| Schoenoplectus acutus | <i>Scirpus acutus</i> | Hard-stemmed bulrush | 30.00 | 25.00 | 1.35 | | 1.00 | 1.21 |
| Schoenoplectus fluviatilis | <i>Scirpus fluviatilis</i> | River bulrush | 16.00 | 11.25 | 1.35 | | 1.00 | 1.21 |
| Schoenoplectus pungens | <i>Scirpus pungens/americanus</i> | Chairmaker's rush | 40.00 | 36.00 | 1.50 | | 1.10 | 1.21 |
| Schoenoplectus tabernaemontani | <i>Scirpus validus creber</i> | Soft-stem bulrush | 16.00 | 12.00 | 1.35 | 1.05 | 1.00 | 1.21 |
| <i>Scirpus acutus</i> | Schoenoplectus acutus | Hard-stemmed bulrush | 32.00 | 21.00 | 1.35 | | | |
| <i>Scirpus americanus</i> | Schoenoplectus pungens | Chairmaker's rush | 40.00 | 36.00 | 1.50 | | | |
| <i>Scirpus atrovirens</i> | | Green bulrush | 6.00 | 4.69 | 1.25 | 1.05 | 0.95 | 1.16 |
| <i>Scirpus cyperinus</i> | | Wool grass | 10.00 | 9.06 | 1.25 | | 1.00 | 1.16 |
| <i>Scirpus fluviatilis</i> | Schoenoplectus fluviatilis | River bulrush | 11.25 | 11.25 | 1.35 | | | |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|--|--|-------------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Scirpus lineatus</i> | | Drooping bulrush | | | | | | |
| <i>Scirpus pendulus</i> | | Red bulrush | 43.00 | 17.00 | 1.35 | | | |
| <i>Scirpus pungens</i> | <i>Schoenoplectus pungens</i> | Chairmaker's rush | 40.00 | 36.00 | 1.50 | | | |
| <i>Scirpus validus creber</i> | <i>Schoenoplectus tabernaemontani</i> | Soft-stem bulrush | 16.00 | 12.00 | 1.35 | 1.05 | 1.00 | 1.21 |
| <i>Scleria triglomerata</i> | | White nutrush | | | | | | |
| <i>Scrophularia lanceolata</i> | | Early figwort | 45.00 | 32.00 | | | | 2.10 |
| <i>Scrophularia marilandica</i> | | Late figwort | 26.00 | 22.00 | | | | 2.10 |
| <i>Scutellaria epilobiifolia</i> | <i>S. galericulata</i> | Marsh skullcap | 90.00 | 84.00 | | | | call |
| <i>Scutellaria galericulata</i> | <i>S. epilobiifolia</i> | Marsh skullcap | 90.00 | 84.00 | | | | call |
| <i>Scutellaria lateriflora</i> | | Mad dog skullcap | 43.00 | 43.00 | 3.00 | | | 2.10 |
| <i>Scutellaria ovata</i> | | Heart leaf skullcap | | | | | | |
| <i>Secale cereale</i> | | Winter rye | 0.08 | 0.08 | | | | |
| <i>Sedum ternatum</i> | | Wild stonecrop | | | 1.53 | | | |
| <i>Senecio aurea</i> | <i>Packera aurea</i> | Golden ragwort | | | | | | 2.10 |
| <i>Senecio obovatus</i> | <i>Packera obovata</i> | Squaw weed | | | | | | call |
| <i>Senecio pauperculus</i> | <i>Packera paupercula</i> | Balsam ragwort | 87.00 | 80.00 | 1.35 | | | |
| <i>Senna hebecarpa</i> | <i>Cassia hebecarpa</i> | Wild senna | 9.00 | 6.00 | | | | 1.31 |
| <i>Silene nivea</i> | | Snowy campion | | | | | | |
| <i>Silene regia</i> | | Royal catchfly | 90.00 | 84.00 | 2.00 | 2.00 | | 1.75 |
| <i>Silene stellata</i> | | Starry campion | 145.00 | 95.00 | | | | |
| <i>Silphium integrifolium</i> | | Rosin weed | 12.00 | 9.00 | 1.50 | | 1.00 | 1.31 |
| <i>Silphium laciniatum</i> | | Compass plant | 19.00 | 14.00 | 1.35 | | 1.00 | 1.21 |
| <i>Silphium perfoliatum</i> | | Cup plant | 13.00 | 9.00 | 1.35 | | 1.00 | 1.21 |
| <i>Silphium terebinthinaceum</i> | | Prairie dock | 20.00 | 19.00 | 1.35 | | 1.10 | 1.21 |
| <i>Sisyrinchium albidum</i> | | Common blue-eyed grass | 118.00 | 85.00 | | | | call |
| <i>Sisyrinchium angustifolium</i> | | Narrow lvd. blue-eyed grass | | | | | | call |
| <i>Sisyrinchium campestre</i> | | Prairie blue-eyed grass | 165.00 | 140.00 | | | | call |
| <i>Sium suave</i> | | Hemlock waterparsnip | 50.00 | 46.00 | | | | 1.95 |
| <i>Smilacina racemosa</i> | <i>Maianthemum racemosum</i> | Feathery false solomon's seal | 28.00 | 26.00 | | | | 5.25 |
| <i>Smilacina stellata</i> | <i>Maianthemum stellatum</i> | Starry False Solomon's seal | 134.00 | 115.00 | | | | |
| <i>Smilax herbacea</i> | | Carrion flower | 23.00 | 16.00 | | | | |
| <i>Smilax lasioneura</i> | | Smooth carrion flower | 11.25 | 11.25 | | | | |
| <i>Solidago caesia</i> | | Blue stemmed goldenrod | 150.00 | 130.00 | | | | |
| <i>Solidago canadensis</i> | | Canada goldenrod | 34.00 | 29.00 | | | | |
| <i>Solidago drummondii</i> | <i>Solidago rugosa</i> | Cliff goldenrod | | | 1.53 | 1.25 | 1.10 | |
| <i>Solidago flexicaulis</i> | | Broad-leaved goldenrod | 130.00 | 130.00 | 1.53 | | 1.10 | 1.31 |
| <i>Solidago gigantea</i> | | Late goldenrod | 113.00 | 88.00 | | | | |
| <i>Solidago graminifolia</i> | <i>Euthamia graminifolia</i> | Common grass-lvd. goldenrod | 78.13 | 46.88 | 1.25 | | 1.00 | 1.26 |
| <i>Solidago juncea</i> | | Early goldenrod | 42.00 | 35.00 | | | 1.00 | |
| <i>Solidago nemoralis</i> | | Old-field goldenrod | 28.00 | 18.00 | 1.35 | | 1.00 | 1.16 |
| <i>Solidago ohioensis</i> | <i>Oligoneuron ohioense</i> | Ohio goldenrod | | 22.00 | 1.70 | | 1.00 | 1.47 |
| <i>Solidago patula</i> | | Swamp goldenrod | | | | | | |
| <i>Solidago ptarmicoides</i> | <i>Oligoneuron album</i> | Stiff aster (goldenrod) | 28.00 | 20.00 | 1.35 | | 1.00 | 1.21 |
| <i>Solidago riddellii</i> | <i>Oligoneuron riddellii</i> | Riddell's goldenrod | 22.00 | 15.00 | 1.25 | | 1.00 | 1.05 |
| <i>Solidago rigida</i> | <i>Oligoneuron rigidum</i> | Stiff goldenrod | 26.00 | 22.00 | 1.25 | 1.10 | 1.00 | 1.05 |
| <i>Solidago rugosa</i> | | Wrinkle leaf goldenrod | | | 1.53 | | | call |
| <i>Solidago speciosa</i> | | Showy goldenrod | 36.00 | 30.00 | 1.35 | 1.05 | 1.00 | 1.16 |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|-------------------------------------|--|-----------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Solidago ulmifolia</i> | | Elm-leaved goldenrod | 60.00 | 51.25 | 1.53 | | | 1.31 |
| <i>Sorghastrum nutans</i> | | Indian grass | 0.65 | 0.50 | 1.25 | 1.05 | 0.95 | 1.05 |
| <i>Sparganium americanum</i> | | American bur reed | | | | | | 3.41 |
| <i>Sparganium chlorocarpum</i> | S. emersum | Narrow-leaved bur reed | 25.00 | 16.00 | | | | |
| Sparganium emersum | <i>S. chlorocarpum</i> | Narrow-leaved bur reed | 25.00 | 16.00 | | | | 1.95 |
| <i>Sparganium eurycarpum</i> | | Common bur reed | 25.00 | 16.00 | 1.60 | | | 1.42 |
| <i>Spartina pectinata</i> | | Prairie cord grass | 19.00 | 16.00 | 1.25 | 1.05 | 0.95 | 1.05 |
| <i>Specularia perfoliata</i> | Triodanis perfoliata | Venus's looking glass | 50.00 | 43.00 | | | | |
| <i>Sphenopholis intermedia</i> | | Slender wedge grass | 34.00 | 31.00 | 1.70 | | | 1.47 |
| <i>Sphenopholis obtusata</i> | | Prairie wedge grass | 28.00 | 15.00 | | | | 1.47 |
| <i>Spigelia marilandica</i> | | Indian pink | | | 2.23 | | | |
| <i>Spiraea alba</i> | | Meadow sweet | 63.00 | 56.00 | 3.00 | | | 2.63 |
| <i>Spiraea tomentosa</i> | | Steeple bush | | | | | | |
| <i>Spiranthes cernua</i> | | Nodding ladies tresses | 280.00 | 250.00 | | | | call |
| <i>Spiranthes magnicamporum</i> | | Great plains ladies tresses | | | | | | |
| <i>Sporobolus asper</i> | S. compositus | Sand dropseed | | 2.00 | | | | |
| Sporobolus compositus | <i>S. asper</i> | Sand dropseed | | 2.00 | | | | |
| <i>Sporobolus cryptandrus</i> | | Sand dropseed | | 2.00 | | | | |
| <i>Sporobolus heterolepis</i> | | Prairie dropseed | 26.00 | 22.00 | 1.25 | 1.25 | 1.00 | 1.05 |
| Stachys aspera | <i>Stachys hyssopifolia</i> | Rough hedge nettle | | | | | | 2.10 |
| <i>Stachys hispida</i> | | Rough hedge nettle | 45.00 | | | | | |
| <i>Stachys hyssopifolia ambigua</i> | S. aspera | Rough hedge nettle | | | | | | 2.10 |
| <i>Stachys palustris homotricha</i> | S. pilosa | Marsh hedge nettle | | | | | | 2.10 |
| Stachys pilosa | <i>S. palustris homotricha</i> | Marsh hedge nettle | 40.00 | | | | | 2.10 |
| <i>Stachys tenuifolia</i> | | Smooth nettle hedge | 40.00 | | | | | |
| <i>Stipa spartea</i> | Hesperostipa spartea | Porcupine grass | 32.00 | 23.00 | 3.00 | 1.50 | 1.15 | 1.40 |
| Stuckenia pectinata | <i>Potamogeton pectinatus</i> | Sago pondweed | | | | | | call |
| <i>Stylophorum diphyllum</i> | | Celandine poppy | | | 1.70 | | | |
| Symphotrichum cordifolium | <i>Aster sagittifolius, A. cordifolius</i> | Arrow-leaved aster | 75.00 | 57.00 | 1.70 | | 1.15 | 1.47 |
| Symphotrichum drummondii | <i>Aster drummondii</i> | Drummond's aster | 30.00 | 21.00 | | | 1.15 | 1.47 |
| Symphotrichum dumosum | <i>Aster dumosus</i> | Rice-button aster | | | | | 1.15 | |
| Symphotrichum ericoides | <i>Aster ericoides</i> | Heath aster | 86.00 | 65.00 | 1.70 | | 1.10 | 1.47 |
| Symphotrichum laeve | <i>Aster laevis</i> | Smooth blue aster | 42.00 | 36.00 | 1.35 | | 1.00 | 1.16 |
| Symphotrichum lanceolatum | <i>Aster simplex</i> | Panicled aster | 35.00 | 32.00 | 1.35 | | | 1.21 |
| Symphotrichum lateriflorum | <i>Aster lateriflorus</i> | Side-flowering aster | 40.00 | 20.00 | 1.35 | | 1.00 | 1.21 |
| Symphotrichum novae-angliae | <i>Aster n-a</i> | New England aster | 45.00 | 40.00 | 1.25 | 1.10 | 1.00 | 1.16 |
| Symphotrichum oblongifolium | <i>Aster oblongifolius</i> | Aromatic aster | 41.00 | 25.00 | 1.25 | 1.10 | 1.00 | 1.21 |
| Symphotrichum oolentangiense | <i>Aster azureus</i> | Sky-blue aster | 48.00 | 42.00 | 1.35 | | 1.00 | 1.16 |
| Symphotrichum pilosum | <i>Aster pilosus</i> | Hairy aster | 11.00 | 8.00 | 1.25 | | 1.00 | 1.05 |
| Symphotrichum praealtum | <i>Aster praealtus</i> | Willow aster | | 45.00 | | | | call |
| Symphotrichum prenanthoides | <i>Aster prenanthoides</i> | Crooked-stemmed aster | | 85.00 | | | | |
| Symphotrichum puniceum | <i>Aster puniceus</i> | Marsh aster | 40.00 | 32.00 | 1.35 | | 1.00 | 1.21 |
| Symphotrichum sericeum | <i>Aster sericeus</i> | Silky aster | 54.00 | 40.00 | 1.53 | | 1.10 | 1.37 |
| Symphotrichum shortii | <i>Aster shortii</i> | Short's aster | 68.00 | 60.00 | 1.70 | | 1.00 | 1.47 |
| Symphotrichum urophyllum | <i>Aster sagittifolius</i> | Arrow-leaved aster | 75.00 | 57.00 | | | | call |
| <i>Taenidia integerrima</i> | | Yellow pimpernel | 120.00 | 110.00 | | | | |
| <i>Talinum calycinum</i> | <i>Phemeranthus calycinus</i> | Rock pink | | | 1.70 | | | |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|--------------------------------------|---------------------------------------|---------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Tephrosia virginiana</i> | | Goats rue | | 27.00 | 1.70 | | | |
| <i>Teucrium canadense</i> | | Wood germander | 23.00 | 15.00 | 1.35 | | | 1.31 |
| <i>Thalictrum dasycarpum</i> | | Purple meadow rue | 25.00 | 22.00 | 1.70 | | | 1.52 |
| <i>Thalictrum dioicum</i> | | Early meadow rue | 77.00 | 75.00 | 2.75 | | | 1.95 |
| <i>Thalictrum revolutum</i> | | Waxy meadow rue | 77.00 | 75.00 | | | | call |
| <i>Thaspium trifoliatum</i> | | Cup plant | 45.00 | 35.00 | | | | |
| <i>Thelypteris palustris</i> | <i>Dryopteris thelypteris</i> | Marsh shield fern | | | 5.00 | | | 4.20 |
| <i>Tiarella cordifolia</i> | | Heartleaf foamflower | | | | | | call |
| <i>Tovara virginiana</i> | <i>Polygonum virginianum</i> | Woodland knotweed | | 25.00 | | | | |
| <i>Tradescantia bracteata</i> | | Long-bracted spiderwort | | | 1.53 | | 1.10 | call |
| <i>Tradescantia occidentalis</i> | | Prairie Spiderwort | | | 1.53 | | 1.10 | call |
| <i>Tradescantia ohiensis</i> | | Spiderwort | 28.00 | 25.00 | 1.35 | | 1.00 | 1.21 |
| <i>Trillium erectum</i> | | Red trillium | | | | | | |
| <i>Trillium grandiflorum</i> | | White trillium | | | | | | |
| <i>Trillium recurvatum</i> | | Prairie trillium | | | | | | |
| <i>Triodanis perfoliata</i> | <i>Specularia perfoliata</i> | Venus's looking glass | 50.00 | 43.00 | | | 1.10 | |
| <i>Triosteum aurantiacum</i> | | Early horse gentian | | | | | | |
| <i>Triosteum perfoliatum</i> | | Late horse gentian | | 29.00 | | | | |
| <i>Tripsacum dactyloides</i> | | Eastern gamma grass | | 2.50 | | | | |
| <i>Typha latifolia</i> | | Common cat-tail | | | | | | |
| <i>Uniola latifolium</i> | <i>Chasmanthium latifolium</i> | Northern sea oats | | | | | | |
| <i>Utricularia macrorhiza</i> | <i>Utricularia vulgaris</i> | Common bladderwort | | | | | | call |
| <i>Utricularia vulgaris</i> | <i>Utricularia macrorhiza</i> | Common bladderwort | | | | | | call |
| <i>Uvularia grandiflora</i> | | Bellwort | 94.00 | | | | | |
| <i>Uvularia perfoliata</i> | | Bellwort | 94.00 | 75.00 | | | | 5.25 |
| <i>Vallisneria americana</i> | | American eelgrass | | | | | | 2.10 |
| <i>Verbena canadensis</i> | <i>Glandularia canadensis</i> | Rose verbena | | | 1.53 | | 1.10 | |
| <i>Verbena hastata</i> | | Blue vervain | 11.25 | 9.00 | 1.25 | | 1.00 | 1.16 |
| <i>Verbena stricta</i> | | Hoary vervain | 14.00 | 10.00 | 1.25 | | 1.00 | 1.16 |
| <i>Verbena urticifolia</i> | | White vervain | 15.00 | 11.25 | | | | |
| <i>Verbesina alternifolia</i> | <i>Actinomeris alternifolia</i> | Wingstem | 9.00 | 8.00 | 1.70 | | | 1.16 |
| <i>Vernonia altissima</i> | <i>V. gigantea</i> | Tall ironweed | | 25.00 | | | | |
| <i>Vernonia arkansana</i> | | Curly-topped ironweed | | | 1.70 | | | |
| <i>Vernonia baldwinii</i> | | Western ironweed | | | 1.53 | | 1.10 | |
| <i>Vernonia fasciculata</i> | | Common ironweed | 30.00 | 20.25 | 1.35 | | 1.00 | 1.16 |
| <i>Vernonia missurica</i> | | Missouri ironweed | | | | | | |
| <i>Veronica americana</i> | | American brooklime | | | | | | |
| <i>Veronicastrum virginicum</i> | | Culver's root | 75.00 | 50.00 | 1.35 | | 1.00 | 1.16 |
| <i>Viola palmata</i> | <i>V. pedatifida</i> | Prairie violet | 130.00 | 115.00 | 4.50 | | | 3.94 |
| <i>Viola papilionacea</i> | <i>V. sororia</i> | Blue violet | 120.00 | | | | | |
| <i>Viola pedata</i> | | Bird's foot violet | 260.00 | 220.00 | 4.50 | | | 3.94 |
| <i>Viola pedatifida</i> | <i>V. palmata</i> | Prairie violet | 130.00 | 115.00 | 4.50 | | | 3.94 |
| <i>Viola pubescens</i> | | Yellow violet | | 140.00 | | | | |
| <i>Viola sororia</i> | | Common violet | | | | | | |
| <i>Wulfenia bullii</i> | <i>Besseya bullii</i> | Kitten tails | | | | | | |
| <i>Xyris torta</i> | | Slender yellow eyed grass | | | | | | |

| Botanical Name | Alias | Common Name | Specified \$/oz | Unspecified \$/oz | 32/38 Cell Plug | 50 Cell Plug | Custom Grow 50 | 32/38 Cell Contract Grow |
|---------------------|-------|-----------------------------|-----------------|-------------------|-----------------|--------------|----------------|--------------------------|
| <i>Zizia aptera</i> | | Heart-lvd. Golden Alexander | 25.00 | 19.00 | 1.53 | | | 1.31 |
| <i>Zizia aurea</i> | | Golden Alexander | 18.00 | 18.00 | 1.53 | | 1.10 | 1.31 |



2018 Wholesale Catalog

Pricing and Product Information

Pricing and Product Information

Pricing and availability are subject to change; prices are for in-stock items only. We are pleased to broker items from other native nurseries for your convenience. Please contact us for this service.

Contract Growing Qualifications

Custom Grow 50:

- 800-plant minimum
- 12 weeks advance notice

Wholesale 32/38 Cell Contract Grow:

- Minimum 12 weeks advance for most species

All contract growing orders and early orders require a 15% down payment.

Quantity Discounts are also offered. Please call for pricing.

2018 Wholesale Seed Mix Pricing

*psf = per square foot

Please see individual mix descriptions for more specific information (pages numbers below). To add further diversity see our full species availability. All mixes may vary slightly in % composition and species.

Pollinator Seed Mixes

| | <u>seeds per square foot</u> | <u>ounces per acre</u> | <u>\$ per acre</u> | <u>Page #</u> |
|---|----------------------------------|----------------------------|------------------------|-------------------|
| Color Explosion Meadow | 1,068 | 3,227 | \$1,525 | 24 |
| CP42 Pollinator Habitat - Dry to Mesic Situations | 40 | 127 | \$1,200 | 24 |
| CP42 Pollinator Habitat - Wet to Mesic Situations | 40 | 65 | \$850 | 24 |
| Diversity Meadow | 45 | 148 | \$775 | 25 |
| Knee High Meadow | 54 | 74 | \$1,575 | 29 |
| Long Summer Meadow | 41 | 141 | \$575 | 29 |
| Monarch Way Station | 1,382 | 1.5 (per packet) | \$48 | 31 |
| Native Wildflower Garden Mix | 102 | 1.4 (per packet) | \$40 | 31 |
| Pollinator-Friendly Mix | 55 | 80 | \$795 | 32 |
| Pollinator Magnet Meadow | 55 | 199 | \$625 | 32 |

Upland Seed Mixes

| | <u>seeds per square foot</u> | <u>ounces per acre</u> | <u>\$ per acre</u> | <u>Page #</u> |
|--|----------------------------------|----------------------------|------------------------|-------------------|
| Clay Soils - Mesic Prairie Mix | 55 | 609 | \$870 | 23 |
| DOT - Native Substitutions Mix | 42 | 139 | \$480 | 25 |
| Dry Prairie General - MN Mix 35-221, MNDOT 330 | 70 | 185 | \$930 | 25 |
| Dry Prairie Southeast - MN Mix 35-621, BWSR U6 | 85 | 124 | \$835 | 26 |
| Forb with Annuals Mix - use for IL DOT Class 5 | 110 | 160 | \$3,850 | 27 |
| Herbicide Tolerant Shortgrass Prairie Mix | 40 | 139 | \$690 | 27 |
| Herbicide Tolerant Tallgrass Prairie Mix | 40 | 137 | \$790 | 28 |
| High Diversity Prairie Mix | 65 | 603 | \$1,275 | 28 |
| Landfill Basic Mix | 42 | 125 | \$425 | 29 |
| Large Flower Native Forb Mix - use for IL DOT Class 5A | 30 | 84 | \$1,910 | 29 |
| Low Profile Native Grass Mix - use for IL DOT Class 4A | 245 | 651 | \$490 | 30 |
| Mesic Prairie Mix | 50 | 608 | \$1,120 | 30 |
| Mesic Prairie Southeast - MN Mix 35-641, BWSR U5 | 35 | 148 | \$485 | 30 |
| Native Grass Mix - use for IL DOT Class 4 | 310 | 1,328 | \$365 | 31 |
| Short Grass Dry Prairie Mix | 40 | 602 | \$1,175 | 33 |
| Southern Illinois Slope Mix - use for IL DOT Class 3A | 420 | 1,952 | \$2,335 | 34 |
| WI DOT 70 - TCRN | 100 | 275 | \$1,985 | 37 |
| WI DOT 70A - TCRN | 145 | 278 | \$2,430 | 37 |
| WI DOT 75 - TCRN | 100 | 462 | \$695 | 37 |
| Woodland Mix | 59 | 5.5 (per 1,000 sq ft) | \$175 | 38 |

2018 Wholesale Seed Mix Pricing

Please see individual mix descriptions for more specific information (pages numbers below). To add further diversity see our full species availability. All mixes may vary slightly in % composition and species.

| Wet Seed Mixes | seeds per square foot | ounces per acre | \$ per acre | Page # |
|---|--------------------------|--------------------|----------------|-----------|
| Dry Swale/Pond - MN Mix 33-262, BWSR W4 | 100 | 298 | \$450 | 26 |
| Emergent Mix | 55 | 153 | \$1,825 | 26 |
| Herbicide Tolerant High Stature Wet-Mesic Prairie Mix | 45 | 122 | \$825 | 27 |
| Herbicide Tolerant Low Stature Wet-Mesic Prairie Mix | 45 | 119 | \$730 | 27 |
| Native Construction - MN Mix 32-241, BWSR U12, BWSR U11 | 65 | 212 | \$285 | 31 |
| Riparian South and West - MN Mix 34-261, BWSR R1 | 185 | 96 | \$1,140 | 32 |
| Sedge Meadow Mix | 55 | 127 | \$1,720 | 33 |
| Shoreline Mix | 55 | 96 | \$475 | 33 |
| Stormwater South and West - MN Mix 33-261, MNDOT 310, 328 | 140 | 160 | \$885 | 34 |
| Swale and Basin Mix | 55 | 281 | \$900 | 34 |
| Wetland Grass and Sedge Mix - use for IL DOT Class 4B | 625 | 896 | \$4,450 | 36 |
| Wet Prairie - MN Mix 34-262, BWSR W3, MNDOT 325 | 120 | 127 | \$985 | 36 |
| Wet Prairie Mix | 55 | 288 | \$1,450 | 36 |
| Wet Meadow South & West - MN Mix 34-271, BWSR W2 | 170 | 80 | \$1,285 | 35 |
| Wetland Rehabilitation - MN Mix 34-171, BWSR WT3 | 230 | 79 | \$350 | 35 |

2018 Wholesale Seed Mixes (A-Z)

Clay Soils – Mesic Prairie Mix

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Avena sativa (Seed oats), Carex bicknellii (Bicknell's sedge), Carex scoparia (Broom sedge), Elymus virginicus (Virginia wild rye), Panicum virgatum (Switch grass), Sorghastrum nutans (Indian grass), Spartina pectinata (Prairie cord grass)

FORBS

Asclepias syriaca (Common milkweed), Coreopsis tripteris (Tall coreopsis), **Dalea purpurea (Purple prairie clover)**, **Desmanthus illinoensis (Illinois sensitive plant)**, **Desmodium illinoense (Illinois tick trefoil)**, Eryngium yuccifolium (Rattlesnake master), Eupatorium altissimum (Tall boneset), Eutrochium maculatus (Spotted Joe-Pye weed), Heliopsis helianthoides (False sunflower), Monarda fistulosa (Wild bergamot), Oenothera biennis (Common evening primrose), Oligoneuron rigidum (Stiff goldenrod), Parthenium integrifolium (Wild quinine), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Silphium perfoliatum (Cup plant), Symphyotrichum lateriflorum (Side-flowering aster), Symphyotrichum pilosum (Hairy aster), Verbena hastata (Blue vervain)

Total:

| | |
|---------------|-----------|
| seeds / sq ft | 55 |
| lbs / ac | 8 |
| | \$870/ ac |

- * Includes a minimum of 3 grasses/sedges and 8 forbs
- * Grasses and forbs at an approximate 60/40 ratio
- * Major grasses are provided PLS
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

CP42 Pollinator Habitat - Dry to Mesic Situations

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's sedge), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Sporobolus heterolepis (Prairie dropseed)

FORBS

Asclepias tuberosa (Butterfly weed), Asclepias syriaca (Common milkweed), **Dalea purpurea (Purple prairie clover)**, Echinacea pallida (Pale purple coneflower), Heliopsis helianthoides (False sunflower), Liatris pycnostachya (Prairie blazing star), Monarda fistulosa (Wild bergamot), Penstemon digitalis (Beardtongue), Silphium laciniatum (Compass plant), Tradescantia ohiensis (Spiderwort), Symphyotrichum oolentangiense (Sky-blue aster), Oligoneuron rigidum (Stiff goldenrod), Rudbeckia hirta (Black-eyed Susan), Ratibida pinnata (Yellow coneflower), Veronicastrum virginicum (Culver's root), Heuchera richardsonii (Prairie alum root), Aquilegia canadensis (Wild columbine), **Amorpha canescens (Leadplant)**, Rosa setigera (Savanna rose)

Total:

| | |
|---------------|---------------------|
| seeds / sq ft | 40 |
| lbs / ac | 8 |
| | \$1,200 / ac |

* Mix may vary slightly based on availability
* Legumes are listed in bold

CP42 Pollinator Habitat - Wet to Mesic Situations

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Calamagrostis canadensis (Blue joint grass), Carex cristatella (Crested sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Glyceria striata (Fowl manna grass), Juncus effusus (Common rush), Panicum virgatum (Switch grass)

FORBS

Amorpha canescens (Leadplant), Angelica atropurpurea (Great angelica), Asclepias incarnata (Swamp milkweed), Asclepias syriaca (Common milkweed), **Chamaecrista fasciculata (Partridge pea)**, **Dalea purpurea (Purple prairie clover)**, Echinacea purpurea (Broad-leaved purple coneflower), Eupatorium purpureum (Purple Joe-Pye weed), Helenium autumnale (Sneezeweed), Heliopsis helianthoides (False sunflower), Heuchera richardsonii (Prairie alum root), Liatris pycnostachya (Prairie blazing star), Lobelia siphilitica (Great blue lobelia), Monarda fistulosa (Wild bergamot), Oligoneuron ridellii (Riddell's goldenrod), Penstemon digitalis (Beardtongue), Rosa setigera (Savanna rose), Rudbeckia subtomentosa (Sweet black-eyed Susan), Silphium perfoliatum (Cup plant), Symphyotrichum novae-angliae (New England aster), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden Alexander)

Total:

| | |
|---------------|-------------------|
| seeds / sq ft | 40 |
| lbs / ac | 4.11 |
| | \$850 / ac |

* Mix may vary slightly based on availability
* Legumes are listed in bold

Color Explosion Meadow - Best of Both Worlds Meadow Mix

SPECIES

Allium cernuum (Nodding wild onion), Asclepias verticillata (Whorled milkweed), Coreopsis lanceolata (Sand coreopsis), **Dalea purpurea (Purple prairie clover)**, Liatris cylindracea (Cylindrical blazing star), Low Maintenance Lawn Blend (Fescue blend), **Lupinus perennis (Wild lupine)**, Monarda punctata (Horse mint), Oligoneuron album (Stiff aster [goldenrod]), Symphyotrichum sericeum (Silky aster)

Total:

| | |
|---------------|---------------------|
| seeds / sq ft | 1,068 |
| lbs / ac | 202 |
| | \$1,525 / ac |

* Usually about 2 feet
* Mix may vary slightly based on availability
* Legumes are listed in bold

Diversity Meadow - Low Growing Pollinator Meadow: Diverse Option

SPECIES

Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly milkweed), Asclepias verticillata (Whorled milkweed), Bouteloua curtipendula (Side-oats grama), Carex bicknellii (Bicknell's/Prairie sedge), Coreopsis lanceolata (Sand coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, Echinacea pallida (Pale purple coneflower), Kuhnia eupatorioides corymbs (False boneset), Liatris aspera (Rough blazing star), Liatris cylindracea (Cylindrical blazing star), Monarda punctata (Dotted/Horse mint), Penstemon digitalis (Foxglove beard tongue), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Solidago nemoralis (Old-field goldenrod), Symphyotrichum oolentangiense (Sky blue aster), Sporobolus heterolepis (Prairie dropseed), Schizachyrium scoparium (Little bluestem grass)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 45 |
| lbs / ac | 9.25 |
| | \$775 / ac |

- * Usually about 3 feet
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

DOT - Native Substitutions Mix

SPECIES

Andropogon gerardii (Big bluestem), Elymus canadensis (Canada wild rye), Sorghastrum nutans (Indian grass), Panicum virgatum (Switch grass), Carex annectens (Yellow-fruited sedge), **Chamaecrista fasciculata (Partridge pea)**, **Dalea purpurea (Purple prairie clover)**, Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum novae-angliae (New England aster)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 45 |
| lbs / ac | 8.69 |
| | \$480 / ac |

- * Consider using this all-native mix in place of DOT mixes containing non-native aggressors
- * Appropriate for Wet-Mesic to Dry-Mesic settings across the Upper Midwest
- * Provided PLS
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Dry Prairie General - MN Mix 35-221, MNDOT 330

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Bouteloua gracilis (Blue grama grass), Bromus kalmii (Arctic brome), Elymus canadensis (Canada wild rye), Koeleria macrantha (June grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Sporobolus heterolepis (Prairie dropseed)

FORBS

Agastache foeniculum (Fragrant lavender hyssop), **Amorpha canescens (Leadplant)**, Asclepias tuberosa (Butterfly weed), **Astragalus canadensis (Canadian milk vetch)**, Coreopsis palmata (Prairie coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, **Desmodium canadense (Showy tick trefoil)**, Doellingeria umbellata (Flat-topped aster), Liatris aspera (Rough blazing star), Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Penstemon grandiflorus (Large-flowered beardtongue), Rudbeckia hirta (Black-eyed Susan), Solidago nemoralis (Old-field goldenrod), Symphyotrichum ericoides (Heath aster), Symphyotrichum laeve (Smooth blue aster), Verbena stricta (Hoary vervain)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 70 |
| lbs / ac | 11.59 |
| | \$930 / ac |

- * General dry prairie mix for native roadsides, ecological restoration, or conservation program plantings
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Dry Prairie Southeast - MN Mix 35-621, BWSR U6

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Bouteloua gracilis (Blue grama grass), Bromus kalmii (Arctic brome), Elymus canadensis (Canada wild rye), Koeleria macrantha (June grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Sporobolus heterolepis (Prairie dropseed)

FORBS

Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), Coreopsis palmata (Prairie coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, Heliopsis helianthoides (False sunflower), Heuchera richardsonii (Prairie alum root), **Lespedeza capitata (Round-headed bush clover)**, Liatris aspera (Rough blazing star), **Lupinus perennis (Wild lupine)**, Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Penstemon grandiflorus (Large-flowered beardtongue), Rudbeckia hirta (Black-eyed Susan), Solidago nemoralis (Old-field goldenrod), Symphyotrichum oolentangiense (Sky-blue aster), Symphyotrichum sericeum (Silky aster), Tradescantia ohiensis (Spiderwort), Zizia aptera (Heart leaved golden Alexander)

Total:

seeds / sq ft 85

lbs / ac 7.76

\$835 / ac

* Regional dry prairie reconstruction for wetland mitigation, ecological restoration or conservation programs

* Mix may vary slightly based on availability

* Legumes are listed in **bold**

Dry Swale / Pond - MN Mix 33-262, BWSR W4

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Bromus ciliatus (Fringed brome), Elymus canadensis (Canada wild rye), Elymus trachycaulus (Slender wheatgrass), Elymus virginicus (Virginia wild rye), Leersia oryzoides (Rice cut grass), Panicum virgatum (Switch grass), Poa palustris (Fowl bluegrass), Sorghastrum nutans (Indian grass)

FORBS

Asclepias incarnata (Swamp milkweed), **Dalea purpurea (Purple prairie clover)**, **Desmodium canadense (Showy tick trefoil)**, Heliopsis helianthoides (False sunflower), Rudbeckia hirta (Black-eyed Susan), Verbena hastata (Blue vervain)

Total:

seeds / sq ft 100

lbs / ac 18.64

\$450 / ac

* Temporarily flooded swales in agricultural settings

* Mix may vary slightly based on availability

* Legumes are listed in **bold**

Emergent Mix

SPECIES

Alisma subcordatum (American water plantain), Bidens cernua (Nodding bur marigold), Calamagrostis canadensis (Blue joint grass), Carex hystricina (Bottlebrush sedge), Carex stipata (Awl-fruited sedge), Iris virginica shrevei (Wild blue iris), Juncus effusus (Common rush), Pontederia cordata (Pickerel weed), Schoenoplectus tabernaemontani (Soft-stem bulrush), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

Total:

seeds / sq ft 55

lbs / ac 9.61

\$1,825 / ac

* Major grasses are PLS

* Includes a minimum of 2 rushes, 2 sedges and 3 forbs

* Mix may vary slightly based on availability

Forb with Annuals Mix - IL DOT Class 5

ANNUAL FORBS

Coreopsis lanceolata (Sand coreopsis), Verbena stricta (Hoary vervain), Ratibida columnifera (Upright coneflower), Rudbeckia hirta (Black-eyed Susan)

PERENNIAL FORBS

Amorpha canescens (Leadplant), Asclepias tuberosa (Butterfly weed), **Baptisia alba (White wild indigo)**, Coreopsis palmata (Prairie coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, Drymocallis arguta (Prairie cinquefoil), Echinacea pallida (Pale purple coneflower), Eryngium yuccifolium (Rattlesnake master), Heliopsis helianthoides (False sunflower), Liatris pycnostachya (Prairie blazing star), Monarda fistulosa (Wild bergamot), Parthenium integrifolium (Wild quinine), Ratibida pinnata (Yellow coneflower), Rudbeckia subtomentosa (Sweet black-eyed Susan), Silphium laciniatum (Compass plant), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum oolentangiense (Sky-blue aster)

Total:

| | |
|---------------|--------------|
| seeds / sq ft | 110 |
| lbs / ac | 10 |
| | \$3,850 / ac |

- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Herbicide Tolerant High-Stature Wet-Mesic Prairie Mix

SPECIES

Bidens frondosa (Common beggar's ticks), Carex annectens (Yellow-fruited sedge), Carex scoparia (Broom sedge), **Cassia hebecarpa (Wild senna)**, Coreopsis tripteris (Tall coreopsis), **Desmodium canadense (Showy tick trefoil)**, Elymus virginicus (Virginia wild rye), Panicum virgatum (Switch grass), Spartina pectinata (Prairie cord grass), Symphyotrichum novae-angliae (New England aster) Symphyotrichum puniceum (Marsh aster)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 45 |
| lbs / ac | 7.65 |
| | \$825 / ac |

- * Blended at approx. 30/70 forb to sedge, rush, grass spsf
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Herbicide Tolerant Low-Stature Wet-Mesic Prairie Mix

SPECIES

Bidens frondosa (Common beggar's ticks), Carex annectens (Yellow-fruited sedge), Carex scoparia (Broom sedge), **Cassia hebecarpa (Wild senna)**, Coreopsis tripteris (Tall coreopsis), **Desmodium canadense (Showy tick trefoil)**, Elymus virginicus (Virginia wild rye), Panicum virgatum (Switch grass), Spartina pectinata (Prairie cord grass), Symphyotrichum novae-angliae (New England aster) Symphyotrichum puniceum (Marsh aster)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 45 |
| lbs / ac | 7.46 |
| | \$730 / ac |

- * Blended at approx. 30/70 forb to sedge/rush/grass spsf
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Herbicide Tolerant Shortgrass Prairie Mix

SPECIES

Amorpha canescens (Leadplant), Asclepias syriaca (Common milkweed), Bouteloua curtipendula (Side oats grama), Coreopsis lanceolata (Sand coreopsis), **Dalea purpurea (Purple prairie clover)**, **Desmanthus illinoensis (Illinois sensitive plant)**, Echinacea purpurea (Broad-leaved purple coneflower), Elymus virginicus (Virginia wild rye), **Lespedeza capitata (Round-headed bush clover)**, **Lupinus perennis (Wild lupine)**, Rudbeckia hirta (Black-eyed Susan), Schizachyrium scoparium (Little bluestem), Sporobolus heterolepis (Prairie dropseed), Symphyotrichum oolentangiense (Sky-blue aster)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 40 |
| lbs / ac | 8.7 |
| | \$690 / ac |

- * Blended at approx. 50/50 forb to grass spsf
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Herbicide Tolerant Tallgrass Prairie Mix

SPECIES

Andropogon gerardii (Big bluestem), Asclepias syriaca (Common milkweed), **Cassia fasciculata (Partridge pea)**, Coreopsis tripteris (Tall coreopsis), **Desmodium canadense (Showy tick trefoil)**, Echinacea purpurea (Broad-leaved purple coneflower), Elymus canadensis (Canada wild rye), **Lespedeza capitata (Round-headed bush clover)**, Panicum virgatum (Switch grass), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Sorghastrum nutans (Indian grass), Symphyotrichum laeve (Smooth blue aster)

Total:

| | |
|---------------|-------------------|
| seeds / sq ft | 40 |
| lbs / ac | 8.6 |
| | \$790 / ac |

- * Plateau Ready
- * Blended at approx. 50/50 forb to grass spsf
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

High Diversity Prairie Mix

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Avena sativa (Seed oats), Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's edge), Carex brevior (Short beak sedge), Elymus virginicus (Virginia wild rye), Hierochloa odorata (Vanilla grass), Koeleria macrantha (June grass), Muhlenbergia mexicana (Leafy satin grass), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Spartina pectinata (Prairie cord grass), Sporobolus heterolepis (Prairie dropseed)

FORBS

Allium cernuum (Nodding wild onion), Anemone virginiana (Tall anemone), Anemone canadensis (Meadow/Canada anemone), Asclepias syriaca (Common milkweed), Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), Brickellia eupatorioides (False boneset), **Cassia hebecarpa (Wild senna)**, Coreopsis lanceolata (Sand coreopsis), Coreopsis palmata (Prairie coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, **Desmanthus illinoensis (Illinois sensitive plant)**, **Desmodium illinoense (Illinois tick trefoil)**, Dodecatheon meadia (Shooting star), Doellingeria umbellata (Flat-topped aster), Drymocallis arguta (Prairie cinquefoil), Echinacea pallida (Pale purple coneflower), Echinacea purpurea (Broad-leaved purple coneflower), Eryngium yuccifolium (Rattlesnake master), Eupatorium altissimum (Tall boneset), Eupatorium purpureum (Purple Joe-Pye weed), Gaura biennis (Biennial gaura), Geum triflorum (Prairie smoke), Heliopsis helianthoides (False sunflower), Helianthus occidentalis (Western sunflower), Heuchera richardsonii (Prairie alum root), **Lespedeza capitata (Round-headed bush clover)**, Liatris aspera (Rough blazing star), Liatris pycnostachya (Prairie blazing star), **Lupinus perennis (Wild lupine)**, Monarda fistulosa (Wild bergamot), Monarda punctata (Horse mint), Oenothera biennis (Common evening primrose), Oligoneuron album (Stiff aster [goldenrod]), Oligoneuron rigidum (Stiff goldenrod), Parthenium integrifolium (Wild quinine), Penstemon digitalis (Beardtongue), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet black-eyed Susan), Silphium laciniatum (Compass plant), Silphium perfoliatum (Cup plant), Silphium terebinthinaceum (Prairie dock), Sisyinchium campestre (Prairie blue-eyed grass), Solidago speciosa (Showy goldenrod), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum lateriflorum (Side-flowering aster), Symphyotrichum pilosum (Hairy aster), Verbena stricta (Hoary vervain), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden Alexander)

Total:

| | |
|---------------|---------------------|
| seeds / sq ft | 65 |
| lbs / ac | 38 |
| | \$1,275 / ac |

- * Major grasses provided PLS
- * Includes a minimum of 10 grasses/sedges and 35 forbs
- * Grasses and forbs at an approximate 60/40 ratio
- * Mix may vary slightly based upon availability
- * Legumes are listed in **bold**

Knee High Meadow - Ultra Low Growing Pollinator Meadow

SPECIES

Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), Carex bicknellii (Bicknell's edge), Carex brevior (Short beak sedge), Coreopsis lanceolata (Sand coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, Kuhnna eupatorioides (False boneset), Koeleria macrantha (June grass), **Lupinus perennis (Wild lupine)**, Monarda punctata (Horse mint), Rudbeckia hirta (Black-eyed Susan), Sporobolus heterolepis (Prairie dropseed), Symphyotrichum sericeum (Silky aster)

Total:

| | |
|---------------|--------------|
| seeds / sq ft | 54 |
| lbs / ac | 4.6 |
| | \$1,575 / ac |

- * Usually about 2 feet
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Landfill Basic Mix

SPECIES

Andropogon gerardii (Big bluestem), Carex annectens (Yellow-fruited sedge), Elymus canadensis (Canada wild rye), Panicum virgatum (Switch grass), Sorghastrum nutans (Indian grass), **Dalea purpurea (Purple prairie clover)**, Monarda fistulosa (Wild bergamot), Penstemon digitalis (Beardtongue), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum novae-angliae (New England aster)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 42 |
| lbs / ac | 7.86 |
| | \$425 / ac |

- * Provided PLS
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Large Flower Native Forb Mix - IL DOT Class 5A

FORBS

Echinacea pallida (Pale purple coneflower), Helianthus pauciflorus (Prairie sunflower), Heliopsis helianthoides (False sunflower), Liatris pycnostachya (Prairie blazing star), Oligoneuron rigidum (Stiff goldenrod), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Silphium laciniatum (Compass plant), Silphium terebinthinaceum (Prairie dock), Symphyotrichum novae-angliae (New England aster)

Total:

| | |
|---------------|-------------|
| seeds / sq ft | 30 |
| lbs / ac | 5.25 |
| | \$1,910/ ac |

- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Long Summer Meadow - Extra Low Growing Pollinator Meadow

SPECIES

Allium cernuum (Nodding wild onion), Anemone virginiana (Tall anemone), Asclepias tuberosa (Butterfly milkweed), Asclepias verticillata (Whorled milkweed), Bouteloua curtipendula (Side-oats grama), Carex bicknellii (Bicknell's sedge), Carex brevior (Short beak sedge), Coreopsis lanceolata (Sand coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, Kuhnna eupatorioides (False boneset), **Lupinus perennis (Wild lupine)**, Monarda punctata (Horse mint), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum oolentangiense (Sky blue aster), Schizachyrium scoparium (Little bluestem grass)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 41 |
| lbs / ac | 8.8 |
| | \$575 / ac |

- * Usually about 2-3 feet
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Low Profile Native Grass Mix - IL DOT Class 4A

SPECIES

Avena sativa (Seed oats), Bouteloua curtipendula (Side oats grama), **Dalea purpurea (Purple prairie clover)**, Elymus canadensis (Canada wild rye), Lolium perenne (Perennial rye), Panicum virgatum (Switch grass), Rudbeckia hirta (Black-eyed Susan), Schizachyrium scoparium (Little bluestem)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 245 |
| lbs / ac | 40 |
| | \$490 / ac |

- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Mesic Prairie Mix

GRASSES AND GRASS-LIKE

Andropogon gerardii (Big bluestem), Carex annectens (Yellow-fruited sedge), Carex bicknellii (Bicknell's sedge), Elymus canadensis (Canada wild rye), Oats or Winter Wheat (Temporary cover), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass)

FORBS

Brickellia eupatorioides (False boneset), Coreopsis tripteris (Tall coreopsis), **Dalea purpurea (Purple prairie clover)**, **Desmodium canadense (Showy tick trefoil)**, **Desmodium illinoense (Illinois tick trefoil)**, Echinacea purpurea (Broad-leaved purple coneflower), Eryngium yuccifolium (Rattlesnake master), Eupatorium purpureum (Purple Joe-Pye weed), Heliopsis helianthoides (False sunflower), Liatris pycnostachya (Prairie blazing star), **Lupinus perennis (Wild lupine)**, Monarda fistulosa (Wild bergamot), Oenothera biennis (Common evening primrose), Parthenium integrifolium (Wild quinine), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Oligoneuron rigidum (Stiff goldenrod), Silphium laciniatum (Compass plant), Silphium perfoliatum (Cup plant), Silphium terebinthinaceum (Prairie dock), Solidago speciosa (Showy goldenrod), Thalictrum dasycarpum (Purple meadow rue), Verbena stricta (Hoary vervain), Veronicastrum virginicum (Culver's root)

Total:

| | |
|---------------|-------------|
| seeds / sq ft | 50 |
| lbs / ac | 38 |
| | \$1,120/ ac |

- * Includes a minimum of 3 grasses/sedges and 8 forbs
- * Grasses and forbs at an approximate 60/40 ratio
- * Species are a mix of short and tall species native to the Tall Grass Prairie Ecosystems
- * Major grasses are provided PLS
- * Mix may vary slightly based upon availability
- * Legumes are listed in **bold**

Mesic Prairie Southeast - MN Mix 35-641, BWSR U5

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Elymus canadensis (Canada wild rye), Elymus trachycaulus (Slender wheatgrass), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Sporobolus heterolepis (Prairie dropseed)

FORBS

Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), **Astragalus canadensis (Canadian milk vetch)**, **Chamaecrista fasciculata (Partridge pea)**, **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, **Desmodium canadense (Showy tick trefoil)**, Heliopsis helianthoides (False sunflower), Liatris aspera (Rough blazing star), Liatris pycnostachya (Prairie blazing star), Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum ericoides (Heath aster), Symphyotrichum laeve (Smooth blue aster), Tradescantia ohiensis (Spiderwort), Verbena hastata (Blue vervain), Verbena stricta (Hoary vervain), Zizia aurea (Golden Alexander)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 35 |
| lbs / ac | 9.3 |
| | \$485 / ac |

- * Regional mesic prairie reconstruction for wetland mitigation, ecological restoration, or conservation program
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Monarch Way Station - Attracts and serves Monarch Butterflies

SPECIES

Allium cernuum (Nodding wild onion), Asclepias syriaca (Common milkweed), Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), Conoclinium coelestinum (Blue mistflower), Coreopsis lanceolata (Sand coreopsis), Eupatorium perfoliatum (Common boneset), Eupatorium purpureum (Purple Joe-Pye weed), Liatris aspera (Rough blazing star), Monarda fistulosa (Wild bergamot), Pycnanthemum virginianum (Virginia mountain mint), Ratibida pinnata (Yellow coneflower), Solidago nemoralis (Old-field goldenrod), Solidago speciosa (Showy goldenrod), Symphyotrichum novae-angliae (New England aster), Verbena stricta (Hoary vervain)

| | |
|---------------------------|-------|
| Total: | |
| seeds / 500 sq ft | 1,382 |
| lbs / 500 sq ft | 0.09 |
| \$48 / packet (500 sq ft) | |

- * Specially designed mix to attract and serve Monarch Butterflies - includes important host and nectar plants
- * 1.5 oz of seed per packet contains a minimum of 12 items from listed or similar species
- * Mix may vary slightly based on availability

Native Construction - MN Mix 32-241, BWSR U12, BWSR U11

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Bromus ciliatus (Fringed brome), Elymus canadensis (Canada wild rye), Elymus trachycaulus (Slender wheatgrass), Elymus virginicus (Virginia wild rye), Panicum virgatum (Switch grass), Poa palustris (Fowl bluegrass), Sorghastrum nutans (Indian grass)

FORBS

Chamaecrista fasciculata (Partridge pea), **Desmodium canadense (Showy tick trefoil)**, Monarda fistulosa (Wild bergamot), Rudbeckia hirta (Black-eyed Susan), Verbena stricta (Hoary vervain)

| | |
|---------------|-------|
| Total: | |
| seeds / sq ft | 65 |
| lbs / ac | 13.31 |
| \$285 / ac | |

- * Mid-term soil stabilization using native species
- * Suitable for sides of agricultural drainage ditches
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Native Grass Mix - IL DOT Class 4

SPECIES

Andropogon gerardii (Big bluestem), Avena sativa (Seed oats), Bouteloua curtipendula (Side oats grama), Elymus canadensis (Canada wild rye), Lolium multiflorum (Annual rye), Lolium perenne (Perennial rye), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass)

| | |
|---------------|-----|
| Total: | |
| seeds / sq ft | 310 |
| lbs / ac | 83 |
| \$365 / ac | |

- * Mix may vary slightly based on availability

Native Wildflower Garden Mix

SPECIES

Allium cernuum (Nodding wild onion), Anemone cylindrica (Thimbleweed), Anemone virginiana (Tall anemone), Asclepias tuberosa (Butterfly weed), Brickellia eupatorioides (False boneset), Coreopsis lanceolata (Sand coreopsis), **Dalea purpurea (Purple prairie clover)**, Echinacea pallida (Pale purple coneflower), **Lupinus perennis (Wild lupine)**, Monarda fistulosa (Wild bergamot), Penstemon digitalis (Beardtongue), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Solidago speciosa (Showy goldenrod), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum oolentangiense (Sky-blue aster)

| | |
|---------------------------|------|
| Total: | |
| seeds / 100 sq ft | 102 |
| lbs / 100 sq ft | 0.09 |
| \$40 / packet (100 sq ft) | |

- * 1.4 oz of seed per packet covers 100 sq ft; no grasses
- * 4" or shorter
- * Estimated seeds per 100 sq ft 102
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Pollinator-Friendly Mix

SPECIES

Asclepias tuberosa (Butterfly weed), Coreopsis lanceolata (Sand coreopsis), Coreopsis palmata (Prairie coreopsis), Echinacea pallida (Pale purple coneflower), Echinacea purpurea (Broad-leaved purple coneflower), Elymus virginicus (Virginia wild rye), Eryngium yuccifolium (Rattlesnake master), Helenium autumnale (Sneezeweed), **Lupinus perennis (Wild lupine)**, Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Panicum virgatum (Switch grass), Penstemon digitalis (Beardtongue), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet black-eyed Susan), Solidago nemoralis (Old-field goldenrod), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum novae-angliae (New England aster)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 55 |
| lbs / ac | 5 |
| | \$795 / ac |

- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Pollinator Magnet Meadow - Basic Low Profile Pollinator Meadow

SPECIES

Asclepias tuberosa (Butterfly weed), Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's edge), Coreopsis lanceolata (Sand coreopsis), **Dalea purpurea (Purple prairie clover)**, Echinacea pallida (Pale purple coneflower), Kuhnia eupatorioides corymbs (False boneset), Liatris aspera (Rough blazing star), Rudbeckia hirta (Black-eyed Susan), Schizachyrium scoparium (Little bluestem), Symphyotrichum oolentangiense (Sky-blue aster)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 55 |
| lbs / ac | 12.4 |
| | \$625 / ac |

- * Usually about 3 feet
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Riparian South and West - MN Mix 34-261, BWSR R1

GRASSES/GRASS-LIKE

Elymus riparius (River bank rye), Elymus virginicus (Virginia wild rye), Glyceria grandis (Reed manna grass), Glyceria striata (Fowl manna grass), Leersia oryzoides (Rice cut grass), Poa palustris (Fowl bluegrass), Spartina pectinata (Prairie cord grass), Carex stricta (Common tussock sedge), Carex scoparia (Broom sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Juncus tenuis (Path rush), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

FORBS

Asclepias incarnata (Swamp milkweed), Eupatorium perfoliatum (Common boneset), Eutrochium maculatus (Spotted Joe-Pye weed), Helenium autumnale (Sneezeweed), Helianthus grosseserratus (Sawtooth sunflower), Impatiens capensis (Orange jewelweed), Lobelia siphilitica (Great blue lobelia), Mimulus ringens (Monkey flower), Pycnanthemum virginianum (Virginia mountain mint), Rudbeckia laciniata (Wild golden glow)

Total:

| | |
|---------------|--------------|
| seeds / sq ft | 185 |
| lbs / ac | 6.02 |
| | \$1,140 / ac |

- * Native riparian and floodplain plantings for wetland mitigation, ecological restoration, or general permanent cover
- * Mix may vary slightly based on availability

Sedge Meadow Mix

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Calamagrostis canadensis (Blue joint grass), Carex annectens (Yellow-fruited sedge), Carex comosa (Longhair sedge), Carex bebbii (Bebb's sedge), Carex cristatella (Crested sedge), Carex hystricina (Bottlebrush sedge), Carex muskingumensis (Broad-leaved wooly sedge), Carex scoparia (Broom sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Eleocharis obtusa (Blunt spike rush), Elymus virginicus (Virginia wild rye), Juncus dudleyi (Dudley's rush), Juncus effusus (Common rush), Spartina pectinata (Prairie cord grass), Scirpus atrovirens (Green bulrush)

FORBS

Anemone canadensis (Meadow/Canada anemone), Angelica atropurpurea (Great angelica), Asclepias incarnata (Swamp milkweed), **Astragalus canadensis (Canadian milk vetch)**, Bidens cernua (Nodding bur marigold), **Cassia hebecarpa (Wild senna)**, Eutrochium maculatus (Spotted Joe-Pye weed), Eupatorium perfoliatum (Common boneset), Euthamia graminifolia (Common grass-leaved goldenrod), Gentiana andrewsii (Bottle gentian), Hasteola suaveolens (Sweet Indian plantain), Helenium autumnale (Sneezeweed), Heracleum maximum (Cow parsnip), Hypericum ascyron (Great St. John's wort), Lobelia siphilitica (Great blue lobelia), Lycopodium americanus (American water horehound), Lythrum alatum (Winged loosestrife), Napaea dioica (Glade mallow), Penthorum sedoides (Ditch stonecrop), Polygonum spp (Smart weed), Rorippa palustris (Yellow cress), Rudbeckia subtomentosa (Sweet black-eyed Susan), Rumex orbiculatus (Great water dock), Symphyotrichum lanceolatum (Panicked aster), Symphyotrichum lateriflorum (Side-flowering aster), Symphyotrichum puniceum (Marsh aster), Thalictrum dasycarpum (Purple meadow rue), Zizia aurea (Golden Alexander)

Total:

| | |
|---------------|--------------|
| seeds / sq ft | 55 |
| lbs / ac | 8 |
| | \$1,720 / ac |

- * Generous on forb diversity, with an accent on sedges, rushes and grass-like species; mixed heights for good grassland bird habitat. Due to the persistence of common cover crops in the sedge meadow setting, we recommend using a native cover, as specified in this mix, such as Virginia wild rye and Smartweed
- * Includes a minimum of 7 grasses/sedges & 7 forbs
- * Major grasses are provided PLS
- * Mix may vary slightly based on availability
- * Legumes are listed in bold

Shoreline Mix

SPECIES

Carex hystricina (Bottlebrush sedge), Carex scoparia (Broom sedge), Elymus virginicus (Virginia wild rye), Helenium autumnale (Sneezeweed), Iris virginica shrevei (Wild blue iris), Juncus effusus (Common rush), Leersia oryzoides (Rice cut grass), Panicum virgatum (Switch grass), Schoenoplectus tabernaemontani (Soft-stem bulrush), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 55 |
| lbs / ac | 6.03 |
| | \$475 / ac |

- * Includes minimum of 5 rushes/sedges/grasses & 3 forbs
- * Major grasses are PLS
- * Mix may vary slightly based on availability

Short Grass Dry Prairie Mix

GRASSES/GRASS-LIKE

Avena sativa (Seed oats), Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's sedge), Elymus virginicus (Virginia wild rye), Koeleria macrantha (June grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Sporobolus heterolepis (Prairie dropseed)

FORBS

Allium cernuum (Nodding wild onion), Anemone cylindrica (Thimbleweed), Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), Brickellia eupatorioides (False boneset), Coreopsis lanceolata (Sand coreopsis), Coreopsis palmata (Prairie coreopsis), **Dalea purpurea (Purple prairie clover)**, **Desmanthus illinoensis (Illinois sensitive plant)**, Echinacea pallida (Pale purple coneflower), Echinacea purpurea (Broad-leaved purple coneflower), **Lupinus perennis (Wild lupine)**, Oligoneuron rigidum (Stiff goldenrod), Penstemon digitalis (Beardtongue), Potentilla arguta (Prairie cinquefoil), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum laeve (Sky-blue aster), Zizia aurea (Golden Alexander)

Total:

| | |
|---------------|--------------|
| seeds / sq ft | 40 |
| lbs / ac | 38 |
| | \$1,175 / ac |

- * Includes minimum of 3 grasses/sedges and 8 forbs
- * Grasses and forbs at an approximate 60/40 ratio
- * Major grasses are provided PLS
- * Mix may vary slightly based on availability
- * Legumes are listed in bold

Southern Illinois Slope Mix - IL DOT Class 3A

SPECIES

Avena sativa (Seed oats), Bouteloua curtipendula (Side oats grama), **Dalea purpurea (Purple prairie clover)**, Elymus canadensis (Canada wild rye), Lolium perenne (Perennial rye), Panicum virgatum (Switch grass), Rudbeckia hirta (Black-eyed Susan), Schizachyrium scoparium (Little bluestem)

Total:

| | |
|---------------|--------------|
| seeds / sq ft | 420 |
| lbs / ac | 122 |
| | \$2,335 / ac |

- * Mix may vary slightly based on availability
- * Legumes are listed in bold

Stormwater South and West - MN Mix 33-261, MNDOT 310, MNDOT 328, Kestrel TF

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Bromus ciliatus (Fringed brome), Calamagrostis canadensis (Blue joint grass), Elymus trachycaulus (Slender wheatgrass), Elymus virginicus (Virginia wild rye), Panicum virgatum (Switch grass), Poa palustris (Fowl bluegrass), Sorghastrum nutans (Indian grass), Spartina pectinata (Prairie cord grass), Carex stipata (Awl-fruited sedge), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

FORBS

Anemone canadensis (Meadow/Canada anemone), Asclepias incarnata (Swamp milkweed), Bidens cernua (Nodding bur marigold), Doellingeria umbellata (Flat-topped aster), Eutrochium maculatus (Spotted Joe-Pye weed), Helenium autumnale (Sneezeweed), Physostegia virginiana (Prairie obedient plant), Rudbeckia laciniata (Wild golden glow), Symphyotrichum novae-angliae (New England aster), Verbena hastata (Blue vervain), Zizia aurea (Golden Alexander)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 140 |
| lbs / ac | 10.03 |
| | \$885 / ac |

- * Stormwater pond edges, temporarily flooded dry ponds, and temporarily flooded ditch bottoms
- * Mix may vary slightly based on availability

Swale and Basin Mix

GRASSES/GRASS-LIKE

Carex cristatella (Crested sedge), Carex hystericina (Bottlebrush sedge), Carex normalis (Spreading oval sedge), Carex scoparia (Broom sedge), Carex stipata (Awl-fruited sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Elymus virginicus (Virginia wild rye), Juncus dudleyi (Dudley's rush), Lolium multiflorum (Annual rye), Panicum virgatum (Switch grass), Spartina pectinata (Prairie cord grass)

FORBS

Asclepias incarnata (Swamp milkweed), **Cassia hebecarpa (Wild senna)**, Heliopsis helianthoides (False sunflower), Lycopus americanus (American water horehound), Monarda fistulosa (Wild bergamot), Oenothera biennis (Common evening primrose), Penstemon digitalis (Beardtongue), Polygonum spp (Pennsylvania knotweed), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet black-eyed Susan), Verbena hastata (Blue vervain)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 55 |
| lbs / ac | 18 |
| | \$900 / ac |

- * Heavy on grass-like species, with showy, adaptable flowering species suitable for areas with sporadic wet-dry periods
- * Includes minimum of 6 grasses/sedges and 6 forbs
- * Major grasses are provided PLS
- * Mix may vary slightly based on availability
- * Legumes are listed in bold

Wetland Grass and Sedge Mix - IL DOT Class 4B

GRASSES/GRASS-LIKE SPECIES

Avena sativa (Seed oats), Calamagrostis canadensis (Blue joint grass), Carex lacustris (Hairy sedge), Carex stipata (Awl-fruited sedge), Carex stricta (Common tussock sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Eleocharis acicularis (Needle spike rush), Eleocharis obtusa (Blunt spike rush), Glyceria striata (Fowl manna grass), Juncus effusus (Common rush), Juncus tenuis (Path rush), Juncus torreyi (Torrey's rush), Leersia oryzoides (Rice cut grass), Lolium multiflorum (Annual rye), Schoenoplectus acutus (Hard-stemmed bulrush), Schoenoplectus fluviatilis (River bulrush), Schoenoplectus tabernaemontani (Soft-stem bulrush), Scirpus atrovirens (Green bulrush), Spartina pectinata (Prairie cord grass)

Total:

| | |
|---------------|--------------|
| seeds / sq ft | 625 |
| lbs / ac | 56.01 |
| | \$4,450 / ac |

* Mix may vary slightly based on availability

Wetland Rehabilitation - MN Mix 34-171, BWSR WT3

GRASSES/GRASS-LIKE

Elymus virginicus (Virginia wild rye), Poa palustris (Fowl bluegrass), Carex vulpinoidea (Fox sedge, Brown fox sedge), Juncus tenuis (Path rush), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

FORBS

Bidens cernua (Nodding bur marigold), Lycopus americanus (American water horehound), Mimulus ringens (Monkey flower)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 230 |
| lbs / ac | 5 |
| | \$350 / ac |

* Inter-seeding into establishing wetlands after weed control spraying. Suitable for 2-5 years

* Mix may vary slightly based on availability

Wet Meadow South & West - MN Mix 34-271, BWSR W2

GRASSES/GRASS-LIKE

Bromus ciliatus (Fringed brome), Calamagrostis canadensis (Blue joint grass), Carex comosa (Longhair sedge), Carex scoparia (Broom sedge), Carex stipata (Awl-fruited sedge), Carex stricta (Common tussock sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Elymus virginicus (Virginia wild rye), Glyceria grandis (Reed manna grass), Glyceria striata (Fowl manna grass), Juncus tenuis (Path rush), Leersia oryzoides (Rice cut grass), Poa palustris (Fowl bluegrass), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

FORBS

Asclepias incarnata (Swamp milkweed), Eupatorium perfoliatum (Common boneset), Euthamia graminifolia (Common grass-leaved goldenrod), Eutrochium maculatus (Spotted Joe-Pye weed), Helenium autumnale (Sneezeweed), Helianthus grosseserratus (Sawtooth sunflower), Lobelia siphilitica (Great blue lobelia), Mimulus ringens (Monkey flower), Pycnanthemum virginianum (Virginia mountain mint), Solidago gigantea (Late goldenrod), Symphyotrichum puniceum (Marsh aster), Symphyotrichum novae-angliae (New England aster), Thalictrum dasycarpum (Purple meadow rue), Verbena hastata (Blue vervain), Vernonia fasciculata (Common ironweed), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden Alexander)

Total:

| | |
|---------------|--------------|
| seeds / sq ft | 170 |
| lbs / ac | 5.04 |
| | \$1,285 / ac |

* Wet meadow/sedge meadow reconstruction for wetland mitigation or ecological restoration projects

* Mix may vary slightly based on availability

Wet Prairie Mix

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Calamagrostis canadensis (Blue joint grass), Carex annectens (Yellow-fruited sedge), Carex scoparia (Broom sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Elymus virginicus (Virginia wild rye), Juncus dudleyi (Dudley's rush), Juncus effusus (Common rush), Lolium multiflorum (Annual rye), Panicum virgatum (Switch grass), Scirpus atrovirens (Green bulrush), Spartina pectinata (Prairie cord grass)

FORBS

Angelica atropurpurea (Great angelica), Asclepias incarnata (Swamp milkweed), **Astragalus canadensis (Canadian milk vetch)**, Bidens cernua (Nodding bur marigold), Boltonia asteroides (False aster), **Cassia hebecarpa (Wild senna)**, Coreopsis tripteris (Tall coreopsis), **Desmodium canadense (Showy tick trefoil)**, Eupatorium perfoliatum (Common boneset), Geum aleppicum strictum (Yellow avens), Helenium autumnale (Sneezeweed), Helianthus grosseserratus (Sawtooth sunflower), Lycopus americanus (American water horehound), Liatris spicata (Marsh blazing star), Mimulus ringens (Monkey flower), Napaea dioica (Glade mallow), Oenothera biennis (Common evening primrose), Oligoneuron riddellii (Riddell's goldenrod), Polygonum spp (Smart weed), Rudbeckia laciniata (Wild golden glow), Silphium perfoliatum (Cup plant), Symphyotrichum novae-angliae (New England aster), Symphyotrichum puniceum (Marsh aster), Verbesina alternifolia (Wingstem), Vernonia fasciculata (Common ironweed), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden Alexander)

Total:

| | |
|---------------|--------------|
| seeds / sq ft | 55 |
| lbs / ac | 18 |
| | \$1,450 / ac |

- * Includes minimum of 3 grasses/sedges and 8 forbs
- * Grasses and forbs at an approximate 60/40 ratio
- * Major grasses are provided PLS
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Wet Prairie - MN Mix 34-262, BWSR W3, MNDOT 325

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Bromus ciliatus (Fringed brome), Calamagrostis canadensis (Blue joint grass), Carex hystericina (Bottlebrush sedge), Carex stricta (Common tussock sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Elymus virginicus (Virginia wild rye), Glyceria grandis (Reed manna grass), Panicum virgatum (Switch grass), Poa palustris (Fowl bluegrass), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass), Sorghastrum nutans (Indian grass), Spartina pectinata (Prairie cord grass)

FORBS

Anemone canadensis (Meadow/Canada anemone), Asclepias incarnata (Swamp milkweed), **Desmodium canadense (Showy tick trefoil)**, Doellingeria umbellata (Flat-topped aster), Eupatorium perfoliatum (Common boneset), Euthamia graminifolia (Common grass-leaved goldenrod), Eutrochium maculatus (Spotted Joe-Pye weed), Helenium autumnale (Sneezeweed), Helianthus grosseserratus (Sawtooth sunflower), Liatris pycnostachya (Prairie blazing star), Lobelia siphilitica (Great blue lobelia), Mimulus ringens (Monkey flower), Pycnanthemum virginianum (Virginia mountain mint), Symphyotrichum novae-angliae (New England aster), Verbena hastata (Blue vervain), Vernonia fasciculata (Common ironweed), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden Alexander)

Total:

| | |
|---------------|------------|
| seeds / sq ft | 120 |
| lbs / ac | 7.96 |
| | \$985 / ac |

- * Wet prairie reconstruction for wetland mitigation or ecological restoration
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

WI DOT 70 - TCRN

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Elymus canadensis (Canada wild rye), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass)

FORBS

Symphotrichum oolentangiense (Sky-blue aster), Symphyotrichum novae-angliae (New England aster), **Dalea purpurea (Purple prairie clover)**, **Desmodium canadense (Showy tick trefoil)**, Verbena stricta (Hoary vervain), Oligoneuron rigidum (Stiff goldenrod), Liatris pycnostachya (Prairie blazing star), Monarda fistulosa (Wild bergamot), Ratibida pinnata (Yellow coneflower), Solidago speciosa (Showy goldenrod), Tradescantia ohiensis (Spiderwort), Zizia aurea (Golden Alexander)

Total:

seeds / sq ft 100

lbs / ac 17.22

\$1,985 / ac

- * For use on slopes and upland areas, with loamy soils
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

WI DOT 70A - TCRN

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Elymus canadensis (Canada wild rye), Koeleria macrantha (June grass), Schizachyrium scoparium (Little bluestem)

FORBS

Asclepias tuberosa (Butterfly weed), **Chamaecrista fasciculata (Partridge pea)**, **Dalea purpurea (Purple prairie clover)**, Echinacea pallida (Pale purple coneflower), Liatris aspera (Rough blazing star), **Lupinus perennis (Wild lupine)**, Monarda punctata (Horse mint), Oligoneuron rigidum (Stiff goldenrod), Ratibida pinnata (Yellow coneflower), Solidago speciosa (Showy goldenrod), Symphyotrichum novae-angliae (New England aster), Tradescantia ohiensis (Spiderwort)

Total:

seeds / sq ft 145

lbs / ac 17.4

\$2,430 / ac

- * For use on slopes and upland areas, with sandy soils
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

WI DOT 75 - TCRN

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Elymus canadensis (Canada wild rye), Lolium multiflorum (Annual rye), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass)

FORBS

Dalea purpurea (Purple prairie clover), Rudbeckia hirta (Black-eyed Susan)

Total:

seeds / sq ft 100

lbs / ac 28.9

\$695 / ac

- * For grass-heavy erosion control
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Woodland Mix

GRASSES/GRASS-LIKE

Andropogon gerardii (Big bluestem), Bromus pubescens (Woodland brome), Carex sprengeii (Long-beaked sedge), Elymus canadensis (Canada wild rye), Elymus hystrix (Bottlebrush grass), Luzula multiflora (Common wood rush), Muhlenbergia mexicana (Leafy satin grass)

FORBS

Allium cernuum (Nodding wild onion), Anemone virginiana (Tall anemone), Aquilegia canadensis (Wild columbine), **Desmanthus illinoensis (Illinois sensitive plant)**, Dicentra cucullaria (Dutchman's breeches), Dodecatheon meadia (Shooting star), Eupatorium purpureum (Purple Joe-Pye weed), Euthamia graminifolia (Common grass-leaved goldenrod), Geranium maculatum (Wild geranium), Napaea dioica (Glade mallow), Polygonatum biflorum (Smooth Solomon's seal), Polemonium reptans (Jacob's ladder), Ratibida pinnata (Yellow coneflower), Rudbeckia triloba (Brown-eyed Susan), Symphyotrichum cordifolium (Arrow-leaved aster), Symphyotrichum laeve (Smooth blue aster), Thalictrum dasycarpum (Purple meadow rue)

Total:

seeds / 1,000 sq ft 59

lbs / 1,000 sq ft 0.344

\$175 / 1,000 sq ft

- * Sold as 1,000 sq ft mixes
- * Appropriate for managed open upland wooded areas
- * Includes minimum of 3 grasses/sedges and 8 forbs
- * Grasses and forbs at an approximate 60/40 ratio
- * Major grasses are provided PLS
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**



Order Form

Name: _____

Address: _____

City: _____ Zip: _____

State: _____ Email: _____

Phone: _____ Fax: _____

| Scientific Name | Common Name | Quantity | Unit Price | Total Price |
|-----------------|-------------|----------|------------|-------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

*** Tax:**
Residents of Wisconsin, Illinois, Minnesota, Kansas, Ohio, and New York, please add sales tax plus any additional required county tax.
WI=5.5% IL=6.25% MN=6.875%
KS=7.85% OH=5.75% NY=8.875%

Shipping and Handling:
\$5 minimum

Add 10% of subtotal for shipping and handling cost of seed.

Shipping of plant material is generally 20% of total plant cost.

Add 5% of subtotal for orders over \$2,000.00.

To save on shipping costs, you can pick up your order; please write "pickup" in the shipping cost blank.

"I would like my order by _____ (date)"

If out of stock, would you prefer:

| |
|---|
| <input type="checkbox"/> Credit toward another order |
| <input type="checkbox"/> Substitution of similar material |
| <input type="checkbox"/> Refund |

We accept Discover, Mastercard and Visa:

| | | |
|-----------------------------------|-------------------------------------|-------------------------------|
| <input type="checkbox"/> Discover | <input type="checkbox"/> Mastercard | <input type="checkbox"/> Visa |
| Card Number: | | |
| Exp. Date: | | |
| 3-Digit CVV Number: | | |
| Billing Zip Code: | | |
| Signature: | | |

| | |
|---|--|
| Subtotal | |
| Shipping | |
| Subtotal <i>Include shipping costs</i> | |
| Tax* | |
| Total | |

Note:
We recommend you pick up plants (plant plugs, trees and shrubs) unless arrangements for special delivery are made in advance.

Please send your order back by email, fax or mail:

Email: nursery.service@appliedeco.com | Fax: (608) 897-2044 | Mail to: PO Box 256, Brodhead, WI 53520

Or, call to place your order and speak to our representative: 608-897-8641



Order Form

Name: _____

Address: _____

City: _____ Zip: _____

State: _____ Email: _____

Phone: _____ Fax: _____

| Scientific Name | Common Name | Quantity | Unit Price | Total Price |
|-----------------|-------------|----------|------------|-------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

*** Tax:**
 Residents of Wisconsin, Illinois, Minnesota, Kansas, Ohio, and New York, please add sales tax plus any additional required county tax.
 WI=5.5% IL=6.25% MN=6.875%
 KS=7.85% OH=5.75% NY=8.875%

Shipping and Handling:
 \$5 minimum

Add 10% of subtotal for shipping and handling cost of seed.

Shipping of plant material is generally 20% of total plant cost.

Add 5% of subtotal for orders over \$2,000.00.

To save on shipping costs, you can pick up your order; please write "pickup" in the shipping cost blank.

"I would like my order by _____ (date)"

If out of stock, would you prefer:

| |
|---|
| <input type="checkbox"/> Credit toward another order |
| <input type="checkbox"/> Substitution of similar material |
| <input type="checkbox"/> Refund |

We accept Discover, Mastercard and Visa:

| | | |
|-----------------------------------|-------------------------------------|-------------------------------|
| <input type="checkbox"/> Discover | <input type="checkbox"/> Mastercard | <input type="checkbox"/> Visa |
| Card Number: | | |
| Exp. Date: | | |
| 3-Digit CVV Number: | | |
| Billing Zip Code: | | |
| Signature: | | |

| | |
|---|--|
| Subtotal | |
| Shipping | |
| Subtotal <i>Include shipping costs</i> | |
| Tax* | |
| Total | |

Note:
 We recommend you pick up plants (plant plugs, trees and shrubs) unless arrangements for special delivery are made in advance.

Please send your order back by email, fax or mail:

Email: nursery.service@appliedeco.com | Fax: (608) 897-2044 | Mail to: PO Box 256, Brodhead, WI 53520

Or, call to place your order and speak to our representative: 608-897-8641