



*TaylorCreek*  
RESTORATION NURSERIES

***2019 Wholesale Catalog***

Production Facilities: Brodhead, WI | Baldwin City, KS





***The highest-quality native,  
local-genotype plants and seed.***

---

With three decades of experience in growing native plants, Taylor Creek Restoration Nurseries is a leader in native plant propagation. With production facilities in southern Wisconsin and eastern Kansas, Taylor Creek supplies the entire Midwest and beyond. Our staff members have degrees in horticulture, reclamation, conservation, and land-use planning. Just as important as the diplomas, our people are passionately dedicated to the promotion and use of native species.

---

17921 W Smith Road, PO Box 256 | Brodhead, WI 53520

**P** (608) 897-8641 | **F** (608) 897-2044 | **E** [nursery.service@appliedeco.com](mailto:nursery.service@appliedeco.com)

224 E 1260 Road | Baldwin City, KS 66006

**P** (785) 594-2245 | **F** (785) 594-2250 | **E** [customer.support@appliedeco.com](mailto:customer.support@appliedeco.com)



# *Philosophy and Mission*

Taylor Creek Restoration Nurseries is dedicated to the genetic preservation and production of the highest-quality, native, local genotype plants of the Midwest.

## **What are Native, Local-Genotype Species?**

“Native” merely means the species was natural to the area before European settlement. “Local-genotype” means the strain is adapted to the area in which it is found. This is a very important detail. Just because *Panicum virgatum* (Switch grass) is native to your area doesn’t mean the genotype of a particular seed is properly “local”. We can probably agree that a genotype from Texas isn’t the same as one from Minnesota – even if the species is the same – and you probably don’t want to plant it in your Minnesota prairie. When a Texas switch grass is out of place, it’s not going to do well in the temperatures and rainfall typical of the Upper Midwest . . . if it survives at all.

## **Our Philosophy: Work with Nature, Not Against It**

Why are we so enthusiastic about native plants?

- Natives thrive year after year because they are naturally adapted to local soils and climates.
- They’re vigorous, deep-rooted plants that produce a beautiful progression of blooms and textures throughout the year and attract a variety of pollinators (bees and butterflies), wildlife and birds.
- Native plant communities infiltrate rainwater, and filter runoff naturally - better than any other systems known to or made by man.
- Established native plantings are very easy to maintain. They will thrive and bloom without fertilizers, pesticides, or watering, even in dry seasons when conventional turf lawns turn brown. Mowing is virtually eliminated and you save money through the reduced need for gas-powered lawn-care equipment, fertilizers, and chemicals.

## **Our Mission: Share the Science**

We are passionate about native plants and the ecosystems to which they contribute great value. For thirty years, our nursery has developed a unique expertise in the propagation, use and care of native species. Education – sharing of what we have learned – is a big part of our mission, and our professional staff is eager to educate and support our customers (and the public at large) in their species selections and land-use decisions.

Taylor Creek Restoration Nurseries is the nursery division of Applied Ecological Services, recognized nationally as a leader in ecological consulting, design and ecological restoration contracting. Through AES, Taylor Creek nursery managers have direct access to the latest scientific insights and practical application successes with native plants in ecological restoration and native landscaping. In turn, Taylor Creek propagation expertise helps inform AES consultants, designers, and contracting professionals to enhance installation survival and long-term success.

We encourage our customers to ask questions and learn more about the best ways to enjoy native species in your projects. Our commitment to customer service, quality products, and ecological science has helped us become one of the largest, most diverse native plant and seed nurseries in the country. We’re dedicated to offering you the best plants – and growing advice – to help make your landscape a source of pride and joy!



## 2019 Species List

Note: Pricing and availability are subject to change.

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Achillea millefolium</i>		Yarrow		20.00	1.35	1.10		
<i>Acorus americanus</i>		Sweet flag	12.50	10.00	1.35	1.10	1.05	1.15
<i>Actaea pachypoda</i>		White baneberry		45.00				
<i>Actaea rubra</i>		Red baneberry		45.00				
<i>Adiantum pedatum</i>		Maidenhair fern						
<i>Agalinis purpurea</i>	<i>Gerardia purpurea</i>	Purple false foxglove	100.00	100.00				
<i>Agalinis tenuifolia</i>		Slenderleaf false foxglove	60.00	60.00				
<i>Agastache foeniculum</i>		Fragrant lavender hyssop	17.00	16.00	1.50			
<i>Agastache nepetoides</i>		Yellow giant hyssop	24.00	22.00				
<i>Agastache scrophulariifolia</i>		Purple giant hyssop	28.00	28.00				
<i>Ageratina altissima</i>	<i>Eupatorium rugosum</i>	White snakeroot	40.00	40.00	1.35			1.16
<i>Alisma subcordatum</i>	<i>Alisma plantago-aquatica</i>	American water plantain	5.00	4.75				1.42
<i>Alisma triviale</i>		Large-flowered water plantain		15.00				
<i>Allium canadense</i>		Wild garlic	16.00	12.00				1.16
<i>Allium cernuum</i>		Nodding wild onion	24.00	20.00	1.35	1.10	1.00	1.05
<i>Allium stellatum</i>		Prairie onion	26.00	21.00	1.53			
<i>Allium tricoccum</i>	<i>Allium burdickii</i>	Wild leek	55.00	50.00				
<i>Ammannia robusta</i>		Grand redstem	6.50					
<i>Ammophila breviligulata*</i>		American beachgrass						
<i>Amorpha canescens</i>		Leadplant	21.88	20.00	1.70		1.05	1.42
<i>Amorpha fruticosa</i>		False Indigo bush	22.00	20.00				1.75
<i>Amphicarpaea bracteata</i>		Upland hog peanut						
<i>Amsonia hubrichtii</i>		Arkansas blue star			1.53	1.25		1.21
<i>Amsonia illustris</i>		Shining blue star			1.35	1.10	1.00	1.31
<i>Amsonia tabernaemontana</i>		Eastern blue star			1.53	1.25	1.12	
<i>Andropogon gerardii</i>		Big bluestem	0.95	0.85	1.35	1.05	0.95	1.05
<i>Andropogon scoparius</i>	<i>Schizachyrium scoparium</i>	Little bluestem	1.38	1.19	1.25	1.05	0.95	1.16
<i>Andropogon virginicus</i>		Broom sedge bluestem			1.35		1.05	
<i>Anemone canadensis</i>		Meadow/Canada anemone	45.00	40.00	1.70		1.25	1.47
<i>Anemone cylindrica</i>		Thimbleweed	70.00	63.00	1.25			1.05
<i>Anemone quinquefolia*</i>		Wood anemone			4.50			3.15
<i>Anemone virginiana</i>		Tall anemone	66.00	60.00	1.40			1.05
<i>Anemonella thalictroides</i>		Rue anemone	93.00	78.00	4.50			3.15
<i>Angelica atropurpurea</i>		Great angelica	8.00	7.00	2.00			1.47
<i>Antennaria neglecta</i>		Field pussy toes		200.00	2.25			
<i>Antennaria plantaginifolia</i>	<i>Antennaria parlinii</i>	Pussy toes	325.00	200.00	2.25			
<i>Apocynum acanadensis</i>		Dog bane						
<i>Apocynum androsaemifolium</i>		Spreading dogbane						
<i>Apocynum cannabinum</i>		Indian hemp						
<i>Aquilegia canadensis</i>		Wild columbine	45.00	35.00	1.50	1.10	1.00	1.16
<i>Aralia nudicaulis</i>		Wild sarsaparilla	100.00	90.00				
<i>Aralia racemosa</i>		American spikenard	200.00	163.00				

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Argentina anserina</i>	<i>Potentilla anserina</i>	Silverweed cinquefoil	45.00	38.00				
<i>Arisaema dracontium</i>		Green dragon	69.00	69.00				
<i>Arisaema triphyllum</i>	<i>Arisaema atrorubens</i>	Jack-in-the-pulpit	50.00	37.00	3.50			3.15
<i>Aristolochia tomentosa</i>		Dutchman's pipevine			1.90			
<i>Arnoglossum atriplicifolium</i>	<i>Cacalia atriplicifolia</i>	Pale Indian plantain	27.00	18.00				1.79
<i>Arnoglossum plantagineum</i>	<i>Cacalia tuberosa / plantaginea</i>	Prairie Indian plantain	94.00	75.00				
<i>Artemisia campestris</i>		Field sagewort	20.00	15.00				
<i>Artemisia ludoviciana</i>		White sage		41.00				
<i>Asarum canadense</i>		Wild ginger		100.00	1.90			
<i>Asclepias exaltata</i>		Poke milkweed			2.75			
<i>Asclepias hirtella</i>		Tall green milkweed			2.10			
<i>Asclepias incarnata</i>		Swamp milkweed	30.00	25.00	1.25	1.10	1.00	1.05
<i>Asclepias purpurascens</i>		Purple milkweed	95.00	85.00	2.25			2.10
<i>Asclepias speciosa</i>		Showy milkweed			1.70			
<i>Asclepias sullivanti</i>		Prairie milkweed	68.00	53.00	1.70			
<i>Asclepias syriaca</i>		Common milkweed	18.00	16.00	1.70			1.16
<i>Asclepias tuberosa</i>		Butterfly weed	38.00	25.00	1.50			1.26
<i>Asclepias verticillata</i>		Whorled milkweed	75.00	60.00	1.70	1.25	1.12	1.26
<i>Asclepias viridiflora</i>		Short green milkweed	113.00	94.00	2.10			2.10
<i>Asclepias viridis</i>		Spider milkweed			1.53			
<i>Astragalus canadensis</i>		Canadian milk vetch	12.10	10.00	1.70			
<i>Astragalus crassicaupus</i>		Prairie Plum			1.70			
<i>Athyrium filix-femina</i>		Lady fern			5.00			4.20
<i>Avena sativa (cover crop)</i>		Seed oats	0.08	0.08				
<i>Baptisia alba</i>	<i>Baptisia leucantha</i>	White wild indigo	40.00	25.00	1.70		1.31	1.31
<i>Baptisia australis v minor</i>		Blue indigo			1.70		1.12	
<i>Baptisia bracteata var. leucophaea</i>	<i>Baptisia leucophaea</i>	Cream wild indigo	90.00	80.00	1.70		1.12	1.42
<i>Beckmannia syzigachne</i>		American Slough Grass	3.00	3.00				
<i>Besseyia bullii</i>		Kitten tails						
<i>Biden connata</i>		Purplestem beggarticks	23.00	15.00				
<i>Bidens aristosa</i>	<i>Bidens polyepis</i>	Bearded beggar's ticks	15.00	9.00				
<i>Bidens cernua</i>		Nodding bur marigold	18.00	18.00				
<i>Bidens coronata</i>		Tall swamp marigold	25.00	18.00				
<i>Bidens frondosa</i>		Common beggar's ticks	24.00	20.00				
<i>Blephilia ciliata</i>		Ohio horsemint	98.00	98.00				
<i>Blephilia hirsuta</i>		Hairy pagoda plant	77.00	77.00				
<i>Boehmeria cylindrica</i>		Smallspike false nettle	30.00	25.00				
<i>Boltonia asteroides</i>	<i>Boltonia latisquama recognita</i>	False aster	14.00	12.00	1.35		1.00	1.16
<i>Bouteloua curtipendula</i>		Side oats grama	1.10	0.95	1.25	1.10	0.95	1.05
<i>Bouteloua dactyloides</i>	<i>Buchloe dactyloides</i>	Buffalograss	1.90	1.60	1.25		1.00	1.16
<i>Bouteloua gracilis</i>		Blue grama grass				1.10	1.00	1.16
<i>Bouteloua hirsuta</i>		Hairy grama	11.00	9.00				
<i>Brachyelytrum erectum</i>		Long awned wood grass						
<i>Brickellia eupatorioides</i>	<i>Kuhnia eupatorioides</i>	False boneset	35.00	35.00				1.16



Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Bromus ciliatus</i>		Fringed brome	11.00	8.00				
<i>Bromus kalmii</i>		Arctic brome	11.00	8.00				
<i>Bromus latiglumis</i>		Tall brome	18.00	15.00				1.21
<i>Bromus pubescens</i>	<i>Bromus purgans</i>	Woodland brome	22.18	18.00				1.26
<i>Buchnera americana</i>		American bluehearts			2.25			
<i>Calamagrostis canadensis</i>		Blue joint grass	80.00	79.00	1.25	1.10	1.00	1.05
<i>Calamovilfa longifolia</i>		Sand reed grass						
<i>Calla palustris</i>		Calla lily/Water arum						
<i>Callicarpa americana</i>		American beautyberry			1.70			
<i>Callirhoe bushii</i>		Bush's poppy mallow			1.35			1.35
<i>Callirhoe involucrata</i>		Purple poppy mallow	50.00	45.00	1.35			1.35
<i>Callirhoe triangulata</i>		Poppy mallow						
<i>Caltha palustris</i>		Marsh marigold	85.00	75.00				2.10
<i>Camassia scilloides</i>		Wild hyacinth	65.00	55.00				2.10
<i>Campanula rotundifolia</i>		Harebell						
<i>Campanulastrum americanum</i>	<i>Campanula americana</i>	Tall bellflower	50.00	45.00	2.50			1.85
<i>Cardamine bulbosa</i>		Bulbous bittercress		88.00				2.63
<i>Cardamine concatenata*</i>	<i>Dentaria lacinata*</i>	Toothwort	94.00	75.00	4.50			3.68
<i>Carex albicans</i>		Whitetinge/Cedar Sedge			1.53			
<i>Carex amphibola</i>		Gray sedge						
<i>Carex annectens</i>		Yellow-fruited sedge	20.00	14.00	1.25	1.10	1.00	1.05
<i>Carex aquatilis aquatilis</i>	<i>Carex aquatilis altior</i>	Water sedge			1.60			1.37
<i>Carex atherodes</i>		Wheat sedge						2.10
<i>Carex bebbii</i>		Bebb's sedge	20.00	15.00	1.35			1.05
<i>Carex bicknellii</i>		Bicknell's sedge	35.00	30.00	1.25		1.00	1.05
<i>Carex blanda</i>		Eastern woodland sedge			1.53			1.47
<i>Carex brevior</i>		Short beak sedge	11.00	9.75	1.25	1.05	1.00	1.05
<i>Carex bromoides</i>		Brome hummox sedge						
<i>Carex bushii</i>		Long-scaled green sedge			1.53			
<i>Carex buxbaumii</i>		Buxbaum's sedge	44.00	40.00				1.47
<i>Carex cephalophora</i>		Rough clustered sedge			1.70			1.47
<i>Carex cephaloidea</i>		Thinleaf sedge						
<i>Carex cherokeensis</i>		Cherokee sedge						
<i>Carex comosa</i>		Longhair sedge	15.00	12.00				1.16
<i>Carex crawei</i>		Early fen sedge						
<i>Carex crinita</i>		Fringed sedge	15.00	13.00	1.50		1.10	1.31
<i>Carex cristatella</i>		Crested sedge	35.00	33.00				1.16
<i>Carex crus-corvi</i>		Crow foot fox sedge			1.25			
<i>Carex davisii</i>		Awned graceful sedge	75.00	43.00				
<i>Carex eburnea</i>		Cedar sedge			1.53			1.37
<i>Carex emoryi</i>		Riverbank sedge						1.47
<i>Carex festucacea</i>		Fescue sedge						
<i>Carex frankii</i>		Frank's sedge		15.00	1.35		1.00	1.35
<i>Carex gracilescens</i>		Slender loose-flowered sedge						



Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Carex gracillima</i>		Purple-sheathed graceful sedge	75.00	75.00				
<i>Carex granularis</i>		Pale sedge	47.00	36.00				1.47
<i>Carex gravida</i>		Long-awned bracted sedge	15.00	11.00	1.75			1.47
<i>Carex grayi</i>		Common bur sedge	40.00	28.00	1.70	1.25	1.12	1.47
<i>Carex grisea</i>		Inflated narrow-leaf sedge	75.00	60.00				
<i>Carex haydenii</i>		Hayden's sedge	100.00	95.00				
<i>Carex hirsutella</i>	<i>Carex complanata</i> var. <i>hirsuta</i>	Hairy green sedge	45.00	40.00				1.47
<i>Carex hirtifolia</i>		Pubescent sedge						
<i>Carex hyalinolepis</i>	<i>Carex lacustris</i> var. <i>laxiflora</i>	Common lake sedge	75.00	60.00	1.50			1.47
<i>Carex hystericina</i>		Bottlebrush sedge	13.00	10.00	1.25		1.00	1.05
<i>Carex interior</i>		Inland sedge		33.00				
<i>Carex jamesii</i>		Grass sedge			1.70			
<i>Carex lacustris</i>		Hairy sedge	118.00	107.00	2.00			
<i>Carex lasiocarpa</i>		Woolyfruit sedge	60.00	50.00				
<i>Carex laxiflora</i>		Beech wood sedge						
<i>Carex lupuliformis</i>		Knobbed hop sedge						
<i>Carex lupulina</i>		Common hop sedge	24.00	22.00	1.70		1.12	1.47
<i>Carex lurida</i>		Shallow sedge		19.00				
<i>Carex meadii</i>	<i>Carex tetanica</i>	Mead's stiff sedge	32.00	32.00				
<i>Carex molesta</i>		Field oval sedge	14.00	12.00				
<i>Carex muehlenbergii</i>		Sand bracted sedge	43.00	38.00	1.70			1.47
<i>Carex muskingumensis</i>		Broad-leaved wooly sedge	43.00	38.00	1.25	1.05	0.95	1.26
<i>Carex normalis</i>		Spreading oval sedge	20.00	15.00	1.50			1.26
<i>Carex oligocarpa</i>		Sparse-fruited sedge			1.70			3.15
<i>Carex pellita</i>	<i>Carex languinosa</i>	Broad leaved wooly sedge	118.00	75.00	1.53		1.05	1.58
<i>Carex pennsylvanica</i>		Common oak sedge	155.00	155.00	1.90			1.58
<i>Carex praegracilis</i>		Tollway sedge			1.70	1.25	1.10	
<i>Carex prairea</i>		Fen paniced sedge	90.00	75.00				
<i>Carex projecta</i>		Loose-headed oval sedge						
<i>Carex radiata</i>	<i>Carex rosea</i> var. <i>radiata</i>	Curly wood sedge	140.00	45.00	1.53			
<i>Carex retrorsa</i>		Retrorsa sedge	20.00	11.00				1.58
<i>Carex richardsonii</i>		Richardson's sedge						
<i>Carex rosea</i>		Curly-styled wood sedge	230.00	188.00	1.70		1.10	
<i>Carex sartwelli</i>		Sartwell's sedge	120.00	90.00	2.00			1.79
<i>Carex scoparia</i>		Broom sedge	12.00	10.00	1.25			
<i>Carex shortiana</i>		Short's sedge			1.53			
<i>Carex sparganioides</i>		Loose-headed bracted sedge	45.00	38.00				1.47
<i>Carex sprengeii</i>		Long-beaked sedge	38.00	33.00	1.70			1.47
<i>Carex squarrosa</i>		Squarrose sedge						
<i>Carex sterilis</i>		Fen star sedge		65.00				
<i>Carex stipata</i>		Owl-fruited sedge	38.00	33.00				1.05
<i>Carex stricta</i>		Common tussock sedge	113.00	85.00	1.35	1.10	1.00	1.16
<i>Carex tenera</i>		Narrow-leaved oval sedge	52.00	52.00				
<i>Carex texensis</i>		Texas sedge			1.53	1.25		

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Carex tribuloides</i>		Blunt broom sedge	40.00	34.00				1.68
<i>Carex trichocarpa</i>		Hairyfruit sedge	50.00	50.00				1.05
<i>Carex typhina</i>		Cattail sedge	35.00	30.00				1.47
<i>Carex umbellata</i>		Parasol sedge						
<i>Carex utriculata</i>		Common yellow lake sedge						
<i>Carex vulpinoidea</i>		Fox sedge, Brown fox sedge	17.00	13.00	1.25	1.05	0.95	1.05
<i>Castilleja coccinea</i>		Scarlet Indian paintbrush						
<i>Caulophyllum thalictroides</i>		Blue cohosh	20.00	17.00				
<i>Ceanothus americanus</i>		New Jersey tea	100.00	90.00	1.70			1.47
<i>Ceanothus herbaceus</i>	<i>Ceanthus ovatus</i>	Inland New Jersey tea						2.30
<i>Cephalanthus occidentalis</i>		Buttonbush	16.00	12.00				1.50
<i>Ceratophyllum demersum (BR only)</i>		Coon's tail			0.80			
<i>Chamaecrista fasciculata</i>	<i>Cassia fasciculata</i>	Partridge pea	4.00	3.00	1.70			1.37
<i>Chamerion angustifolium</i>	<i>Epilobium angustifolium</i>	Fireweed	188.00	168.00				
<i>Chasmanthium (Uniola) latifolium</i>		River oats			1.35	1.10	1.00	1.42
<i>Chelone glabra</i>		Turtlehead	81.00	69.00	1.70		1.05	1.47
<i>Chelone obliqua</i>		Rose turtlehead			1.70			1.68
<i>Cicuta maculata</i>		Water hemlock	22.00	19.00	2.00			1.79
<i>Cinna arundinacea</i>		Common wood reed	40.00	35.00				
<i>Cirsium discolor</i>		Pasture thistle	17.00	14.00				1.79
<i>Claytonia virginica*</i>		Spring beauty	160.00	140.00	3.50			3.15
<i>Clematis virginiana</i>		Virgin's bower	29.00	18.00	2.00			1.47
<i>Comandra umbellata</i>		Bastard toad flax						4.50
<i>Conoclinium coelestinum</i>	<i>Eupatorium coelestinum</i>	Blue mistflower	31.25	31.25	1.53	1.25		1.10
<i>Coreopsis lanceolata</i>		Sand coreopsis	8.00	6.00	1.25	1.05	1.00	1.05
<i>Coreopsis palmata</i>		Prairie coreopsis	55.00	50.00	1.53		1.12	1.16
<i>Coreopsis pubescens</i>		Star tickseed			1.53			
<i>Coreopsis tripteris</i>		Tall coreopsis	27.00	25.00	1.25		1.00	1.05
<i>Dactylis glomerata</i>		Orchard grass	0.25	0.25				
<i>Dalea candida</i>	<i>Petalostemum candidum</i>	White prairie clover	26.00	17.00	1.35			1.16
<i>Dalea purpurea</i>	<i>Petalostemum purpureum</i>	Purple prairie clover	12.00	9.00	1.35		1.00	1.16
<i>Danthonia spicata</i>		Poverty oat grass	45.00	45.00				
<i>Decodon verticillatus</i>		Swamp loosestrife						1.79
<i>Delphinium carolinianum</i>	<i>Delphinium virescens</i>	Prairie larkspur						1.47
<i>Delphinium tricome</i>		Dwarf larkspur			2.25			
<i>Deschampsia cespitosa</i>		Tufted hairgrass	25.00	23.00	1.25			
<i>Desmanthus illinoensis</i>		Illinois sensitive plant	5.00	3.00	1.50			
<i>Desmodium canadense</i>		Showy tick trefoil	15.00	13.00	1.50			1.16
<i>Desmodium canescens</i>		Hoary tick trefoil	69.00	69.00				1.50
<i>Desmodium cuspidatum</i>		Largebracted tick trefoil	60.00	50.00				
<i>Desmodium glutinosum</i>		Pointed leaf tick trefoil	60.00					1.50
<i>Desmodium illinoense</i>		Illinois tick trefoil	20.00	12.00	1.50			1.26
<i>Diarrhena americana</i>		American beak grass	10.00	6.00				
<i>Diarrhena obovata</i>		Obvate beakgrass			1.53		1.05	1.52

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Dicentra cucullaria</i>		Dutchman's britches	95.00	75.00	4.50			3.94
<i>Dichanthelium acuminatum</i>	<i>Panicum implicatum</i>	Old-field panic grass						
<i>Dichanthelium latifolium</i>	<i>Panicum latifolium</i>	Broadleaf rosette grass						1.50
<i>Dichanthelium leibergii</i>	<i>Panicum leibergii</i>	Prairie panic-grass	200.00	175.00				1.79
<i>Dichanthelium sphaerocarpon</i>		Round-seed dichanthelium						
<i>Dioscorea villosa</i>		Wild yam						
<i>Dodecatheon meadia*</i>		Shooting star	145.00	98.00	2.25			1.84
<i>Doellingeria umbellata</i>	<i>Aster umbellatus</i>	Flat-topped aster	50.00	45.00	1.40			
<i>Echinacea angustifolia</i>		Narrow purple coneflower						
<i>Echinacea atrorubens</i>		Topeka coneflower			1.70			
<i>Echinacea pallida</i>		Pale purple coneflower	24.00	18.00	1.25	1.10	1.00	1.05
<i>Echinacea paradoxa</i>		Yellow coneflower			1.53		1.05	1.52
<i>Echinacea purpurea</i>		Broad-lvd. purple coneflower	12.00	8.00	1.25	1.05	.95	1.05
<i>Echinacea simulata</i>		Glade coneflower			1.53			
<i>Echinocystis lobata</i>		Wild cucumber	45.00	43.00				
<i>Echinodorus berteroi</i>		Burhead						
<i>Eleocharis acicularis</i>		Needle spike rush	68.00	59.00	1.53		1.05	
<i>Eleocharis compressa</i>		Flat-stemmed spike rush	68.00	59.00				
<i>Eleocharis elliptica</i>		Golden-seed spike rush	82.00	55.00				
<i>Eleocharis erythropoda</i>		Red-rooted spike rush	82.00	70.00	1.53		1.05	1.42
<i>Eleocharis obtusa</i>	<i>Eleocharis ovata</i>	Blunt spikerush	82.00	75.00				
<i>Eleocharis palustris</i>	<i>Eleocharis smallii</i>	Common spike rush	82.00	75.00				1.42
<i>Elodea canadensis (BR only)</i>		Canadian waterweed						
<i>Elymus canadensis</i>		Canada wild rye	0.90	0.90	1.25		1.00	1.05
<i>Elymus hystrix</i>	<i>Hystrix patula</i>	Bottlebrush grass	15.00	15.00	1.40		1.00	1.16
<i>Elymus macgregorii</i>		MacGregor's rye grass						
<i>Elymus riparius</i>		River bank rye	2.00	1.50				1.47
<i>Elymus trachycaulus</i>		Slender wheatgrass	0.70	0.70				
<i>Elymus villosus</i>		Silky wild rye	8.00	6.00				1.16
<i>Elymus virginicus</i>		Virginia wild rye	1.00	1.00	1.25		1.00	1.05
<i>Epilobium coloratum</i>		Cinnamon willow herb	60.00	60.00				1.37
<i>Equisetum arvense</i>		Horsetail						
<i>Equisetum fluviatile (plants BR only)</i>		Pipes						1.00
<i>Equisetum hyemale (plants BR only)</i>		Horse tail			1.70			1.00
<i>Equisetum laevigatum</i>		Smooth scouring rush						
<i>Equisetum sylvaticum</i>		Woodland horsetail						
<i>Eragrostis spectabilis</i>		Purple love grass	47.00	35.00				1.47
<i>Eragrostis trichodes</i>		Sand lovegrass			1.53		1.00	
<i>Erigeron annuus</i>		Annual fleabane	8.00	6.00				
<i>Erigeron philadelphicus</i>		Marsh fleabane						
<i>Erigeron pulchellus</i>		Robin's plantain	140.00			2.50		2.00
<i>Erigeron strigosus</i>		Daisy fleabane						
<i>Eryngium yuccifolium</i>		Rattlesnake master	24.00	20.00	1.35	1.10	1.00	1.16
<i>Erythronium albidum*</i>		Trout lily	157.00	137.00				4.20

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Eupatorium altissimum</i>		Tall boneset	48.00	40.00				1.26
<i>Eupatorium fistulosum</i>		Hollow Joe Pye weed						
<i>Eupatorium perfoliatum</i>		Common boneset	35.00	32.00	1.25		1.00	1.16
<i>Eupatorium serotinum</i>		Late boneset	29.00	24.00	1.35			1.16
<i>Euphorbia corollata</i>		Flowering spurge	60.00	60.00	1.70			1.47
<i>Eurybia macrophylla</i>	<i>Aster macrophyllus</i>	Big-leaved aster	82.00	63.00	1.70			1.47
<i>Euthamia graminifolia</i>	<i>Solidago graminifolia</i>	Common grass-leaved goldenrod	79.00	47.00	1.25			
<i>Eutrochium maculatum</i>	<i>Eupatorium maculatum</i> , <i>Eupatoriadelphus maculatus</i>	Spotted Joe Pye weed	30.00	26.00	1.25			1.16
<i>Eutrochium purpureum</i>	<i>Eutrochium purpureum</i>	Purple Joe Pye weed	24.00	21.00	1.25		1.00	1.16
<i>Festuca rubra</i>		Red fescue						
<i>Festuca subverticillata</i>	<i>Festuca obtusa</i>	Nodding fescue	60.00	49.00				
<i>Filipendula rubra</i>		Queen of the prairie		69.00				2.10
<i>Floerkea prspimpinacoides</i>		Mermaid weed	90.00	90.00				
<i>Fragaria virginiana</i>		Wild strawberry		335.00	1.53			1.31
<i>Galium aparine</i>		Sticky willy						
<i>Galium boreale</i>		Northern bedstraw	150.00	45.00	1.70			1.47
<i>Galium circaezans</i>		Smooth wild licorice						
<i>Galium concinnum</i>		Shining bedstraw						
<i>Galium obtusum</i>		Wild madder						
<i>Gentiana alba*</i>	<i>Gentiana flavida</i>	Yellowish gentian	54.00	47.00	3.00			2.73
<i>Gentiana andrewsii*</i>		Bottle gentian	100.00	85.00	3.00			2.73
<i>Gentiana puberulenta*</i>		Downy gentain	160.00	138.00	3.00			2.73
<i>Gentianella quinquefolia*</i>	<i>Gentiana quinquefolia</i>	Stiff gentian		110.00				2.73
<i>Gentianopsis crinita*</i>	<i>Gentiana crinita</i>	Fringed gentian		75.00				2.73
<i>Geranium maculatum</i>		Wild geranium	150.00	95.00	2.25			1.89
<i>Geum aleppicum strictum</i>		Yellow avens	12.00	10.00				
<i>Geum laciniatum</i>		Northern rough avens						
<i>Geum rivale</i>		Purple avens						
<i>Geum triflorum</i>		Prairie smoke	200.00	200.00	1.70			1.47
<i>Glandularia canadensis</i>		Rose verbena			1.53			
<i>Glyceria canadensis</i>		Rattlesnake manna grass	32.00	28.00				1.26
<i>Glyceria grandis</i>		Reed manna grass	10.00	9.00				1.26
<i>Glyceria septentrionalis</i>		Floating manna grass	35.00	35.00				1.26
<i>Glyceria striata</i>		Fowl manna grass	27.00	24.00				1.26
<i>Hasteola suaveolens</i>	<i>Cacalia suaveolens</i>	Sweet Indian plantain	26.00	22.00				1.52
<i>Helenium autumnale</i>		Sneezeweed	25.00	22.00	1.25		1.00	1.16
<i>Helianthus divaricatus</i>		Woodland sunflower	60.00	53.00				1.26
<i>Helianthus grosseserratus</i>		Sawtooth sunflower	46.00	42.00				1.16
<i>Helianthus hirsutus</i>		Hairy sunflower						
<i>Helianthus maximiliani</i>		Maximilian sunflower						
<i>Helianthus mollis</i>		Downy sunflower						
<i>Helianthus occidentalis</i>		Western sunflower	50.00	35.00				1.21
<i>Helianthus pauciflorus</i>	<i>Helianthus rigidus/laetiflorus</i>	Prairie sunflower	50.00	33.00	1.40		1.10	1.21



Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Helianthus salicifolius</i>		Willow leaved sunflower			1.53		1.10	
<i>Helianthus strumosus</i>		Pale-leaved sunflower	45.00	31.00				
<i>Helianthus tuberosus</i>		Jerusalem artichoke						
<i>Heliopsis helianthoides</i>		False sunflower	6.00	4.00	1.25	1.10	1.00	1.05
<i>Hepatica nobilis*</i>	<i>Hepatica acutiloba</i>	Sharp-lobed hepatica		150.00	4.50			3.94
<i>Heracleum maximum</i>		Cow parsnip	7.50	7.50				
<i>Hesperostipa spartea*</i>	<i>Stipa spartea</i>	Porcupine grass	32.00	23.00	3.00			1.40
<i>Heteranthera dubia</i>		Water star grass						
<i>Heuchera parviflora</i>		Little flower alumroot			1.53			
<i>Heuchera richardsonii</i>		Prairie alumroot	160.00	145.00	1.25		1.00	1.05
<i>Hibiscus laevis</i>	<i>Hibiscus militaris</i>	Swamp mallow	16.00	12.00	1.70		1.10	2.73
<i>Hibiscus lasiocarpus</i>		Rose mallow			1.70		1.10	
<i>Hibiscus moscheutos</i>	<i>Hibiscus palustris</i>	Swamp rose mallow	38.00	15.00				
<i>Hierochloa odorata</i>		Vanilla grass	82.00	75.00				1.47
<i>Hordeum jubatum</i>		Squirrel-tail barley						
<i>Hydrophyllum virginianum*</i>		Virginia waterleaf	75.00	50.00	4.50			3.94
<i>Hypericum ascyron</i>	<i>Hypericum pyramidatum</i>	Great St. John's wort	10.00	10.00	1.25			1.16
<i>Hypericum prolificum</i>	<i>Hypericum spathulatum</i>	Shrubby St. John's wort	15.00	12.00				
<i>Hypericum punctatum</i>		Spotted St. John's wort						
<i>Hypoxis hirsuta*</i>	<i>Hypoxis decumbens</i>	Yellow star grass	175.00	150.00				2.63
<i>Iliamna rivularis</i>	<i>Iliamna remota</i>	Kankakee mallow						
<i>Impatiens capensis</i>		Orange jewelweed		75.00				
<i>Impatiens pallida</i>		Yellow jewelweed						
<i>Ionactis linariifolius</i>	<i>Aster linariifolius</i>	Flax-leaved aster	53.00	48.00				
<i>Iris cristata</i>		Dwarf crested iris			1.70			
<i>Iris fulva</i>		Copper iris			2.25			
<i>Iris vericolor</i>		Northern blue flag iris	26.00	20.00	1.50			1.31
<i>Iris virginica</i>		Blue flag iris	26.00	20.00	1.50	1.10	1.00	1.31
<i>Jeffersonia diphylla</i>		Twinleaf						
<i>Juncus acuminatus</i>		Tapertip rush	20.00	13.00	1.50			1.26
<i>Juncus canadensis</i>		Canada rush	35.00	30.00	1.50			1.26
<i>Juncus dudleyi</i>		Dudley's rush	44.00	35.00	1.25		1.00	1.26
<i>Juncus effusus</i>		Common rush	31.00	25.00	1.35	1.10	1.00	1.16
<i>Juncus interior</i>		Inland rush	41.00	33.00				
<i>Juncus marginatus</i>		Grass-leaved rush	41.00	40.00				
<i>Juncus nodosus</i>		Joint rush	65.00	65.00				1.20
<i>Juncus tenuis</i>		Path rush	40.00	40.00	1.35		1.00	1.16
<i>Juncus torreyi</i>		Torrey's rush	65.00	65.00	1.53		1.00	1.26
<i>Justicia americana</i>		American water-willow			2.00			
<i>Koeleria cristatella</i>	<i>Koeleria macrantha</i>	June grass	20.00	10.00	1.35		1.00	1.16
<i>Krigia biflora</i>		False dandelion						2.10
<i>Lathyrus palustris</i>		Marsh vetchling	38.00	34.00				
<i>Leersia oryzoides</i>		Rice cut grass	25.00	25.00	1.70		1.10	1.47
<i>Leersia virginica</i>		White grass						
<i>Lespedeza capitata</i>		Round-headed bush clover	22.00	18.00				1.47

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Lespedeza violacea</i>		Violet lespedeza						2.00
<i>Liatris aspera</i>		Rough blazing star	55.00	55.00	1.35		1.00	1.21
<i>Liatris cylindracea</i>		Cylindrical blazing star	48.00	43.00				1.21
<i>Liatris ligulistylis</i>		Meadow blazing star	55.00	55.00	1.53		1.00	
<i>Liatris punctata</i>		Dotted blazing star	45.00	42.00	1.53			
<i>Liatris pycnostachya</i>		Prairie blazing star	25.00	21.00	1.25	1.10	1.00	1.16
<i>Liatris scariosa nieuwlandii</i>		Eastern blazing star			1.53		1.12	
<i>Liatris spicata</i>		Marsh blazing star	15.00	12.00	1.25	1.10	1.00	1.16
<i>Lilium michiganense*</i>		Turk's cap lily	280.00	218.00	5.00			4.20
<i>Lilium philadelphicum*</i>		Prairie lily	335.00	200.00	7.00			6.30
<i>Lithospermum caroliniense</i>	<i>Lithospermum croceum</i>	Hairy puccoon		165.00				
<i>Lithospermum incisum</i>		Fringed puccoon		165.00				
<i>Lobelia cardinalis</i>		Cardinal flower	100.00	80.00	1.25	1.10	1.00	1.05
<i>Lobelia inflata</i>		Indian tobacco		95.00				1.47
<i>Lobelia siphilitica</i>		Great blue lobelia	85.00	68.00	1.25	1.10	1.00	1.05
<i>Lobelia spicata</i>		Pale spiked lobelia	140.00	140.00				1.16
<i>Lolium multiflorum</i>		Annual rye	0.08	0.08				
<i>Low Maintenance Lawn Blend</i>		Fescue blend	0.24	0.24				
<i>Ludwigia alternifolia</i>		Seedbox	45.00	45.00				
<i>Ludwigia palustris</i>		Marsh seedbox	52.00	43.00				
<i>Ludwigia polycarpa</i>		Manyfruit primrose-willow	53.00	45.00				
<i>Lupinus perennis</i>		Wild lupine	35.00	22.00	1.25			1.05
<i>Luzula multiflora</i>		Common wood rush	87.50	75.00	1.40			1.16
<i>Lycopus americanus</i>		American water horehound	27.00	26.00	1.53		1.00	1.21
<i>Lycopus uniflorus</i>		Northern bugleweed		37.00				
<i>Lysimachia ciliata</i>		Fringed loosestrife	82.00	69.00	1.30			
<i>Lysimachia quadriflora</i>		Fourflower yellow loosestrife	200.00	112.00				1.40
<i>Lysimachia terrestris</i>		Swamp candles						
<i>Lysimachia thyrsoiflora</i>		Tufted loosestrife						
<i>Lythrum alatum</i>		Winged loosestrife	110.00	90.00	1.35			
<i>Maianthemum canadense</i>	<i>Smilacina canadense</i>	Canada mayflower			5.25			
<i>Maianthemum racemosum*</i>	<i>Smilacina racemosa</i>	Feathery false solomon's seal	28.00	26.00	5.25			
<i>Maianthemum stellatum</i>	<i>Smilacina stellata</i>	Starry false solomon's seal	134.00	115.00	5.25			
<i>Medicago sativa</i>		Alfalfa	0.38	0.38				
<i>Mentha arvensis</i>		Wild mint	78.00	69.00				1.21
<i>Mertensia virginica</i>		Virginia bluebells			3.00			2.63
<i>Mimulus ringens</i>		Monkey flower	44.00	34.00	1.25		1.00	1.05
<i>Minuartia michauxii</i>	<i>Arenaria stricta</i>	Stiff sandwort	243.00	200.00				
<i>Mitella diphylla</i>		Bishop's cap		280.00				
<i>Moehringia lateriflora</i>		Blunt leaf stitchwort						
<i>Monarda bradburiana</i>		Beebalm			1.53			
<i>Monarda fistulosa</i>		Wild bergamot	26.00	20.00	1.25	1.10	1.00	1.05
<i>Monarda punctata</i>		Horse mint	22.00	20.00	1.35			1.16
<i>Muhlenbergia glomerata</i>		Marsh wild timothy	45.00	30.00				
<i>Muhlenbergia mexicana</i>		Leafy satin grass		15.00	1.40			

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Napaea dioica</i>		Glade Mallow	11.00	7.50				
<i>Nelumbo lutea</i>		American lotus			7.00			
<i>Nuphar lutea</i>	<i>Nuphar advena</i>	Yellow waterlily			10.00			
<i>Nuphar rubrodiscalis</i>		Yellow water lily						
<i>Nymphaea odorata</i>	<i>Nymphaea tuberosa</i>	American white waterlily			10.00			
<i>Oenothera biennis</i>		Common evening primrose	3.50	3.00	1.35			
<i>Oenothera guara</i>	<i>Guara biennis</i>	Biennial gaure	22.00	20.00				2.10
<i>Oenothera macrocarpa</i>		Large flowered primrose			1.45		1.10	
<i>Oenothera pilosella</i>		Prairie sundrops						1.37
<i>Oenothera speciosa</i>		Pink petticoats primrose						
<i>Oligoneuron album</i>	<i>Solidago/Aster ptarmicoides</i>	Stiff aster (goldenrod)	28.00	20.00	1.35			
<i>Oligoneuron ohioense</i>	<i>Solidago ohioensis</i>	Ohio goldenrod		22.00	1.70			1.47
<i>Oligoneuron riddellii</i>	<i>Solidago riddellii</i>	Riddell's goldenrod	32.00	25.00	1.25			1.05
<i>Oligoneuron rigidum</i>	<i>Solidago rigida</i>	Stiff goldenrod	26.00	22.00	1.25	1.10	1.00	1.05
<i>Onoclea sensibilis</i>		Sensitive fern						5.00
<i>Onosmodium bejariense</i>	<i>Onosmodium molle</i>	Marbleseed		150.00				
<i>Opuntia humifusa</i>		Prickly pear cactus	31.00	31.00	1.25 - pads			3.50
<i>Osmorhiza claytonii</i>		Hairy sweet cicely	33.00	24.00				
<i>Osmorhiza longistylis</i>		Smooth sweet cicely	33.00	24.00				
<i>Osmunda cinnamomea</i>		Cinnamon fern			5.00			
<i>Osmunda claytoniana</i>		Interrupted fern			5.25			
<i>Osmunda regalis spectabilis</i>		Royal fern			5.25			
<i>Oxalis violacea*</i>		Wood sorrel			5.25			
<i>Oxyopolis rigidior</i>		Cowbane	72.00	60.00	5.25			
<i>Packera aurea</i>	<i>Senecio aurea</i>	Golden ragwort						2.10
<i>Packera obovata</i>	<i>Senecio obovatus</i>	Squaw weed			1.90		1.35	
<i>Packera paupercula</i>	<i>Senecio pauperculus</i>	Balsam ragwort	87.00	80.00	1.35			1.21
<i>Packera plattensis</i>	<i>Senecio plattensis</i>	Prairie groundsel	87.00	80.00	1.35			1.21
<i>Panicum oligosanthes</i>		Few-flowered panic grass						
<i>Panicum virgatum</i>		Switch grass	0.75	0.60	1.25	1.05	0.95	1.05
<i>Parthenium integrifolium</i>		Wild quinine	11.00	9.00	1.35		1.00	1.16
<i>Pascopyrum smithii</i>	<i>Agropyron smithii</i>	Western wheatgrass	12.00	9.00				
<i>Pedicularis canadensis*</i>		Wood betony	131.00	93.00				2.10
<i>Pedicularis lanceolata*</i>		Swamp lousewort	31.10	10.00				2.10
<i>Peltandra virginica</i>		Green arrow arum			1.90			1.47
<i>Penstemon calycosus</i>		Small beardtongue	14.00	13.00	1.35			1.16
<i>Penstemon cobaea</i>		Large flowered penstemon			1.53	1.25	1.12	1.70
<i>Penstemon digitalis</i>		Beardtongue	24.00	18.00	1.25	1.10	1.00	
<i>Penstemon grandiflorus</i>		Large-flowered beard tongue			2.00			1.79
<i>Penstemon hirsutus</i>		Hairy beardtongue	24.00	18.00	1.70			1.47
<i>Penstemon pallidus</i>		Pale beard tongue	120.00	100.00				
<i>Penstemon tubaeiflorus</i>		Western beard tongue						
<i>Penthorum sedoides</i>		Ditch stonewort	14.00	8.00	1.65		1.10	1.37
<i>Phleum pretense</i>		Timothy	0.22	0.22				

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Phlox divaricata</i>		Blue/Woodland phlox	180.00	160.00	1.53	1.25	1.12	1.31
<i>Phlox glaberrima</i>		Marsh phlox		155.00	1.53		1.12	1.31
<i>Phlox maculata</i>		Wild sweetwilliam		40.00				
<i>Phlox paniculata</i>		Garden phlox			1.70		1.10	
<i>Phlox pilosa</i>		Sand prairie phlox	155.00	110.00	1.70			1.31
<i>Phryma leptostachya</i>		Lopseed	45.00	40.00				
<i>Physostegia virginiana</i>		Prairie obedient plant	40.00	34.00	1.35		1.00	1.21
<i>Phytolacca americana</i>		Pokeweed	7.50	7.50				
<i>Poa palustris</i>		Fowl bluegrass	3.50	3.50	1.70			1.47
<i>Podophyllum peltatum*</i>		Mayapple		150.00	2.25			
<i>Polemonium reptans</i>		Jacob's ladder	115.00	105.00	3.00			2.10
<i>Polygonatum biflorum</i>	<i>Polygonatum canaliculatum</i>	Smooth Solomon's seal	24.00	23.00				3.41
<i>Polygonum amphibium</i>	<i>Polygonum coccineum</i>	Longroot smartweed	26.00	22.00				
<i>Polygonum amphibium stipulaceum</i>		Water smartweed	26.00	26.00				
<i>Polygonum hydropiperoides</i>		Mild water pepper	9.50	7.50				
<i>Polygonum lapathifolium</i>		Curly-topped knotweed	4.00	3.00				
<i>Polygonum pensylvanicum</i>		Pinkweed	4.00	3.00				
<i>Polygonum sagittatum</i>		Lady's tearthumb	55.00	47.00				
<i>Polygonum virginiana</i>		Jumpseed						
<i>Polygonum virginianum</i>	<i>Tovara virginiana</i>	Woodland knotweed		25.00				
<i>Polystichum acrostichoides</i>		Christmas fern			5.00			
<i>Pontederia cordata</i>		Pickereel weed	40.00	39.00	2.75			
<i>Potamogeton natans</i>		Floating pondweed						
<i>Potamogeton nodosus*</i>		Pondweed (BR only)						
<i>Potentilla anserina</i>		Silverweed cinquefoil						
<i>Potentilla arguta</i>	<i>Drymocallis arguta</i>	Prairie cinquefoil	46.00	40.00	1.35			1.21
<i>Potentilla simplex</i>		Common cinquefoil						
<i>Prenanthes alba</i>		Lion's foot	175.00	118.00				
<i>Prenanthes racemosa</i>		Glaucous white lettuce		118.00				
<i>Pseudognaphalium obtusifolium</i>	<i>Gnaphalium obtusifolium</i>	Rabbit tobacco		25.00				
<i>Psoralea tenuiflora</i>		French grass						
<i>Ptelea trifoliata</i>		Hop tree			3.95			
<i>Pulsatilla patens</i>	<i>Anemone patens wolfgangiana</i>	Pasque flower	55.00	42.00	2.50			2.10
<i>Pycnanthemum tenuifolium</i>		Slender mountain mint	55.00	42.00	1.35	1.10	1.00	1.31
<i>Pycnanthemum virginianum</i>		Virginia mountain mint	65.00	60.00	1.35			1.16
<i>Ranunculus abortivus</i>		Little leaf buttercup						
<i>Ranunculus fascicularis</i>		Early buttercup	45.00					
<i>Ranunculus hispidus</i>	<i>Ranunculus septentrionalis</i>	Rough buttercup	45.00					
<i>Ranunculus sceleratus</i>		Cursed buttercup	55.00	52.00				
<i>Ranunculus septentrionalis</i>	<i>R. hispidus</i>	Rough buttercup	45.00					
<i>Ratibida columnifera</i>		Upright coneflower		7.00	1.35		1.00	
<i>Ratibida pinnata</i>		Yellow coneflower	20.00	16.00	1.25	1.10	1.00	1.16
<i>Regreen Tritium aestivum x Elymus trachycaulus</i>	<i>Regreen (Winter wheat x slender wheatgrass)</i>	Regreen	0.35	0.35				



Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Rorippa palustris</i>	<i>Rorippa islandica</i>	Yellow cress	18.00	14.50				
<i>Rosa arkansana</i>		Prairie rose	42.00	25.00				
<i>Rosa blanda</i>		Early wild rose	44.00	40.00				
<i>Rosa carolina</i>		Carolina rose	44.00	40.00	3.00			2.63
<i>Rosa palustris</i>		Swamp rose	42.00	37.00	4.50			3.75
<i>Rosa setigera</i>		Savanna rose	42.00	37.00	4.50			3.75
<i>Rudbeckia fulgida speciosa</i>	<i>Rudbeckia speciosa</i>	Orange coneflower		52.00	1.53		1.12	
<i>Rudbeckia fulgida umbrosa</i>		Orange coneflower			1.25	1.10	1.00	
<i>Rudbeckia fulgida sullivantii</i>	<i>Rudbeckia fulgida</i>	Showy black-eyed Susan			1.53		1.00	
<i>Rudbeckia hirta</i>		Black-eyed Susan	5.00	3.00	1.53		1.12	1.31
<i>Rudbeckia laciniata</i>		Wild golden glow	23.00	17.00				1.21
<i>Rudbeckia missouriensis</i>		Missouri black-eyed Susan			1.35		1.00	
<i>Rudbeckia subtomentosa</i>		Sweet black-eyed Susan	20.00	16.00	1.35		1.00	1.16
<i>Rudbeckia triloba</i>		Brown-eyed Susan	15.00	12.00				1.16
<i>Ruellia humilis*</i>		Wild petunia, Hairy ruella	65.00	45.00	2.50			2.10
<i>Rumex altissimus</i>		Pale dock	19.00	15.00				
<i>Rumex orbiculatus</i>		Great water dock	19.00	15.00				1.47
<i>Rumex verticillatus</i>		Swamp dock	19.00	15.00				1.47
<i>Sagittaria graminea</i>		Grass leaved-duck potato						
<i>Sagittaria latifolia</i>		Broad-leaved duck potato	20.00	20.00	1.53		1.10	1.53
<i>Sagittaria rigida</i>		Stiff arrowhead						
<i>Salvia azurea</i>		Blue sage			1.53	1.25	1.12	1.31
<i>Sanguinaria canadensis</i>		Bloodroot	53.00	45.00	4.50			3.50
<i>Sanicula marilandica</i>		Snakeroot	53.00	45.00				
<i>Saururus cernuus</i>		Lizard's tail			1.90			
<i>Saxifraga pensylvanica</i>		Eastern swamp saxifrage	81.00	75.00				4.20
<i>Schizachyrium scoparium</i>	<i>Andropogon scoparius</i>	Little bluestem	2.00	1.75	1.25	1.05	0.95	1.16
<i>Schoenoplectus acutus</i>	<i>Scirpus acutus</i>	Hard-stemmed bulrush	30.00	25.00	1.35		1.00	1.21
<i>Schoenoplectus fluviatilis</i>	<i>Scirpus fluviatilis</i>	River bulrush	16.00	12.00	1.35	1.05	1.00	
<i>Schoenoplectus pungens</i>	<i>Scirpus pungens/americanus</i>	Chairmaker's rush	16.00	12.00				1.21
<i>Schoenoplectus tabernaemontani</i>	<i>Scirpus validus creber</i>	Soft-stem bulrush	16.00	12.00	1.35	1.05	1.00	1.21
<i>Scirpus atrovirens</i>		Green bulrush	6.00	5.00	1.25	1.05	0.95	1.16
<i>Scirpus cyperinus</i>		Wool grass	10.00	9.00	1.25		1.00	1.16
<i>Scirpus lineatus</i>		Drooping bulrush						
<i>Scirpus pendulus</i>		Red bulrush	43.00	17.00	1.35		1.00	
<i>Scleria triglomerata</i>		White nutrush						
<i>Scrophularia lanceolata</i>		Early figwort	45.00	32.00				2.10
<i>Scrophularia marilandica</i>		Late figwort	26.00	22.00				2.10
<i>Scutellaria galericulata</i>	<i>Scutellaria epilobiifolia</i>	Marsh skullcap	90.00	84.00				
<i>Scutellaria incarna</i>		Hoary skullcap			2.10			
<i>Scutellaria lateriflora</i>		Mad dog skullcap	43.00	43.00				2.10
<i>Scutellaria ovata</i>		Heart leaf skullcap						
<i>Secale cereale</i>		Winter rye	0.08	0.08				
<i>Sedum tematum</i>		Wild stonecrop			1.53			

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Senna hebecarpa</i>	<i>Cassia hebecarpa</i>	Wild senna	9.00	6.00	1.50			
<i>Silene nivea</i>		Snowy campion						
<i>Silene regia</i>		Royal catchfly	90.00	84.00	1.75			1.53
<i>Silene stellata</i>		Starry campion	145.00	95.00				
<i>Silphium integrifolium</i>		Rosin weed	19.00	16.00	1.50			1.31
<i>Silphium laciniatum</i>		Compass plant	26.00	22.00	1.35			1.21
<i>Silphium perfoliatum</i>		Cup plant	13.00	9.00	1.35			1.21
<i>Silphium terebinthinaceum</i>		Prairie dock	20.00	19.00	1.35			1.21
<i>Sisyrinchium albidum*</i>		Common blue-eyed grass	118.00	85.00				
<i>Sisyrinchium angustifolium*</i>		Narrow-leaved blue-eyed grass	118.00	85.00				
<i>Sisyrinchium campestre</i>		Prairie blue-eyed grass	118.00	85.00				
<i>Sium suave*</i>		Hemlock waterparsnip	50.00	46.00				1.95
<i>Smilax herbacea</i>		Carrion flower	23.00	16.00				
<i>Smilax lasioneura</i>		Smooth carrion flower	11.00	11.00				
<i>Solidago caesia</i>		Blue stemmed goldenrod	150.00	130.00				
<i>Solidago canadensis</i>		Canada goldenrod	34.00	29.00				
<i>Solidago flexicaulis</i>		Broad-leaved goldenrod	95.00	95.00	1.53		1.10	1.31
<i>Solidago gigantea</i>		Late goldenrod	113.00	88.00				
<i>Solidago juncea</i>		Early goldenrod	42.00	35.00	1.70			
<i>Solidago missouriensis</i>		Missouri goldenrod	42.00	35.00	1.70			
<i>Solidago nemoralis</i>		Old-field goldenrod	42.00	35.00	1.35			1.16
<i>Solidago patula</i>		Swamp goldenrod						
<i>Solidago rugosa</i>	<i>Solidago drummondii</i>	Wrinkle leaf goldenrod			1.53			
<i>Solidago speciosa</i>		Showy goldenrod	36.00	30.00	1.35	1.05	1.00	1.16
<i>Solidago ulmifolia</i>		Elm-leaved goldenrod	60.00	51.00	1.53			1.31
<i>Sorghastrum nutans</i>		Indian grass	0.65	0.50	1.25	1.05	0.95	1.05
<i>Sparganium americanum</i>		American bur reed						3.41
<i>Sparganium emersum</i>	<i>Sparganium chlorocarpum</i>	Narrow-leaved bur reed	25.00	16.00				1.95
<i>Sparganium eurycarpum</i>		Common bur reed	10.00	8.00	1.60			1.42
<i>Spartina pectinata</i>		Prairie cord grass	19.00	16.00	1.25	1.05	0.95	1.05
<i>Sphenopholis intermedia</i>		Slender wedge grass	120.00	100.00	1.70			1.47
<i>Sphenopholis obtusata</i>		Prairie wedge grass	14.00	12.00				1.47
<i>Spigelia marilandica</i>		Indian pink			2.25			
<i>Spiraea alba</i>		Meadow sweet	63.00	56.00	3.00			2.63
<i>Spiraea tomentosa</i>		Steeple bush			3.00			
<i>Spiranthes cernua</i>		Nodding ladies tresses	280.00	250.00				
<i>Spiranthes magnicamporum</i>		Great plains ladies tresses						
<i>Sporobolus compositus</i>	<i>Sporobolus asper</i>	Composite dropseed	4.00	3.75				
<i>Sporobolus cryptandrus</i>		Sand dropseed	4.00	3.75				
<i>Sporobolus heterolepis</i>		Prairie dropseed	26.00	22.00	1.25	1.25	1.00	1.05
<i>Stachys aspera</i>	<i>Stachys hyssopifolia ambigua</i>	Rough hedge nettle	45.00	45.00				2.10
<i>Stachys pilosa</i>	<i>Stachys palustris homotricha</i>	Marsh hedge nettle	40.00					2.10
<i>Stachys tenuifolia</i>		Smooth nettle hedge	45.00					
<i>Stuckenia pectinata</i>	<i>Potamogeton pectinatus</i>	Sago pondweed						

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Stylophorum diphyllum</i>		Celandine poppy			2.25			
<i>Symphotrichum cordifolium</i>	<i>Aster sagittifolius</i> , <i>A. cordifolius</i>	Arrow-leaved aster	120.00	95.00	1.70			1.47
<i>Symphotrichum drummondii</i>	<i>Aster drummondii</i>	Drummond's aster	30.00	21.00	1.70			1.47
<i>Symphotrichum dumosum</i>	<i>Aster dumosus</i>	Rice-button aster						
<i>Symphotrichum ericoides</i>	<i>Aster ericoides</i>	Heath aster	128.00	128.00	1.70			1.47
<i>Symphotrichum laeve</i>	<i>Aster laevis</i>	Smooth blue aster	42.00	36.00	1.35			
<i>Symphotrichum lanceolatum</i>	<i>Aster simplex</i>	Panicled aster	48.00	44.00	1.35			1.21
<i>Symphotrichum lateriflorum</i>	<i>Aster lateriflorus</i>	Side-flowering aster	48.00	44.00	1.35			
<i>Symphotrichum novae-angliae</i>	<i>Aster n-a</i>	New England aster	60.00	55.00	1.35	1.10	1.00	
<i>Symphotrichum oblongifolium</i>	<i>Aster oblongifolius</i>	Aromatic aster	41.00	25.00	1.25	1.10	1.00	
<i>Symphotrichum oolentangiense</i>	<i>Aster azureus</i>	Sky-blue aster	55.00	50.00	1.35			1.16
<i>Symphotrichum pilosum</i>	<i>Aster pilosus</i>	Hairy aster	48.00	44.00	1.25			
<i>Symphotrichum praealtum</i>	<i>Aster praealtus</i>	Willow aster		85.00	1.25			
<i>Symphotrichum prenanthoides</i>	<i>Aster prenanthoides</i>	Crooked-stemmed aster		85.00				
<i>Symphotrichum puniceum</i>	<i>Aster puniceus</i>	Marsh aster	45.00	40.00	1.35			
<i>Symphotrichum sericeum</i>	<i>Aster sericeus</i>	Silky aster	54.00	40.00	1.53		1.10	
<i>Symphotrichum shortii</i>	<i>Aster shortii</i>	Short's aster	90.00	85.00	1.70			
<i>Symphotrichum urophyllum</i>	<i>Aster sagittifolius</i>	Arrow-leaved aster	120.00	95.00				
<i>Taenidia integerrima</i>		Yellow pimpernel	70.00	65.00				
<i>Talinum calycinum</i>		Rock pink			1.70			
<i>Tephrosia virginiana</i>		Goats rue		27.00	1.70			
<i>Teucrium canadense</i>		Wood germander	35.00	32.00	1.35			1.31
<i>Thalictrum dasycarpum</i>		Purple meadow rue	25.00	22.00				1.52
<i>Thalictrum dioicum</i>		Early meadow rue	77.00	75.00				1.95
<i>Thalictrum revolutum</i>		Waxy meadow rue	77.00	75.00				
<i>Thaspium trifoliatum</i>		Purple meadowparsnip	45.00	35.00				
<i>Thelypteris palustris</i>	<i>Dryopteris thelypteris</i>	Marsh shield fern			8.00			
<i>Tiarella cordifolia</i>		Heartleaf foamflower						
<i>Tradescantia bracteata</i>		Long-bracted spiderwort	60.00	55.00	1.53		1.10	
<i>Tradescantia occidentalis</i>		Prairie Spiderwort	40.00	35.00	1.53		1.10	
<i>Tradescantia ohioensis</i>		Spiderwort	28.00	25.00	1.35		1.00	1.21
<i>Trillium erectum</i>		Red trillium						
<i>Trillium grandiflorum</i>		White trillium			5.00			
<i>Trillium recurvatum</i>		Prairie trillium						
<i>Triodanis perfoliata</i>	<i>Specularia perfoliata</i>	Venus's looking glass	50.00	43.00				
<i>Triosteum aurantiacum</i>		Early horse gentian						
<i>Triosteum perfoliatum</i>		Late horse gentian		29.00				
<i>Tripsacum dactyloides</i>		Eastern gamma grass		2.50				
<i>Typha latifolia</i>		Common cat-tail						
<i>Utricularia macrorhiza</i>	<i>Utricularia vulgaris</i>	Common bladderwort						
<i>Uvularia grandiflora</i>		Bellwort	94.00	75.00	5.00			
<i>Vallisneria americana</i>		American eelgrass			2.40			



Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug	Custom Grow 50	32/38 Cell Contract row
<i>Verbena hastata</i>		Blue vervain	12.00	9.00	1.25		1.00	1.16
<i>Verbena stricta</i>		Hoary vervain	22.00	15.00	1.25		1.00	1.16
<i>Verbena urticifolia</i>		White vervain	15.00	12.00				
<i>Verbesina alternifolia</i>	<i>Actinomeris alternifolia</i>	Wingstem	19.00	18.00	1.70			1.16
<i>Vernonia arkansana</i>		Curly-topped ironweed			1.70			
<i>Vernonia baldwinii</i>		Western ironweed			1.53		1.10	
<i>Vernonia fasciculata</i>		Common ironweed	30.00	25.00	1.35		1.00	1.16
<i>Vernonia missurica</i>		Missouri ironweed						
<i>Veronica americana</i>		American brooklime						
<i>Veronicastrum virginicum</i>		Culver's root	90.00	80.00	1.35		1.00	1.16
<i>Viola pedata*</i>		Bird's foot violet	260.00	220.00	4.50			3.94
<i>Viola pedatifida*</i>	<i>Viola palmata</i>	Prairie violet	130.00	115.00	2.50			2.36
<i>Viola pubescens</i>		Yellow violet		140.00				
<i>Viola sororia</i>		Common violet	130.00	115.00				
<i>Xyris torta</i>		Slender yellow eyed grass						
<i>Zizia aptera</i>		Heart leaved Golden Alexander	30.00	25.00	1.53		1.10	1.31
<i>Zizia aurea</i>		Golden Alexanders	18.00	18.00	1.53		1.10	1.31





## *Pricing and Product Information*

Pricing and availability are subject to change; prices are for in-stock items only. We are pleased to broker items from other native nurseries for your convenience. Please contact us for this service.

### **Contract Growing Qualifications**

**Custom Grow 50:** Requires an 800-plant minimum and 12 weeks advance notice.

**Wholesale 32/38 Cell Contract Grow:** Requires a minimum 12 weeks advance for most species.

All contract growing orders and early orders require a 15% down payment.

Quantity Discounts are also offered. Please call for pricing.











## *Contract Growing & Custom Propagation*

---

We offer contract growing and custom propagation for large projects/quantities with unique species or specific sizes. Our experience propagating plants for projects through the Midwest gives us the knowledge to grow almost any species to meet your project's specification.

We can custom-grow to meet most any genotype requirements for restoration projects.

Please note that contract growing requires a minimum of 120 days lead time, a non-refundable security deposit, and an agreed upon ship date. We encourage you to speak with your representative or member of our staff to see if a contract-grow is a good fit for your needs.

## *2019 Wholesale Seed Mix Pricing*

Please see individual mix descriptions for more specific information (pages numbers below). To add further diversity see our full species availability. All mixes may vary slightly in % composition and species.

### Pollinator Seed Mixes

Seed Mix	seeds per square foot	ounces per acre	\$ per acre	page number
Color Explosion Meadow	1,068	3,227	\$1,525	26
Diversity Meadow	45	148	\$775	26
Knee High Meadow	54	74	\$1,700	32
Long Summer Meadow	41	141	\$740	32
Monarch Way Station	1,382	1.5 (per packet)	\$52	33
Native Wildflower Garden Mix	102	1.4 (per packet)	\$40	33
Pollinator-Friendly Mix	55	80	\$825	34
Pollinator Magnet Meadow	55	199	\$860	34

### Conservation Seed Mixes

Seed Mix	seeds per square foot	ounces per acre	\$ per acre	page number
IA CP42 Monarch Dry to Mesic	40	based on blend	call for quote	29
IA CP42 Monarch Mesic to Wet	40	based on blend	call for quote	29
IA CP42 Pollinator Habitat Dry to Mesic	40	based on blend	call for quote	30
IA CP42 Pollinator Habitat Mesic to Wet	40	based on blend	call for quote	30
IA CRP 327 Dry to Mesic	40	based on blend	call for quote	30
IA CRP 327 Mesic to Wet	40	based on blend	call for quote	30
IL CP42 Monarch Dry to Mesic	30	based on blend	call for quote	30
IL CP42 Monarch Mesic to Wet	30	based on blend	call for quote	31
IL CP42 Pollinator Habitat Dry to Mesic	30	based on blend	call for quote	31
IL CP42 Pollinator Habitat Mesic to Wet	30	based on blend	call for quote	31
IL CRP 327 Dry to Mesic	30	based on blend	call for quote	31
IL CRP 327 Mesic to Wet	30	based on blend	call for quote	31
WI CP42 Monarch Dry to Mesic	30	based on blend	call for quote	35
WI CP42 Monarch Mesic to Wet	30	based on blend	call for quote	35
WI CP42 Pollinator Habitat Dry to Mesic	30	based on blend	call for quote	35
WI CP42 Pollinator Habitat Mesic to Wet	30	based on blend	call for quote	36
WI CRP 327 Dry to Mesic	30	based on blend	call for quote	36
WI CRP 327 Mesic to Wet	30	based on blend	call for quote	36



## Upland Seed Mixes

Seed Mix	seeds per square foot	ounces per acre	\$ per acre	page number
Clay Soils - Mesic Prairie Mix	55	609	\$1,045	26
DOT - Native Substitutions Mix	42	139	\$500	27
Dry Prairie Southeast	85	124	\$1,050	27
Herbicide Tolerant Shortgrass Prairie Mix	40	139	\$765	28
Herbicide Tolerant Tallgrass Prairie Mix	40	137	\$795	28
High Diversity Prairie Mix	65	603	\$1,425	29
Landfill Basic Mix	42	125	\$430	32
Mesic Prairie Southeast	35	148	\$505	32
Native Grass Mix - use for IL DOT Class 4	310	1,328	\$455	33
Woodland Mix	59	5.5 (per 1,000 sq ft)	\$188	36

## Wet Seed Mixes

Seed Mix	seeds per square foot	ounces per acre	\$ per acre	page number
Dry Swale/Pond	100	298	\$430	27
Herbicide Tolerant High Stature Wet-Mesic Prairie Mix	45	122	\$945	28
Herbicide Tolerant Low Stature Wet-Mesic Prairie Mix	45	119	\$775	28
Native Construction	65	212	\$285	33
Riparian South and West	185	96	\$1,115	34
Shoreline Mix	55	96	\$484	34
Swale and Basin Mix	55	281	\$930	35
Wetland Rehabilitation	230	79	\$375	35



## 2019 Wholesale Seed Mixes (A-Z)

### Clay Soils · Mesic Prairie Mix

**GRASSES/GRASS-LIKE:** Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's sedge), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Sporobolus heterolepis (Prairie dropseed)

**FORBS:** Asclepias syriaca (Common milkweed), Coreopsis tripteris (Tall coreopsis), **Dalea purpurea (Purple prairie clover)**, **Desmanthus illinoensis (Illinois sensitive plant)**, **Desmodium illinoense (Illinois tick trefoil)**, Eryngium yuccifolium (Rattlesnake master), Eupatorium altissimum (Tall boneset), Eutrochium maculatus (Spotted Joe-Pye weed), Heliopsis helianthoides (False sunflower), Monarda fistulosa (Wild bergamot), Oenothera biennis (Common evening primrose), Oligoneuron rigidum (Stiff goldenrod), Parthenium integrifolium (Wild quinine), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Silphium perfoliatum (Cup plant), Symphyotrichum lateriflorum (Side-flowering aster), Symphyotrichum pilosum (Hairy aster), Verbena hastata (Blue vervain)

**Total \$1,045/ac**

seeds/sq ft	55	lbs/ac	8
-------------	----	--------	---

- Includes a minimum of 3 grasses/sedges and 8 forbs
- Grasses and forbs at an approximate 60/40 ratio
- Major grasses are provided PLS
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

### Color Explosion Meadow · Best of Both Worlds Meadow Mix

**SPECIES:** Allium cernuum (Nodding wild onion), Asclepias verticillata (Whorled milkweed), Coreopsis lanceolata (Sand coreopsis), **Dalea purpurea (Purple prairie clover)**, Liatris cylindracea (Cylindrical blazing star), Low Maintenance Lawn Blend (Fescue blend), Lupinus perennis (Wild lupine), Monarda punctata (Horse mint), Oligoneuron album (Stiff aster [goldenrod]), Symphyotrichum sericeum (Silky aster)

**Total \$1,525/ac**

seeds/sq ft	1,068	lbs/ac	202
-------------	-------	--------	-----

- Usually about 2 feet
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

### Diversity Meadow · Low Growing Pollinator Meadow: Diverse Option

**SPECIES:** Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly milkweed), Asclepias verticillata (Whorled milkweed), Bouteloua curtipendula (Sideoats grama), Carex bicknellii (Bicknell's/Prairie sedge), Coreopsis lanceolata (Sand coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, Echinacea pallida (Pale purple coneflower), Kuhnia eupatorioides corymbis (False boneset), Liatris aspera (Rough blazing star), Liatris cylindracea (Cylindrical blazing star), Monarda punctata (Dotted/Horse mint), Penstemon digitalis (Foxglove beard tongue), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Solidago nemoralis (Old-field goldenrod), Symphyotrichum oolentangiense (Sky blue aster), Sporobolus heterolepis (Prairie dropseed), Schizachyrium scoparium (Little bluestem grass)

**Total \$930/ac**

seeds/sq ft	45	lbs/ac	9.25
-------------	----	--------	------

- Usually about 3 feet
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

### DOT · Native Substitutions Mix

**SPECIES:** Andropogon gerardii (Big bluestem), Elymus canadensis (Canada wild rye), Sorghastrum nutans (Indian grass), Panicum virgatum (Switch grass), Carex annectens (Yellow-fruited sedge), **Chamaecrista fasciculata (Partridge pea)**, **Dalea purpurea (Purple prairie clover)**, Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum novae-angliae (New England aster)

**Total \$500/ac**

seeds/sq ft	45	lbs/ac	8.69
-------------	----	--------	------

- Consider using this all-native mix in place of DOT mixes containing non-native aggressors
- Appropriate for Wet-Mesic to Dry-Mesic settings across the Upper Midwest
- Provided PLS
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

### Dry Prairie Southeast · Similar to MN Mix 35-621, BWSR U6

**GRASSES/GRASS-LIKE:** Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Bouteloua gracilis (Blue grama grass), Bromus kalmii (Arctic brome), Elymus canadensis (Canada wild rye), Koeleria macrantha (June grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Sporobolus heterolepis (Prairie dropseed)

**Total \$1,050/ac**

seeds/sq ft	85	lbs/ac	7.76
-------------	----	--------	------

- Regional dry prairie reconstruction for wetland mitigation, ecological restoration or conservation programs
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

**FORBS:** Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), Coreopsis palmata (Prairie coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, Heliopsis helianthoides (False sunflower), Heuchera richardsonii (Prairie alum root), **Lespedeza capitata (Round-headed bush clover)**, Liatris aspera (Rough blazing star), **Lupinus perennis (Wild lupine)**, Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Penstemon grandiflorus (Large-flowered beardtongue), Rudbeckia hirta (Black-eyed Susan), Solidago nemoralis (Old-field goldenrod), Symphyotrichum oolentangiense (Sky-blue aster), Symphyotrichum sericeum (Silky aster), Tradescantia ohiensis (Spiderwort), Zizia aptera (Heart leaved golden Alexander)

### Dry Swale/Pond · Similar to MN Mix 33-262, BWSR W4

**GRASSES/GRASS-LIKE:** Andropogon gerardii (Big bluestem), Bromus ciliatus (Fringed brome), Elymus canadensis (Canada wild rye), Elymus trachycaulus (Slender wheatgrass), Elymus virginicus (Virginia wild rye), Leersia oryzoides (Rice cut grass), Panicum virgatum (Switch grass), Poa palustris (Fowl bluegrass), Sorghastrum nutans (Indian grass)

**Total \$430/ac**

seeds/sq ft	100	lbs/ac	18.64
-------------	-----	--------	-------

- Temporarily flooded swales in agricultural settings
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

**FORBS:** Asclepias incarnata (Swamp milkweed), **Dalea purpurea (Purple prairie clover)**, **Desmodium canadense (Showy tick trefoil)**, Heliopsis helianthoides (False sunflower), Rudbeckia hirta (Black-eyed Susan), Verbena hastata (Blue vervain)

## Herbicide Tolerant High · *Stature Wet-Mesic Prairie Mix*

**SPECIES:** *Bidens frondosa* (Common beggar's ticks), *Carex annectens* (Yellow-fruited sedge), *Carex scoparia* (Broom sedge), ***Cassia hebecarpa* (Wild senna)**, *Coreopsis tripteris* (Tall coreopsis), ***Desmodium canadense* (Showy tick trefoil)**, *Elymus virginicus* (Virginia wild rye), *Panicum virgatum* (Switch grass), *Spartina pectinata* (Prairie cord grass), *Symphotrichum novae-angliae* (New England aster), *Symphotrichum puniceum* (Marsh aster)

**Total \$945/ac**

seeds/sq ft	45	lbs/ac	7.65
-------------	----	--------	------

- Blended at approx. 30/70 forb to sedge, rush, grass spsf
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

## Herbicide Tolerant Low · *Stature Wet-Mesic Prairie Mix*

**SPECIES:** *Bidens frondosa* (Common beggar's ticks), *Carex annectens* (Yellow-fruited sedge), *Carex scoparia* (Broom sedge), ***Cassia hebecarpa* (Wild senna)**, *Coreopsis tripteris* (Tall coreopsis), ***Desmodium canadense* (Showy tick trefoil)**, *Elymus virginicus* (Virginia wild rye), *Panicum virgatum* (Switch grass), *Spartina pectinata* (Prairie cord grass), *Symphotrichum novae-angliae* (New England aster), *Symphotrichum puniceum* (Marsh aster)

**Total \$775/ac**

seeds/sq ft	45	lbs/ac	7.46
-------------	----	--------	------

- Blended at approx. 30/70 forb to sedge/rush/grass spsf
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

## Herbicide Tolerant Shortgrass Prairie Mix

**SPECIES:** ***Amorpha canescens* (Leadplant)**, *Asclepias syriaca* (Common milkweed), *Bouteloua curtipendula* (Side oats grama), *Coreopsis lanceolata* (Sand coreopsis), ***Dalea purpurea* (Purple prairie clover)**, ***Desmanthus illinoensis* (Illinois sensitive plant)**, *Echinacea purpurea* (Broad-leaved purple coneflower), *Elymus virginicus* (Virginia wild rye), *Lespedeza capitata* (Round-headed bush clover), *Lupinus perennis* (Wild lupine), *Rudbeckia hirta* (Black-eyed Susan), *Schizachyrium scoparium* (Little bluestem), *Sporobolus heterolepis* (Prairie dropseed), *Symphotrichum oolentangiense* (Sky-blue aster)

**Total \$765/ac**

seeds/sq ft	40	lbs/ac	8.70
-------------	----	--------	------

- Blended at approx. 50/50 forb to grass spsf
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

## Herbicide Tolerant Tallgrass Prairie Mix

**SPECIES:** *Andropogon gerardii* (Big bluestem), *Asclepias syriaca* (Common milkweed), *Cassia fasciculata* (Partridge pea), *Coreopsis tripteris* (Tall coreopsis), *Desmodium canadense* (Showy tick trefoil), *Echinacea purpurea* (Broad-leaved purple coneflower), *Elymus canadensis* (Canada wild rye), *Lespedeza capitata* (Round-headed bush clover), *Panicum virgatum* (Switch grass), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Sorghastrum nutans* (Indian grass), *Symphotrichum laeve* (Smooth blue aster)

**Total \$795/ac**

seeds/sq ft	40	lbs/ac	8.60
-------------	----	--------	------

- Plateau Ready
- Blended at approx. 50/50 forb to grass spsf
- Mix may vary slightly based on availability
- Legumes are listed in **bold**



## High Diversity Prairie Mix

**GRASSES/GRASS-LIKE:** *Andropogon gerardii* (Big bluestem), *Avena sativa* (Seed oats), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's edge), *Carex brevior* (Short beak sedge), *Elymus virginicus* (Virginia wild rye), *Hierochloa odorata* (Vanilla grass), *Koeleria macrantha* (June grass), *Muhlenbergia mexicana* (Leafy satin grass), *Panicum virgatum* (Switch grass), *Schizachyrium scoparium* (Little bluestem), *Sorghastrum nutans* (Indian grass), *Spartina pectinata* (Prairie cord grass), *Sporobolus heterolepis* (Prairie dropseed)

**FORBS:** *Allium cernuum* (Nodding wild onion), *Anemone virginiana* (Tall anemone), *Anemone canadensis* (Meadow/Canada anemone), *Asclepias syriaca* (Common milkweed), *Asclepias tuberosa* (Butterfly weed), *Asclepias verticillata* (Whorled milkweed), *Brickellia eupatorioides* (False boneset), ***Cassia hebecarpa* (Wild senna)**, *Coreopsis lanceolata* (Sand coreopsis), *Coreopsis palmata* (Prairie coreopsis), ***Dalea candida* (White prairie clover)**, ***Dalea purpurea* (Purple prairie clover)**, ***Desmanthus illinoensis* (Illinois sensitive plant)**, ***Desmodium illinoense* (Illinois tick trefoil)**, *Dodecatheon meadia* (Shooting star), *Doellingeria umbellata* (Flat-topped aster), *Drymocallis arguta* (Prairie cinquefoil), *Echinacea pallida* (Pale purple coneflower), *Echinacea purpurea* (Broad-leaved purple coneflower), *Eryngium yuccifolium* (Rattlesnake master), *Eupatorium altissimum* (Tall boneset), *Eupatorium purpureum* (Purple Joe-Pye weed), *Gaura biennis* (Biennial gaura), *Geum triflorum* (Prairie smoke), *Heliopsis helianthoides* (False sunflower), *Helianthus occidentalis* (Western sunflower), *Heuchera richardsonii* (Prairie alum root), ***Lespedeza capitata* (Round-headed bush clover)**, *Liatris aspera* (Rough blazing star), *Liatris pycnostachya* (Prairie blazing star), *Lupinus perennis* (Wild lupine), *Monarda fistulosa* (Wild bergamot), *Monarda punctata* (Horse mint), *Oenothera biennis* (Common evening primrose), *Oligoneuron album* (Stiff aster [goldenrod]), *Oligoneuron rigidum* (Stiff goldenrod), *Parthenium integrifolium* (Wild quinine), *Penstemon digitalis* (Beardtongue), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia subtomentosa* (Sweet black-eyed Susan), *Silphium laciniatum* (Compass plant), *Silphium perfoliatum* (Cup plant), *Silphium terebinthinaceum* (Prairie dock), *Sisyrinchium campestre* (Prairie blue-eyed grass), *Solidago speciosa* (Showy goldenrod), *Symphotrichum laeve* (Smooth blue aster), *Symphotrichum lateriflorum* (Side-flowering aster), *Symphotrichum pilosum* (Hairy aster), *Verbena stricta* (Hoary vervain), *Veronicastrum virginicum* (Culver's root), *Zizia aurea* (Golden Alexander)

**Total \$1,425/ac**

seeds/sq ft	65	lbs/ac	38.00
-------------	----	--------	-------

- Major grasses provided PLS
- Includes a minimum of 10 grasses/sedges and 35 forbs
- Grasses and forbs at an approximate 60/40 ratio
- Mix may vary slightly based upon availability
- Legumes are listed in **bold**

## IA CP42 Monarch Dry to Mesic

**State:** Iowa

**Height:** 1' - 4'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Dry Prairie / Mesic Prairie

**Total Call for quote**

seeds/sq ft	40	lbs/ac	varies
-------------	----	--------	--------

- Meets Iowa's Monarch, CP42, 327 and 643 standards - suitable for dry to mesic prairie settings

## IA CP42 Monarch Mesic to Wet

**State:** Iowa

**Height:** 1' - 7'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Mesic Prairie / Wet Prairie

**Total Call for quote**

seeds/sq ft	40	lbs/ac	varies
-------------	----	--------	--------

- Meets Iowa's Monarch, CP42, 327 and 643 standards - suitable for mesic to wet prairie settings

## IA CP42 Pollinator Habitat Dry to Mesic

**State:** Iowa

**Height:** 1' - 4'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Dry Prairie / Mesic Prairie

### Total Call for quote

seeds/sq ft	40	lbs/ac	varies
-------------	----	--------	--------

- Meets Iowa's CP42, 327 and 643 standards - suitable for dry to mesic prairie settings

## IA CP42 Pollinator Habitat Mesic to Wet

**State:** Iowa

**Height:** 1' - 7'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Mesic Prairie / Wet Prairie

### Total Call for quote

seeds/sq ft	40	lbs/ac	varies
-------------	----	--------	--------

- Meets Iowa's CP42, 327 and 643 standards - suitable for mesic to wet prairie settings

## IA CRP 327 Dry to Mesic

**State:** Iowa

**Height:** 1' - 7'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Dry Prairie / Mesic Prairie

### Total Call for quote

seeds/sq ft	40	lbs/ac	varies
-------------	----	--------	--------

- Meets Iowa's 327 Conservation Cover standards - suitable for dry to mesic prairie settings

## IA CRP 327 Mesic to Wet

**State:** Iowa

**Height:** 1' - 7'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Mesic Prairie / Wet Prairie

### Total Call for quote

seeds/sq ft	40	lbs/ac	varies
-------------	----	--------	--------

- Meets Iowa's 327 Conservation Cover standards - suitable for mesic to wet prairie settings

## IL CP42 Monarch Dry to Mesic

**State:** Illinois

**Height:** 1' - 4'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Dry Prairie / Mesic Prairie

### Total Call for quote

seeds/sq ft	30	lbs/ac	varies
-------------	----	--------	--------

- Meets Illinois' Monarch, CP42, 327 and 643 standards - suitable for dry to mesic prairie settings

## IL CP42 Monarch Mesic to Wet

**State:** Illinois

**Height:** 1' - 7'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Mesic Prairie / Wet Prairie

### Total Call for quote

seeds/sq ft	30	lbs/ac	varies
-------------	----	--------	--------

- Meets Illinois' Monarch, CP42, 327 and 643 standards - suitable for mesic to wet prairie settings

## IL CP42 Pollinator Habitat Dry to Mesic

**State:** Illinois

**Height:** 1' - 4'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Dry Prairie / Mesic Prairie

### Total Call for quote

seeds/sq ft	30	lbs/ac	varies
-------------	----	--------	--------

- Meets Illinois' CP42, 327 and 643 standards - suitable for dry to mesic prairie settings

## IL CP42 Pollinator Habitat Mesic to Wet

**State:** Illinois

**Height:** 1' - 7'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Mesic Prairie / Wet Prairie

### Total Call for quote

seeds/sq ft	30	lbs/ac	varies
-------------	----	--------	--------

- Meets Illinois' CP42, 327 and 643 standards - suitable for mesic to wet prairie settings

## IL CRP 327 Dry to Mesic

**State:** Illinois

**Height:** 1' - 7'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Dry Prairie / Mesic Prairie

### Total Call for quote

seeds/sq ft	30	lbs/ac	varies
-------------	----	--------	--------

- Meets Illinois' CP42, 327 and 643 standards - suitable for mesic to wet prairie settings

## IL CRP 327 Mesic to Wet

**State:** Illinois

**Height:** 1' - 7'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Mesic Prairie / Wet Prairie

### Total Call for quote

seeds/sq ft	30	lbs/ac	varies
-------------	----	--------	--------

- Meets Illinois' 327 Conservation Cover standards - suitable for mesic to wet prairie settings

## Knee High Meadow · Ultra Low Growing Pollinator Meadow

**SPECIES:** Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), Carex bicknellii (Bicknell's edge), Carex brevior (Short beak sedge), Coreopsis lanceolata (Sand coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, Kuhnia eupatorioides (False boneset), Koeleria macrantha (June grass), **Lupinus perennis (Wild lupine)**, Monarda punctata (Horse mint), Rudbeckia hirta (Black-eyed Susan), Sporobolus heterolepis (Prairie dropseed), Symphyotrichum sericeum (Silky aster)

**Total \$1,700/ac**

seeds/sq ft	54	lbs/ac	4.60
-------------	----	--------	------

- Usually about 2 feet
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

## Landfill Basic Mix

**SPECIES:** Andropogon gerardii (Big bluestem), Carex annectens (Yellow-fruited sedge), Elymus canadensis (Canada wild rye), Panicum virgatum (Switch grass), Sorghastrum nutans (Indian grass), **Dalea purpurea (Purple prairie clover)**, Monarda fistulosa (Wild bergamot), Penstemon digitalis (Beardtongue), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum novae-angliae (New England aster)

**Total \$430/ac**

seeds/sq ft	42	lbs/ac	7.86
-------------	----	--------	------

- Provided PLS
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

## Long Summer Meadow · Extra Low Growing Pollinator Meadow

**SPECIES:** Allium cernuum (Nodding wild onion), Anemone virginiana (Tall anemone), Asclepias tuberosa (Butterfly milkweed), Asclepias verticillata (Whorled milkweed), Bouteloua curtipendula (Side-oats grama), Carex bicknellii (Bicknell's sedge), Carex brevior (Short beak sedge), Coreopsis lanceolata (Sand coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, Kuhnia eupatorioides (False boneset), **Lupinus perennis (Wild lupine)**, Monarda punctata (Horse mint), Rudbeckia hirta (Blackeyed Susan), Symphyotrichum oolentangiense (Sky blue aster), Schizachyrium scoparium (Little bluestem grass)

**Total \$740/ac**

seeds/sq ft	41	lbs/ac	8.80
-------------	----	--------	------

- Usually about 2-3 feet
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

## Mesic Prairie Southeast · Similar to MN Mix 35-641, BWSR U5

**GRASSES/GRASS-LIKE:** Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Elymus canadensis (Canada wild rye), Elymus trachycaulus (Slender wheatgrass), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Sporobolus heterolepis (Prairie dropseed)

**FORBS:** Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), **Astragalus canadensis (Canadian milk vetch)**, **Chamaecrista fasciculata (Partridge pea)**, **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, **Desmodium canadense (Showy tick trefoil)**, Heliopsis helianthoides (False sunflower), Liatris aspera (Rough blazing star), Liatris pycnostachya (Prairie blazing star), Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum ericoides (Heath aster), Symphyotrichum laeve (Smooth blue aster), Tradescantia ohiensis (Spiderwort), Verbena hastata (Blue vervain), Verbena stricta (Hoary vervain), Zizia aurea (Golden Alexander)

**Total \$505/ac**

seeds/sq ft	35	lbs/ac	9.30
-------------	----	--------	------

- \* Regional mesic prairie reconstruction for wetland mitigation, ecological restoration, or conservation program
- \* Mix may vary slightly based on availability
- \* Legumes are listed in **bold**



## Monarch Way Station · *Attracts and Serves Monarch Butterflies*

**SPECIES:** Allium cernuum (Nodding wild onion), Asclepias syriaca (Common milkweed), Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), Conoclinium coelestinum (Blue mistflower), Coreopsis lanceolata (Sand coreopsis), Eupatorium perfoliatum (Common boneset), Eupatorium purpureum (Purple Joe-Pye weed), Liatris aspera (Rough blazing star), Monarda fistulosa (Wild bergamot), Pycnanthemum virginianum (Virginia mountain mint), Ratibida pinnata (Yellow coneflower), Solidago nemoralis (Old-field goldenrod), Solidago speciosa (Showy goldenrod), Symphyotrichum novae-angliae (New England aster), Verbena stricta (Hoary vervain)

**Total \$48/packet (500 sq ft)/ac**

seeds/sq ft	1,382	lbs/ac	0.09
-------------	-------	--------	------

- Specially designed mix to attract and serve Monarch
- Butterflies - includes important host and nectar plants
- 1.5 oz of seed per packet contains a minimum of 12
- items from listed or similar species
- Mix may vary slightly based on availability

## Native Construction · *Similar to MN Mix 32-241, BWSR U12, BWSR U11*

**GRASSES/GRASS-LIKE:** Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Bromus ciliatus (Fringed brome), Elymus canadensis (Canada wild rye), Elymus trachycaulus (Slender wheatgrass), Elymus virginicus (Virginia wild rye), Panicum virgatum (Switch grass), Poa palustris (Fowl bluegrass), Sorghastrum nutans (Indian grass)

**Total \$285/ac**

seeds/sq ft	65	lbs/ac	13.31
-------------	----	--------	-------

- \* Mid-term soil stabilization using native species
- \* Suitable for sides of agricultural drainage ditches
- \* Mix may vary slightly based on availability
- \* Legumes are listed in bold

**FORBS:** Chamaecrista fasciculata (Partridge pea), Desmodium canadense (Showy tick trefoil), Monarda fistulosa (Wild bergamot), Rudbeckia hirta (Black-eyed Susan), Verbena stricta (Hoary vervain)

## Native Grass Mix · *IL DOT Class 4*

**SPECIES:** Andropogon gerardii (Big bluestem), Avena sativa (Seed oats), Bouteloua curtipendula (Side oats grama), Elymus canadensis (Canada wild rye), Lolium multiflorum (Annual rye), Lolium perenne (Perennial rye), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass)

**Total \$455/ac**

seeds/sq ft	310	lbs/ac	83.00
-------------	-----	--------	-------

- Mix may vary slightly based on availability

## Native Wildflower Garden Mix

**SPECIES:** Allium cernuum (Nodding wild onion), Anemone cylindrica (Thimbleweed), Anemone virginiana (Tall anemone), Asclepias tuberosa (Butterfly weed), Brickellia eupatorioides (False boneset), Coreopsis lanceolata (Sand coreopsis), **Dalea purpurea (Purple prairie clover)**, Echinacea pallida (Pale purple coneflower), **Lupinus perennis (Wild lupine)**, Monarda fistulosa (Wild bergamot), Penstemon digitalis (Beardtongue), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Solidago speciosa (Showy goldenrod), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum oolentangiense (Sky-blue aster)

**Total \$40/packet (100 sq ft)**

seeds/sq ft	102	lbs/ac	0.09
-------------	-----	--------	------

- \* 1.4 oz of seed per packet covers 100 sq ft; no grasses
- \* 4' or shorter
- \* Estimated seeds per 100 sq ft 102
- \* Mix may vary slightly based on availability
- \* Legumes are listed in **bold**

## Pollinator-Friendly Mix

**SPECIES:** Asclepias tuberosa (Butterfly weed), Coreopsis lanceolata (Sand coreopsis), Coreopsis palmata (Prairie coreopsis), Echinacea pallida (Pale purple coneflower), Echinacea purpurea (Broad-leaved purple coneflower), Elymus virginicus (Virginia wild rye), Eryngium yuccifolium (Rattlesnake master), Helenium autumnale (Sneezeweed), **Lupinus perennis (Wild lupine)**, Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Panicum virgatum (Switch grass), Penstemon digitalis (Beardtongue), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet black-eyed Susan), Solidago nemoralis (Old-field goldenrod), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum novae-angliae (New England aster)

**Total \$860/ac**

seeds/sq ft	55	lbs/ac	5.00
-------------	----	--------	------

- Mix may vary slightly based on availability
- Legumes are listed in **bold**

## Pollinator Magnet Meadow · Basic Low Profile Pollinator Meadow

**SPECIES:** Asclepias tuberosa (Butterfly weed), Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's edge), Coreopsis lanceolata (Sand coreopsis), Dalea purpurea (Purple prairie clover), Echinacea pallida (Pale purple coneflower), Kuhnia eupatorioides corymbs (False boneset), Liatris aspera (Rough blazing star), Rudbeckia hirta (Black-eyed Susan), Schizachyrium scoparium (Little bluestem), Symphyotrichum oolentangiense (Skyblue aster)

**Total \$825/ac**

seeds/sq ft	55	lbs/ac	12.40
-------------	----	--------	-------

- Usually about 3 feet
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

## Riparian South and West · Similar to MN Mix 34-261, BWSR R1

**GRASSES/GRASS-LIKE:** Elymus riparius (River bank rye), Elymus virginicus (Virginia wild rye), Glyceria grandis (Reed manna grass), Glyceria striata (Fowl manna grass), Leersia oryzoides (Rice cut grass), Poa palustris (Fowl bluegrass), Spartina pectinata (Prairie cord grass), Carex stricta (Common tussock sedge), Carex scoparia (Broom sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Juncus tenuis (Path rush), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

**Total \$1,115/ac**

seeds/sq ft	185	lbs/ac	6.02
-------------	-----	--------	------

- Native riparian and floodplain plantings for wetland mitigation, ecological restoration, or general permanent cover
- Mix may vary slightly based on availability

**FORBS:** Asclepias incarnata (Swamp milkweed), Eupatorium perfoliatum (Common boneset), Eutrochium maculatus (Spotted Joe-Pye weed), Helenium autumnale (Sneezeweed), Helianthus grosseserratus (Sawtooth sunflower), Impatiens capensis (Orange jewelweed), Lobelia siphilitica (Great blue lobelia), Mimulus ringens (Monkey flower), Pycnanthemum virginianum (Virginia mountain mint), Rudbeckia laciniata (Wild golden glow)

## Shoreline Mix

**SPECIES:** Carex hystericina (Bottlebrush sedge), Carex scoparia (Broom sedge), Elymus virginicus (Virginia wild rye), Helenium autumnale (Sneezeweed), Iris virginica shrevei (Wild blue iris), Juncus effusus (Common rush), Leersia oryzoides (Rice cut grass), Panicum virgatum (Switch grass), Schoenoplectus tabernaemontani (Soft-stem bulrush), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

**Total \$484/ac**

seeds/sq ft	55	lbs/ac	6.03
-------------	----	--------	------

- Includes minimum of 5 rushes/sedges/grasses & 3 forbs
- Major grasses are PLS
- Mix may vary slightly based on availability

## Swale and Basin Mix

**GRASSES/GRASS-LIKE:** Carex cristatella (Crested sedge), Carex hystericina (Bottlebrush sedge), Carex normalis (Spreading oval sedge), Carex scoparia (Broom sedge), Carex stipata (Awl-fruited sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Elymus virginicus (Virginia wild rye), Juncus dudleyi (Dudley's rush), Lolium multiflorum (Annual rye), Panicum virgatum (Switch grass), Spartina pectinata (Prairie cord grass)

**FORBS:** Asclepias incarnata (Swamp milkweed), **Cassia hebecarpa (Wild senna)**, Heliopsis helianthoides (False sunflower), Lycopus americanus (American water horehound), Monarda fistulosa (Wild bergamot), Oenothera biennis (Common evening primrose), Penstemon digitalis (Beardtongue), Polygonum spp (Pennsylvania knotweed), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet blackeyed Susan), Verbena hastata (Blue vervain)

**Total \$930/ac**

seeds/sq ft	55	lbs/ac	18.00
-------------	----	--------	-------

- Heavy on grass-like species, with showy, adaptable flowering species suitable for areas with sporadic wet-dry periods
- Includes minimum of 6 grasses/sedges and 6 forbs
- Major grasses are provided PLS
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

## Wetland Rehabilitation · Similar to MN Mix 34-171, BWSR WT3

**GRASSES/GRASS-LIKE:** Elymus virginicus (Virginia wild rye), Poa palustris (Fowl bluegrass), Carex vulpinoidea (Fox sedge, Brown fox sedge), Juncus tenuis (Path rush), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

**FORBS:** Bidens cernua (Nodding bur marigold), Lycopus americanus (American water horehound), Mimulus ringens (Monkey flower)

**Total \$350/ac**

seeds/sq ft	230	lbs/ac	5.00
-------------	-----	--------	------

- Inter-seeding into establishing wetlands after weed control spraying. Suitable for 2-5 years
- Mix may vary slightly based on availability

## WI CP42 Monarch Dry to Mesic

**State:** Wisconsin

**Height:** 1' - 4'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Dry Prairie / Mesic Prairie

**Total Call for quote**

seeds/sq ft	30	lbs/ac	varies
-------------	----	--------	--------

- Meets Wisconsin's Monarch, CP42, 327, and 643 standards - suitable for dry to mesic prairie settings

## WI CP42 Monarch Mesic to Wet

**State:** Wisconsin

**Height:** 1' - 7'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Mesic Prairie / Wet Prairie

**Total Call for quote**

seeds/sq ft	30	lbs/ac	varies
-------------	----	--------	--------

- Meets Wisconsin's Monarch, CP42, 327 and 643 standards - suitable for mesic to wet prairie settings

## WI CP42 Pollinator Habitat Dry to Mesic

**State:** Wisconsin

**Height:** 1' - 4'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Dry Prairie / Mesic Prairie

**Total Call for quote**

seeds/sq ft	30	lbs/ac	varies
-------------	----	--------	--------

- Meets Wisconsin's CP42, 327 and 643 standards - suitable for dry to mesic prairie settings

## WI CP42 Pollinator Habitat Mesic to Wet

**State:** Wisconsin

**Height:** 1' - 7'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Mesic Prairie / Wet Prairie

### Total Call for quote

seeds/sq ft	30	lbs/ac	varies
-------------	----	--------	--------

- Meets Wisconsin's CP42, 327, and 643 standards - suitable for mesic to wet prairie settings

## WI CRP 327 Dry to Mesic

**State:** Wisconsin

**Height:** 1' - 7'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Dry Prairie / Mesic Prairie

### Total Call for quote

seeds/sq ft	30	lbs/ac	varies
-------------	----	--------	--------

- Meets Wisconsin's 327 Conservation Cover standards - suitable for dry to mesic prairie settings

## WI CRP 327 Mesic to Wet

**State:** Wisconsin

**Height:** 1' - 7'

**Bloom Period:** Early-Middle-Late

**Habitat Type:** Mesic Prairie / Wet Prairie

### Total Call for quote

seeds/sq ft	30	lbs/ac	varies
-------------	----	--------	--------

- Meets Wisconsin's 327 Conservation Cover standards - suitable for mesic to wet prairie settings

## Woodland Mix

**GRASSES/GRASS-LIKE:** *Andropogon gerardii* (Big bluestem), *Bromus pubescens* (Woodland brome), *Carex spengelii* (Long-beaked sedge), *Elymus canadensis* (Canada wild rye), *Elymus hystrix* (Bottlebrush grass), *Luzula multiflora* (Common wood rush), *Muhlenbergia mexicana* (Leafy satin grass)

**FORBS:** *Allium cernuum* (Nodding wild onion), *Anemone virginiana* (Tall anemone), *Aquilegia canadensis* (Wild columbine), ***Desmanthus illinoensis* (Illinois sensitive plant)**, *Dicentra cucullaria* (Dutchman's breeches), *Dodecatheon meadia* (Shooting star), *Eupatorium purpureum* (Purple Joe-Pye weed), *Euthamia graminifolia* (Common grass-leaved goldenrod), *Geranium maculatum* (Wild geranium), *Napaea dioica* (Glade mallow), *Polygonatum biflorum* (Smooth Solomon's seal), *Polemonium reptans* (Jacob's ladder), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia triloba* (Brown-eyed Susan), *Symphotrichum cordifolium* (Arrow-leaved aster), *Symphotrichum laeve* (Smooth blue aster), *Thalictrum dasycarpum* (Purple meadow rue)

### Total \$175 / 1,000 sq ft/ac

seeds/sq ft	59	lbs/ac	0.344
-------------	----	--------	-------

- Sold as 1,000 sq ft mixes
- Appropriate for managed open upland wooded areas
- Includes minimum of 3 grasses/sedges and 8 forbs
- Grasses and forbs at an approximate 60/40 ratio
- Major grasses are provided PLS
- Mix may vary slightly based on availability
- Legumes are listed in **bold**







17921 W Smith Rd, PO Box 256  
Brodhead, WI | 53520  
P (608) 897-8641 | F (608) 897-2044  
E [nursery.service@appliedeco.com](mailto:nursery.service@appliedeco.com)

224 E 1260 Rd  
Baldwin City, KS | 66006  
P (785) 594-2245 | F (785) 594-2250  
E [customer.support@appliedeco.com](mailto:customer.support@appliedeco.com)

*The highest-quality native, local-genotype plants and seed.*

[www.restorationnurseries.com](http://www.restorationnurseries.com)